

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
1 April 2004 (01.04.2004)


PCT

(10) International Publication Number  
**WO 2004/026888 A2**

- (51) International Patent Classification<sup>7</sup>: **C07H**
- (21) International Application Number:  
**PCT/US2003/029577**
- (22) International Filing Date:  
19 September 2003 (19.09.2003)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:  
60/412,479 19 September 2002 (19.09.2002) US
- (71) Applicants (for all designated States except US): **COLEY PHARMACEUTICAL GMBH** [DE/DE]; Elisabeth-Selbert-Strasse 9, 40764 Langenfeld (DE). **UNIVERSITY OF SASKATCHEWAN** [CA/CA]; Kirk Hall, 117 Science Place, Saskatoon, Saskatchewan S7N 5C8 (CA). **QIAGEN GMBH** [DE/DE]; Max-Planck-Strasse 4, 40724 Hilden (DE).
- (72) Inventors; and  
(75) Inventors/Applicants (for US only): **LIPFORD, Grayson, B.** [US/US]; 38 Bates Road, Watertown, MA 02472 (US). **MOOKHERJEE, Neeloffer** [IN/CA]; Apt 408, 2233 Allison Road,, Vancouver, BC V6T 1T7 (CA). **BABIUK, Lorne** [CA/CA]; 245 East Place, Saskatoon, Saskatchewan S7J 2Y1 (CA). **BROWNIE, Robert** [CA/CA]; 123 O'Brien Crescent, Saskatoon, Saskatchewan S7K 5K3 (CA). **GRIEBEL, Philip** [CA/CA]; Box 36, RR5, Saskatoon, Saskatchewan S7K 3J8 (CA). **MUTWIRI, George** [CA/CA]; 569 Nordstrum Road, Saskatoon, Saskatchewan S7K 7X6 (CA). **HECKER, Rolf** [DE/DE]; Benrodestr. 60, 40597 Düsseldorf (DE).
- (74) Agent: **STEELE, Alan, W.**; Wolf, Greenfield & Sacks, P.C., 600 Atlantic Avenue, Boston, MA 02210 (US).
- (81) Designated States (national): AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX,

[Continued on next page]

(54) Title: TOLL-LIKE RECEPTOR 9 (TLR9) FROM VARIOUS MAMMALIAN SPECIES



(57) Abstract: Novel amino acid and nucleotide sequences for rat, pig (porcine), cow (bovine), horse (equine), and sheep (ovine) Toll-like receptor 9 (TLR9) are provided. Also provided are amino acid and nucleotide sequences for dog (canine), cat (feline), mouse (murine), and human TLR9. Comparison of these sequences, especially in combination with functional assessment for species-specific CpG motif preferences, permits identification of specific regions and amino acid residues of interest in TLR9 ligand interaction. Novel chimeric TLR9 receptor molecules, cells expressing these molecules, and methods for their use in screening assays for TLR9 ligands are also provided.



MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

**Published:**

— without international search report and to be republished upon receipt of that report

(84) **Designated States (regional):** ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO,

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

## TOLL-LIKE RECEPTOR 9 (TLR9) FROM VARIOUS MAMMALIAN SPECIES

### Background of the Invention

Synthetic oligodeoxynucleotides (ODN) and DNA containing immunostimulatory  
5 CpG motifs (CpG DNA) function as potent adjuvants and activators of the innate immune  
system. Heeg K et al. (2000) *Int Arch Allergy Immunol* 121:87-97; Krieg AM (2001)  
*Vaccine* 19:618-22. A wide variety of CpG-containing sequences have been screened for  
biological activity and it is reported that optimal CpG DNA sequences can vary among  
species. Rankin R et al. (2001) *Antisense Nucleic Acid Drug Dev* 11:333-40.  
10 Toll-like receptor 9 (TLR9) has recently been identified as a receptor for CpG ODN.  
Hemmi H et al. (2000) *Nature* 408:740-5. The molecular mechanism by which TLR9  
recognizes CpG DNA is not understood.

### Summary of the Invention

15 Toll-like receptor 9 (TLR9) is known to be involved in innate immunity and to signal  
in response to CpG DNA. To date, the amino acid sequences only of human and murine  
TLR9 have been reported, and, interestingly, these two species are known to prefer different  
CpG motifs. The structural basis for this species-specific CpG motif preference has not yet  
been fully elucidated. The instant invention provides, in part, novel amino acid and  
20 nucleotide sequences of rat, pig, cow, and horse TLR9. These novel TLR9 sequences are  
useful for elucidating certain key structural features of TLR9. Specifically, comparison of  
sequences of murine, human, and these novel TLR9 sequences permits identification of areas  
of highly conserved sequence, areas of group conservation, and areas of hypervariability. In  
addition, such comparisons permit an assessment of evolutionary relatedness among TLR9  
25 molecules of the various species, as well as an assessment of inter-species homologies.  
Importantly, such comparisons permit a rational basis for identifying amino acids in TLR9  
that may be involved in the CpG binding site, as well as amino acids involved in conferring  
species specificity for particular CpG motifs. Such information may be used to design and  
construct novel TLR9 molecules which incorporate specific point or regional mutations and  
30 which possess desired ligand binding characteristics. Such information may also be useful in  
designing and identifying novel ligands for TLR9 of a given species.

- 2 -

In one aspect, the invention provides isolated polypeptides having amino acid sequences for rat, pig (porcine), cow (bovine), horse (equine), and sheep (ovine) TLR9 polypeptides. These amino acid sequences correspond to SEQ ID NOs 1, 5, 9, 13, and 17, respectively. Each of these sequences is believed to include at least a majority of an extracellular domain, as well as a transmembrane region and at least part of a TLR/IL-1 receptor (TIR) domain. To the extent any such sequence may lack an amino-terminal and/or carboxy-terminal sequence, such sequence is ascertainable, without undue experimentation, using conventional molecular biology techniques and the sequence information provided herein.

In another aspect the invention provides isolated polypeptides having amino acid sequences for essentially the whole extracellular domain, optionally including a signal peptide, of each of rat, porcine, bovine, equine, and ovine TLR9. These amino acid sequences correspond to SEQ ID NOs 2, 6, 10, 14, and 18, respectively. Such extracellular domains are believed to include sequence specifically involved in binding to TLR9 ligand, such as CpG DNA. In addition, such extracellular domains are believed to include sequence that confers species specificity for particular CpG motifs.

Isolated nucleic acid molecules encoding the polypeptides just described above are also provided according to further aspects of the invention. Such nucleic acid molecules include, but are not limited to, nucleic acid molecules having sequences provided by SEQ ID NOs 3, 7, 11, 15, 19; and 4, 8, 12, 16, and 20, respectively. Isolated nucleic acid molecules encoding the TLR9 polypeptides of SEQ ID NOs 1, 5, 9, 13, 17; and 2, 6, 10, 14, and 18 also include nucleic acid molecules that differ in sequence from SEQ ID NOs 3, 7, 11, 15, 19; and 4, 8, 12, 16, and 20, respectively, due to degeneracy of the genetic code. Such nucleic acid molecules will hybridize, under stringent conditions, with suitably selected nucleic acid molecules having sequences selected from SEQ ID NOs 3, 4, 7, 8, 11, 12, 15, 16, 19, and 20.

In another aspect the invention provides a vector which includes an isolated nucleic acid molecule of the invention. In one embodiment the vector is an expression vector and the isolated nucleic acid molecule of the invention is operably linked to a regulatory sequence in the vector. When present within a cell, an expression vector according to this aspect of the invention causes the cell to express a polypeptide of the invention.

The invention according to another aspect provides a cell in which a vector of the invention is present. In one embodiment the cell containing the vector expresses a

- 3 -

polypeptide of the invention. In certain embodiments the cell also contains a reporter construct that transduces a TLR9-mediated signal in response to contact of the polypeptide of the invention or a TLR9 with a suitable TLR9 ligand. The cell containing the vector, and optionally containing the reporter construct, can be used in screening methods also provided  
5 by the invention.

In yet another aspect the invention provides an antibody or antibody fragment that binds specifically to an isolated polypeptide of the invention. In certain embodiments the antibody or antibody fragment binds uniquely to one of rat, porcine, bovine, equine, or ovine TLR9 polypeptide. More specifically, the antibody or antibody fragment binds uniquely to  
10 one of the isolated polypeptides of the invention. In one embodiment the antibody or antibody fragment that binds uniquely to one of rat, porcine, bovine, equine, or ovine TLR9 polypeptide also binds to either mouse or human TLR9. In another embodiment the antibody or antibody fragment that binds uniquely to one of rat, porcine, bovine, equine, or ovine TLR9 polypeptide does not also bind to either mouse or human TLR9. In some embodiments  
15 the antibody or antibody fragment binds selectively to a chimeric TLR9 polypeptide of the invention. In certain embodiments the antibody or antibody fragment of the invention is a monoclonal antibody or fragment of a monoclonal antibody.

In one aspect the invention provides a method for identifying key amino acids in a TLR9 of a first species which confer specificity for CpG DNA optimized for TLR9 of the  
20 first species. The method involves aligning protein sequences of TLR9 of a first species, TLR9 of a second species, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for TLR9 of the first species rather than when contacted with a CpG DNA optimized for TLR9 of the second species; generating an initial set of candidate amino acids in the TLR9 of the  
25 first species by excluding each amino acid in the TLR9 of the first species which (a) is identical with the TLR9 of the second species or (b) differs from the TLR9 of the second species only by conservative amino acid substitution; generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in the TLR9 of the first species which (a) is identical with the TLR9 of the third species or (b)  
30 differs from the TLR9 of the third species only by conservative amino acid substitution; and identifying as key amino acids in the TLR9 of the first species each amino acid in the refined set of candidate amino acids.

- 4 -

In another aspect the invention provides a method for identifying key amino acids in human TLR9 which confer specificity for CpG DNA optimized for human TLR9. The method according to this aspect of the invention involves aligning protein sequences of human TLR9, murine TLR9, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for human TLR9 rather than when contacted with a CpG DNA optimized for murine TLR9; generating an initial set of candidate amino acids in human TLR9 by excluding each amino acid in human TLR9 which (a) is identical with murine TLR9 or (b) differs from murine TLR9 only by conservative amino acid substitution; generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in human TLR9 which (a) is identical with the TLR9 of the third species or (b) differs from the TLR9 of the third species only by conservative amino acid substitution; and identifying as key amino acids in human TLR9 each amino acid in the refined set of candidate amino acids. In one embodiment the method according to this aspect of the invention is performed iteratively with a plurality of TLR9s derived from different species other than human and mouse, wherein for each TLR9 the refined set of candidate amino acids is assigned a weight corresponding to a ratio equal to (responsiveness to human-preferred CpG DNA)/(responsiveness to murine-preferred CpG DNA).

In another aspect the invention also provides an isolated polypeptide having an amino acid sequence identical to SEQ ID NO:30 (extracellular domain (ECD) of murine TLR9) except for substitution of at least one key amino acid identified according to the method above. The polypeptide according to this aspect of the invention is a chimeric TLR9 polypeptide. Preferably the polypeptide according to this aspect of the invention binds to CpG DNA optimized for human TLR9 better than does the isolated polypeptide having an amino acid sequence identical to SEQ ID NO:30 (ECD of murine TLR9). In one embodiment the polypeptide includes only one substituted amino acid. The isolated polypeptide according to this aspect of the invention may further include sequence involved in TLR/IL-1R signal transduction, e.g., intracellular domain of TLR9 as provided in SEQ ID NOs 29 and 33. For example, in one embodiment a polypeptide according to this aspect of the invention is an isolated polypeptide having an amino acid sequence identical to SEQ ID NO:29 (full length murine TLR9) except for substitution of at least one key amino acid identified according to the method above.

- 5 -

In another aspect the invention provides an isolated nucleic acid molecule including a nucleic acid sequence encoding a chimeric TLR9 polypeptide just described. In one embodiment the isolated nucleic acid molecule has a nucleic acid sequence encoding a chimeric TLR9 polypeptide just described.

5 In yet another aspect, the invention provides a screening method to identify a TLR9 ligand. The method involves contacting a polypeptide (including a chimeric TLR9 polypeptide) of the invention with a candidate TLR9 ligand; measuring a signal in response to the contacting; and identifying the candidate TLR9 ligand as a TLR9 ligand when the signal in response to the contacting is consistent with TLR9 signaling. In one embodiment  
10 the candidate TLR9 ligand is an immunostimulatory nucleic acid. In one embodiment the candidate TLR9 ligand is a CpG DNA.

The invention also provides, in yet a further aspect, a screening method to identify species-specific CpG-motif preference of an isolated polypeptide of the invention. The method according to this aspect of the invention involves contacting an isolated polypeptide  
15 of the invention with a CpG DNA including a hexamer sequence selected from the group consisting of GACGTT, AACGTT, CACGTT, TACGTT, GGCGTT, GCCGTT, GTCGTT, GATGTT, GAAGTT, GAGGTT, GACATT, GACCTT, GACTTT, GACGCT, GACGAT, GACGGT, GACGTC, GACGTA, and GACGTG; measuring a signal in response to the contacting; and identifying a species-specific CpG-motif preference when the signal in  
20 response to the contacting is consistent with TLR9 signaling. In one embodiment the CpG DNA is an oligodeoxynucleotide having a sequence selected from the group consisting of

	TCCATGACGTTTTTTGATGTT	(SEQ ID NO:39),
	TCCATAACGTTTTTTGATGTT	(SEQ ID NO:40),
	TCCATCACGTTTTTTGATGTT	(SEQ ID NO:41),
25	TCCATTACGTTTTTTGATGTT	(SEQ ID NO:42),
	TCCATGGCGTTTTTTGATGTT	(SEQ ID NO:43),
	TCCATGCCGTTTTTTGATGTT	(SEQ ID NO:44),
	TCCATGTCGTTTTTTGATGTT	(SEQ ID NO:45),
	TCCATGATGTTTTTTGATGTT	(SEQ ID NO:46),
30	TCCATGAAGTTTTTTGATGTT	(SEQ ID NO:47),
	TCCATGAGGTTTTTTGATGTT	(SEQ ID NO:48),
	TCCATGACATTTTTTTGATGTT	(SEQ ID NO:49),
	TCCATGACCTTTTTTTGATGTT	(SEQ ID NO:50),
	TCCATGACTTTTTTTGATGTT	(SEQ ID NO:51),
35	TCCATGACGCTTTTTGATGTT	(SEQ ID NO:52),
	TCCATGACGATTTTTGATGTT	(SEQ ID NO:53),
	TCCATGACGGTTTTTTGATGTT	(SEQ ID NO:54),

- 6 -

TCCATGACGTCTTTGATGTT (SEQ ID NO:55),  
 TCCATGACGTATTTGATGTT (SEQ ID NO:56), and  
 TCCATGACGTGTTTGATGTT (SEQ ID NO:57).

In certain embodiments of the screening methods of the invention, the signal includes  
 5 expression of a reporter gene responsive to TLR/IL-1R signal transduction pathway. In one  
 embodiment the reporter gene is operatively linked to a promoter sensitive to NF- $\kappa$ B. In one  
 embodiment the signal in response to contacting is binding of the candidate TLR9 ligand or  
 CpG DNA to the polypeptide of the invention.

In one embodiment the screening method is performed on a plurality of test  
 10 compounds. In one embodiment the response mediated by the TLR9 signal transduction  
 pathway is measured quantitatively and the response mediated by the TLR9 signal  
 transduction pathway associated with each of the plurality of test compounds is compared  
 with a response arising as a result of an interaction between the functional TLR9 and a  
 reference immunostimulatory compound.

15

### Brief Description of the Figures

Figure 1 depicts a Clustal W multiple sequence alignment of deduced amino acid  
 sequences for cat (feline), dog (canine), cow (bovine), mouse (murine), sheep (ovine), pig  
 (porcine), horse (equine), human, and rat TLR9 polypeptides. The deduced amino acid  
 20 sequences for feline, canine, bovine, murine, ovine, porcine, equine, human, and rat TLR9  
 polypeptides shown in the figure correspond to SEQ ID NOs 25, 21, 9, 29, 17, 5, 13, 33, and  
 1, respectively. Lines labeled "multiple" refer to the multiple sequence alignment of all six  
 sequences shown. Lines labeled "mo/hu" refer to a paired sequence alignment of mouse and  
 human TLR9 sequences alone.

25 Figure 2 is a cladogram depicting an evolutionary relatedness tree for rat, murine,  
 porcine, bovine, equine, and human TLR9 polypeptides in Figure 1.

Figure 3 is a graph depicting species specificity of TLR9 signaling with selected  
 oligonucleotides having strong specificity for human (2006), mouse (5890), or neither (1982).

30

### Detailed Description of the Invention

The present invention provides novel amino acid and nucleotide sequences for TLR9  
 derived from rat, pig, cow, horse, and sheep. These sequences can be used to identify key  
 features of the primary sequences of these and related TLR molecules, including previously



- 7 -

known primary sequences of human and mouse (murine) TLR9. Such key features include binding site information and species specificity toward particular CpG motifs. Native and novel chimeric TLR9 polypeptides designed with the aid of this information can be expressed in vitro or in vivo and used in screening assays to identify and to design novel TLR9 ligands. Additionally, the native and novel chimeric TLR9 polypeptides designed with the aid of this information can be expressed in vitro or in vivo and used in screening assays to compare various TLR9 ligands, including CpG DNA.

In one aspect the invention provides isolated TLR9 polypeptides, and isolated nucleic acid molecules encoding them, from rat, pig, cow, horse, and sheep. The term "isolated" as used herein with reference to a nucleic acid molecule or polypeptide means substantially free of or separated from components with which it is normally associated in nature, e.g., other nucleic acids, proteins, lipids, carbohydrates or *in vivo* systems to an extent practical and appropriate for its intended use. In particular, the nucleic acids or polypeptides are sufficiently pure and are sufficiently free from other biological constituents of host cells so as to be useful in, for example, producing pharmaceutical preparations. Because an isolated nucleic acid or polypeptide of the invention may be admixed with a pharmaceutically acceptable carrier in a pharmaceutical preparation, the nucleic acid or polypeptide may represent only a small percentage by weight of such a preparation. The nucleic acid or polypeptide is nonetheless substantially pure in that it has been substantially separated from the substances with which it may be associated in living systems.

An amino acid sequence of rat TLR9 is provided as SEQ ID NO:1. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:1 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of rat TLR9 (See Figure 1). Amino acids numbered 1-821 of SEQ ID NO:1 are presumptively extracellular domain and correspond to SEQ ID NO:2. SEQ ID NO:3 is a nucleotide sequence of rat TLR9 cDNA having an open reading frame corresponding to nucleotides 1-3096. SEQ ID NO:4 is a nucleotide sequence of rat cDNA encoding amino acids 1-821 of SEQ ID NO:1.

An amino acid sequence of porcine TLR9 is provided as SEQ ID NO:5. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:5 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of porcine TLR9

- 8 -

(See Figure 1). Amino acids numbered 1-819 of SEQ ID NO:5 are presumptively extracellular domain and correspond to SEQ ID NO:6. SEQ ID NO:7 is a nucleotide sequence of porcine TLR9 cDNA having an open reading frame corresponding to nucleotides 77-3166. SEQ ID NO:8 is a nucleotide sequence of porcine cDNA encoding amino acids 1-819 of SEQ ID NO:5.

An amino acid sequence of bovine TLR9 is provided as SEQ ID NO:9. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:9 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of bovine TLR9

(See Figure 1). Amino acids numbered 1-818 of SEQ ID NO:9 are presumptively extracellular domain and correspond to SEQ ID NO:10. SEQ ID NO:11 is a nucleotide sequence of bovine TLR9 cDNA having an open reading frame corresponding to nucleotides 84-3170. SEQ ID NO:12 is a nucleotide sequence of bovine cDNA encoding amino acids 1-818 of SEQ ID NO:9.

An amino acid sequence of equine TLR9 is provided as SEQ ID NO:13. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:13 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of equine TLR9

(See Figure 1). Amino acids numbered 1-820 of SEQ ID NO:13 are presumptively extracellular domain and correspond to SEQ ID NO:14. SEQ ID NO:15 is a nucleotide sequence of equine TLR9 cDNA having an open reading frame corresponding to nucleotides 115-3207. SEQ ID NO:16 is a nucleotide sequence of equine cDNA encoding amino acids 1-820 of SEQ ID NO:13.

An amino acid sequence of ovine TLR9 is provided as SEQ ID NO:17. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:17 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of ovine TLR9 (See Figure 1). Amino acids numbered 1-818 of SEQ ID NO:17 are presumptively extracellular domain and correspond to SEQ ID NO:18. SEQ ID NO:19 is a nucleotide sequence of ovine TLR9 cDNA having an open reading frame corresponding to nucleotides 92-3178. SEQ ID NO:20 is a nucleotide sequence of ovine cDNA encoding amino acids 1-818 of SEQ ID NO:17.

- 9 -

## SEQ ID NO:1 (Rat TLR9)

MVLCRRTLHPLSLLVQAALAEALALGTLPAFLPCELKPHGLVDCNWLFLKSVPHFSAAEPRSNITSLSLIANRI  
HHLHNLDFVHLPNVRQNLKWNCPPLGLSPLHFSCRMTIEPKTFLAMRMLEELNLSYNGITTVPRLPSSLTNLSL  
5 SHTNILLVDASSLAGLHSLRVLFMDGNCYYKNPCNGAVNVTDAFLGLSNLTHLSLKYNNTLTPVPRQLPPSLEYL  
LLSYNLIVKLGAEDLANLTSLRMLDVGGNCRRCDHAPDLCTECRQKSLDLHPQTFHHLSHLEGLVLKSSLSHSLN  
SKWFQGLANLSVLDLSENFYIESINKTSFAQNLTRLRLKDLDSFNICKKVSFARLHLASSFKSLVSLQELNMNGIF  
FRLLNKNTLRWLAGLPKLHHTLHLQMNFINQAQLSVFSTFRALRFVDLSNNRISGPPTLSRVAPEKADEAEKGVWP  
PASLTPALPSTPVSKNFMVRCKNLRFMDLSRNNQVTIKPEMFVNLSHLQCLSLSHNCIAQAVNGSQFLPLTNLK  
10 VLDLSYNKLDLYHKSFSSELPQLQALDLSYNSQPFMSQGIGHNFSFLANLSRLQNLSLAHNDIHSRVSSRLYSTS  
VEYLDPSGNGVGRMWDEEDLYLYFFQDLRSLIHLDLSONKLHLIRPQNLNLYLPKSLTKLSFRDNHLSFFNWSSIA  
FLPNLRDLDLAGNLLKALTNGTLPNGTLLQKLDVSSNSIVFVVPAPFALAVELKEVNLSHNLIKTVDRSWFGPIV  
MNLTVLDVSSNPLHCACGAPFVDLLLEVQTKVPGLANGVKCGSPRQLQGRSIFAQDLRLCLDDVLSRDCFGLSLL  
AVAVGTVLPLLQHLGWDVWYCFHLCCLAWLPLLTRGRSAQALPYDAFVVDKAQSAVADWVYNELRVRLERRG  
15 RRLRLCLEDRDLPGQTLFENLWASIYGSRKTLFVLAHTDKVSGLLRTSFLLAQQRLLLEDRKDVVVLVILRPDA  
HRSRYVRLRQRLCRQSVLFWPHQPNGQGSFWAQLSTALTRDNHFFYNRNFCRGPTAE

## SEQ ID NO:2 (Rat TLR9)

MVLCRRTLHPLSLLVQAALAEALALGTLPAFLPCELKPHGLVDCNWLFLKSVPHFSAAEPRSNITSLSLIANRI  
20 HHLHNLDFVHLPNVRQNLKWNCPPLGLSPLHFSCRMTIEPKTFLAMRMLEELNLSYNGITTVPRLPSSLTNLSL  
SHTNILLVDASSLAGLHSLRVLFMDGNCYYKNPCNGAVNVTDAFLGLSNLTHLSLKYNNTLTPVPRQLPPSLEYL  
LLSYNLIVKLGAEDLANLTSLRMLDVGGNCRRCDHAPDLCTECRQKSLDLHPQTFHHLSHLEGLVLKSSLSHSLN  
SKWFQGLANLSVLDLSENFYIESINKTSFAQNLTRLRLKDLDSFNICKKVSFARLHLASSFKSLVSLQELNMNGIF  
FRLLNKNTLRWLAGLPKLHHTLHLQMNFINQAQLSVFSTFRALRFVDLSNNRISGPPTLSRVAPEKADEAEKGVWP  
25 PASLTPALPSTPVSKNFMVRCKNLRFMDLSRNNQVTIKPEMFVNLSHLQCLSLSHNCIAQAVNGSQFLPLTNLK  
VLDLSYNKLDLYHKSFSSELPQLQALDLSYNSQPFMSQGIGHNFSFLANLSRLQNLSLAHNDIHSRVSSRLYSTS  
VEYLDPSGNGVGRMWDEEDLYLYFFQDLRSLIHLDLSONKLHLIRPQNLNLYLPKSLTKLSFRDNHLSFFNWSSIA  
FLPNLRDLDLAGNLLKALTNGTLPNGTLLQKLDVSSNSIVFVVPAPFALAVELKEVNLSHNLIKTVDRSWFGPIV  
30 MNLTVLDVSSNPLHCACGAPFVDLLLEVQTKVPGLANGVKCGSPRQLQGRSIFAQDLRLCLDDVLSRDCFG

## SEQ ID NO:3 (Rat TLR9)

atggttctctgtcgagaccctgcaccccttctctctcctggtacaggccgcagtgctggctgaggctctggcc  
ctgggtaccctgcctgccttccctaccctgtgaactgaagcctcatggcctggtagactgcaactggctcttctctg  
aagtctgtgcctcacttctctgcgcagaaacccgttccaacatcaccagccttctcttgatcgccaaccgcac  
35 caccacctgcacaacctgcacttctgtccacctgcccacgtgcgacagctgaacctcaagtggaaactgcgcgcc  
cctggcctcagcccttgacttctcctgcgcagcattgaccccaaaccttctctgctatgcgcagctgtg  
gaagagctgaacctgagctataacggtatcaccactgtgccccgcctgcccagctccctgacgaatctgagccta  
agccacaccaacatcctggtactcgatgccagcagcctcgctggcctgcacagcctgcgagttctcttcatggac  
40 gggaaactgctactacaagaacccctgcaacggggcggtgaacgtgacccggagcgccttctctgggcttgagcaac  
ctcaccacttgtcccttaagtataacaacctcacagaggtgccccgcaactgccccccagcctggagtagctc  
ctgctgtcctataacctcatcgtaagctgggggcccgaagacctagccaacctgacctcccttcgaatgcttgat  
gtgggtgggaattgcccgtcgctgtgatcacgccccgacctctgtacagaatgcccggcagaagtcccttgatctg  
caccctcagacttctccatcacctgagccaccttgaaggcctggtgctgaaggacagttctctccactcgctgaac  
45 tccaagtgggtccagggtctggcgaaacctctcggtgctggacctaaagcgagaacttctctacgagagcatcaac  
aaaaccagcgccttctcagaacctgacctgctcgcaagctcgacctgtccttcaattactgcaagaaggtatcg  
ttcgccgcctccacctggcaagtctcttcaagagcctggtgctcgctgcaggagctgaacatgaacggcatcttc  
ttccgcttactcaacaagaacagctcaggtggctggctggtctgcccagctccacacgctgcaccttcaaatg  
aatttcatcaaccaggcgcagctcagcgtctttagtaacctccgagcccttcgcttctgtggacctgtccaataat  
50 cgcatcagcgggctccaacgctgtccagagtcgccccgaaaaggcagacgaggcggagaaggggttccatgg  
cctgcaagtctcaccacagctctcccagcactcccgtctcaaagaacttcatggctcaggtgtaagaacctcaga  
ttcaccatggacctgtctcggaacaaccagtgactatcaagccagagatgttcgtcaacctctccatctccag  
tgtctgagcctgagccacaactgcacgcgagcgtgtcaatggctctcagttcctgcgcgtgaccaacctgaag  
gtgctggacctgtcctataacaagctggacctgtaccattcgaaatcgttcagtgagctcccacagttgcaggcc

- 10 -

ctggacctgagctacaacagccagccattcagcatgcaggggatagggccacaacttcagttttctggccaatctg  
tccagggttacagaaccttagcctggcacacaatgacattcacagccgcgtgtcctcacgcctctacagcacctca  
gtggagtatctggacttcagcggcaacgggtgtgggcccgcgtgtgggacgaggaggacctttacctctatttcttc  
caagacctgagaagcctgattcatctggacctgtctcagaataagctgcacatcctccggccccagaacctcaac  
5 tacctccccaaagacctgacgaagctgagtttccgtgacaatcacctctctttctttaactggagcagtctggcc  
ttcctgccccaatctgcgagacctggacctggcaggcaatctactaaaggccctgaccaacggcaccctgccta  
ggcagctcctccagaaactggatgtcagtagcaacagtatcgtctttgtgggtcccagcctctcttctgtctggcg  
gtagagctaaaagagggtcaacctcagccataacatcctcaagactgtggatcgctcctgggttgggcccattgtg  
atgaacctgacggttctagacgtgagcagcaacctctgcattgtgcctgcggtgcacctttgtagacttactg  
10 ctggaagtgcagaccaaggtgcctggcctggctaacgggtgtgaagtgtggcagtcctccgcccagctgcagggccgc  
agcatctttgcgaagacctgcggctgtgcctggatgacgtcctttctcgggactgctttggcctttcactcctg  
gctgtggcctgtgggacggtgttgcctttactgcagcatctctgcggctgggacgtctgggtactgtttccatctg  
tgccctggcatggctacctttgctgacctggcggcgagcgcccaagctctcccttatgatgccttcgtgggtg  
ttcgataaggcgagagcgcggtgtgctgactgggtgtataacgagcttcgagtgcggttagaggagcgcgcggt  
15 cgcgagccctacgcttctgtctgtgaggaacgagatggctgcctggccagacactcttcgagaacctctggggcc  
tccatctatggcagcgcaagactctgtttgtgctggccacacggaacaaggtcagtgccctctgcgcaccagc  
ttcctgctggctcagcagcgctgtgaggacgcaaggacgtgggtgtgtgggtgatcctgcgcctgatgcc  
caccgctcccgtacgtgcgactgcgcccagcgctctgcgcccagagtgtgctcttctggccccatcagcccaac  
gggacgggagcttctggggccagctgagtacagccctgactagggacaaccaccacttctataaccggaacttc  
20 tgccggggacctacagcagaatag

## SEQ ID NO:4 (Rat TLR9)

atgggttctctgtcgcaggacctgcaccccttgtctctcctggtagaggccgcagtgctggctgaggtctctggcc  
ctgggtacctgcctgccttctaccctgtgaactgaagcctcatggcctggtagactgcaactggctcttctctg  
25 aagtctgtgcctcacttctctgcgcgagaaccccggttccaaatcaccagccttctccttgatcgccaaccgcac  
caccacctgcacaacctcgactttgtccacctgcccacgtgcgacagctgaacctcaagtggaaactgtccgccc  
cctggcctcagcccttgcacttctcctgcgcgtgaccattgagcccaaaccttctggctatgcgcgtctg  
gaagagctgaacctgagctataacggtatcaccactgtgccccgcctgcccagctccttgacgaatctgagccta  
agccacaccaacatcctggtagctgagccagcctgcctgtgacctgacagcctgcgagttctcttcatggac  
30 gggaaactgctactacaagaacctgcaacggggcggtgaacgtgaccccgagccttctgggcttgagcaac  
ctcaccacttgtcccttaagtataaacaacctcacagaggtgccccgccaactgccccccagcctggagtacctc  
ctggtgtctataacctcatcgtcaagctgggggcgaagacctagccaacctgacctccttcgaatgcttgat  
gtgggtgggaattgcgctgcgtgtgatcacgcccctgacctctgtacagaatgcgggcagaatcctctgatctg  
caccctcagacttccatcacctgagccacctgaaggcctgggtgctgaaggacagttctctcactcgtgaac  
35 tccaagtgggtccagggtctggcgaacctctcggtgtggacctaaagcgagaactttctctacgagagcatcaac  
aaaaccagcgcttccagaacctgacctgtgcgcaagctcgacctgtccttcaattactgcaagaaggatctg  
ttcgcccgctccacctggcaagttccttcaagagcctgggtgtcgctgcaggagctgaacatgaacggcatcttc  
ttcgcttactcaacaagaacacgctcaggtggctgggtgtgcccgaagctccacacgctgcaccttcaaatg  
aatttcatcaaccaggcgagctcagcgtctttagtaccttccgagcccttcgctttgtggacctgtccaataat  
40 cgcatcagcgggctccaacgctgtccagagtcgccccgaaaaggcagacgagggcgagaagggggttccatgg  
cctgcaagtctcaccacgctctccgagcactccgctctcaagaacttcatggtcaggtgtgaagaacctcaga  
ttcaccatggacctgtctcggaacaaccagggtgactatcaagccagagatgttcgtcaacctctccatctccag  
tgtctgagcctgagccacaactgcacgcgaggtgtcaatggctctcagttcctgcgctgaccaacctgaag  
gtgctggacctgtcctataacaagctggacctgtaccattcgaaatcgttcagtgagctcccacagttgcaggcc  
45 ctggacctgagctacaacagccagccattcagcatgcaggggatagggccacaacttcagttttctggccaatctg  
tccagggttacagaaccttagcctggcacacaatgacattcacagccgcgtgtcctcacgcctctacagcacctca  
gtggagtatctggacttcagcggcaacgggtgtgggcccgcgtgtgggacgaggaggacctttacctctatttcttc  
caagacctgagaagcctgattcatctggacctgtctcagaataagctgcacatcctccggccccagaacctcaac  
tacctccccaaagagcctgacgaagctgagtttccgtgacaatacactctcttctttaactggagcagctggcc  
50 ttctgccccaatctgcgagacctggacctggcaggcaatctactaaaggccctgaccaacggcaccctgccta  
ggcagctcctccagaaactggatgtcagtagcaacagtatcgtctttgtgggtcccagcctctcttctgtctggcg  
gtagagctaaaagagggtcaacctcagccataacatcctcaagactgtggatcgctcctgggttgggcccattgtg  
atgaacctgacggttctagacgtgagcagcaacctctgcattgtgcctgcgggtgcacctttgtagacttactg  
ctggaagtgcagaccaaggtgcctggcctggctaacgggtgtgaagtgtggcagtcctccgcccagctgcagggccgc  
55 agcatctttgcgaagacctgcggctgtgcctggatgacgtcctttctcgggactgctttggc

- 11 -

## SEQ ID NO:5 (Porcine TLR9)

MGPRCTLHPLSLLVQVTALAAALAQGRLPAPFLPCELOPHGLVNCNWFLKSVPHFSAAAPRANVTSLSLLSNRIH  
 HLHSDDFVHLSSLRTNLKWNCPAGLSPMHFPCHMTIEPNTFLAVPTLEELNLSYNSITTVPALPDSLVSLSLS  
 RTNILLVDPTHLTGLHALRYLYMDGNCYKNPCQGALEVVPGALLGLGNLTHLSLKYNNTLEVPRLPPSLETLL  
 5 LSYNHIVTLTPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKDHKLHSDTFSHLSRLEGLVLKDSLYNLDT  
 RWFRGLDRLQVLDLSENFLYDCITKTTAFQGLARLSLNLNLSFNHYHKKVSFAHLHLAPSFGLHLSLKELDMHGIF  
 RSLSETTLQPLVQLPMLQTLRLQMNFINQAQLSIFGAFFGLLYVDLSDNRISGAARPVAITREVDGRERVWLPSR  
 NLAPRPLDTRLSEDMPNCKAFSFTLDLSRNNLVITIQSEMFARLSRLECLRLSHNSISQAVNGSQFVPLTSLRVL  
 DLSHNKL DLYHGRSFTTELPRLEALDLSYNSQPFMTQGVGHNL SFVAQLPALRYLSLAHNDIHSRVSQQLCSASLC  
 10 ALDFSGNDLSRMWAEGDLYLRFFQGLRSLVWLDLSQNLHHTLLPRALDNLPKSLKHLHLRDNLAFFNWSSLTLL  
 PKLETLDLAGNQLKALSNGSLPSGTQLRRLDLSGNSIGFVNPGFFALAKQLEELNLSANALKTVEPSWFGSMVGN  
 LKVLVDVSANPLHCACGATFVGFLLEVQAAVPGPLSRVKCGSPGQLQGHISIFAQDLRLCLDETLWNCFGISLLAM  
 ALGLVPMLEHL CGWDLWYCFHLCLAWLPHRGQRGADALFYDAFVVDKAQSAVADWVYNELRVQLEERRGRRRA  
 LRLCLEERDWPGLKTLFENLWASVYSSRKTFLVLAHTDRVSGLLRASFLLAQQRLLDRKDVVVLVILRPDAYRS  
 15 RYVRLRQRLCRQSVLLWPHQPRGQGSFWAQLGTALTRDNHFFYNRNFRCRGPTTAE

## SEQ ID NO:6 (Porcine TLR9)

MGPRCTLHPLSLLVQVTALAAALAQGRLPAPFLPCELOPHGLVNCNWFLKSVPHFSAAAPRANVTSLSLLSNRIH  
 HLHSDDFVHLSSLRTNLKWNCPAGLSPMHFPCHMTIEPNTFLAVPTLEELNLSYNSITTVPALPDSLVSLSLS  
 20 RTNILLVDPTHLTGLHALRYLYMDGNCYKNPCQGALEVVPGALLGLGNLTHLSLKYNNTLEVPRLPPSLETLL  
 LSYNHIVTLTPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKDHKLHSDTFSHLSRLEGLVLKDSLYNLDT  
 RWFRGLDRLQVLDLSENFLYDCITKTTAFQGLARLSLNLNLSFNHYHKKVSFAHLHLAPSFGLHLSLKELDMHGIF  
 RSLSETTLQPLVQLPMLQTLRLQMNFINQAQLSIFGAFFGLLYVDLSDNRISGAARPVAITREVDGRERVWLPSR  
 NLAPRPLDTRLSEDMPNCKAFSFTLDLSRNNLVITIQSEMFARLSRLECLRLSHNSISQAVNGSQFVPLTSLRVL  
 25 DLSHNKL DLYHGRSFTTELPRLEALDLSYNSQPFMTQGVGHNL SFVAQLPALRYLSLAHNDIHSRVSQQLCSASLC  
 ALDFSGNDLSRMWAEGDLYLRFFQGLRSLVWLDLSQNLHHTLLPRALDNLPKSLKHLHLRDNLAFFNWSSLTLL  
 PKLETLDLAGNQLKALSNGSLPSGTQLRRLDLSGNSIGFVNPGFFALAKQLEELNLSANALKTVEPSWFGSMVGN  
 LKVLVDVSANPLHCACGATFVGFLLEVQAAVPGPLSRVKCGSPGQLQGHISIFAQDLRLCLDETLWNCFG

## 30 SEQ ID NO:7 (Porcine TLR9)

gagcacgaacatccttactgttagctgctgcccggctctgccagccagaccctttggagaagacccccactccctgt  
 catggggcccccgcctgcaccctgcacccctttctctcctggcgaggtgacagcgctggctgcggctctggccca  
 gggcaggctgcctgccttccctgacctgtgagctccagccccacggcctggtaactgcaactggctcttctgaa  
 gtccgtgccccacttctcgccggcagcgccccgggccaacgtcaccagcctctccttactctccaaccgcatcca  
 35 ccacctgcacgactccgacttccgtccacctgtccagcctacgaactctcaacctcaagtggaaactgcccgcggc  
 tggcctcagccccatgcacttccctgccacatgaccatcgagcccaacaccttccctggccgtgccaccctgga  
 ggagctgaacctgagctacaacagcatcacgacccgtgctgcccctgcccactccctcgtgctcctgtgctgag  
 ccgcaccaacatcctggtgctagacccacccacctcactggcctacatgcctgagctacctgtacatggatgg  
 caactgtactacaagaacccctgccagggggcgctggaggtggtgcccgtgcccctcctcgccctgggcaacct  
 40 cacacatctctcactcaagtacaacaatctcacggaggtgcccccgagcctgccccccagcctggagacctgct  
 gttgtcctacaaccacattgtcacccctgacgcctgaggacctggccaatctgactgccctgcgctgcttgatgt  
 gggggggaactgccgcgctgtgaccatgccgcgaacccctgcagggagtgcccaaggaccaccccaagctgca  
 ctctgacaccttcagccacctgagccgctcgaaggcctggtgtgaaagacagttctctctacaacctggacac  
 caggtggttccgaggcctggacaggtccaagtgtgacctgagtgagaacttccctctacgactgcatcaccaa  
 45 gaccacggccttccagggcctggcccactgcccagcctcaacctgtccttcaattaccacaagaaggtgtcctt  
 tggccacctgcacctggcaccctcctttgggcacctccggtccctgaaggagctggacatgcatggcatcttctt  
 ccgctcgctcagtgagaccacgctccaacctctggtccaactgcctatgctccagacctgcgctgcagatgaa  
 ctctattaccaggccagctcagatcttggggccttccctggcctgctgacgtggacctatcggaacccg  
 catcagcggagctgcaaggccagtgccattactaggaggtggatggtaggagaggggtctggctgccttccag  
 50 gaacctcgctccacgtccactggacactctccgctcagaggacttcatgccaaactgcaaggccttcagcttcac  
 ctctggacctgtctcggaacaacctggtgacaatccagtcggagatgtttgctcgctctcacgcctcgagtgcct  
 gcgctgagccacaacagcatctccaggcggtcaatggctctcagtttgtgcgctgaccagcctgcgggtgct  
 ggacctgtcccacaacagctggacctgtatcacggcgctcggttcacggagctgccgcgctggaagcactgga  
 cctcagctacaatagccagcccttaccatgcagggtgtgggccacaacctcagcttctgtggccagctgcccgc

- 12 -

cctgcgctacctcagcctggcgacacatccatagccgagtggtcccagcagctctgtagcgcctcactgtg  
 cgccctggacttttagcggaacgatctgagccggatgtgggctgagggagacctctatctccgcttcttccaagg  
 cctaagaagcctagtctggctggacctgtcccagaaccacctgcacaccctcctgccagctgccctggacaacct  
 5 ccccaaaagcctgaagcatctgcatctccgtgacaataacctggccttcttcaactggagcagcctgacctcct  
 gcccaagctggaaacctggacttggctggaaaccagctgaaggccctaagcaatggcagcctgccatctggcac  
 ccagctgcggaggctggacctcagtggaacagcatcggtttgtgaacctggcttcttggcctggccaagca  
 gttagaagagctcaacctcagcgccaatgccctcaagacagtgaggccctcctgggttggctcgatgggtgggcaa  
 cctgaaagtcctagacgtgagcgccaacctctgcaactgtcgtgtggggcgacctcgtgggcttctgctgga  
 10 ggtacaggctgccgtgacctgggctgcccagccgctcaagtgtggcagtcggggcagctccaggccatagcat  
 ctttgcgcaagacctgcgctctgctggatgagacctctcgtggaactgttttggcatctcgtgctggccat  
 ggccctgggctggttgtgcccagctgcaccacctctgcggctgggacctctggtactgcttccacctgtgcct  
 ggctggctgccccaccgagggcagcgggggcgagacgcctgttctatgatgccttctggtgcttctgacaa  
 agctcagagtgctgtggccgactgggtgtacaacgagctgcgggtgcagctggaggagcgccgtggcgccgccc  
 actgcgctgtgctggaggagcgagactgggttacctggcaagacgctcttcgagaacctgtgggacctcagtc  
 15 cagcagccgcaagacctgttggctggccacacgagcgtgtcagcgccctcttgcggccagtcttctgct  
 ggccagcagcgctgtggaggaccgcaaggacgttgtagtgtggtgatcctgcgccccgatgacctaccgctc  
 ccgctacgtgcgctgcccagcgctctgcccagagtgctcctcttggccccaccagccccgtgggcaggg  
 cagcttctgggcccagctgggacagccctgaccagggacaaccaccacttctataaccggaacttctgcgggg  
 cccacgacagccgaatagcactgagtgacagccagttgcccagccccctggatttgcctctctgctgggg  
 20 tggcccaacctgttggctcagccacaccactgctctgctcctgttccccacccccccccagcctggcatgt  
 aacatgtgccaataaatgtctaccggaggggccaagaaaaa

## SEQ ID NO:8 (Porcine TLR9)

atgggccccgctgcacctgcaccccttctctcctgggtgcaggtgacagcgtggctgcggctctggccag  
 25 ggcaggctgctgccttctgcctgtgagctccagcccccagcctgggtgaactgcaactggcttcttctgaag  
 tccgtgccccacttctcggcgagcgccccgggccaactgcaccagcctctccttactctccaaccgcatccac  
 caactgcacgactccgacttctgccaacctgtccagcctacgaactctcaacctcaagtggaaactgcccgccgct  
 ggctcagccccatgcacttccccgtccacatgaccatcgagcccaacaccttcttggcgtgcccacctggag  
 30 gagctgaacctgagctacaacagcatcacgacctgtgcttgcctgcccagctcctcgtgtcctgtcgtgagc  
 cgcaccaacatcctgggtgctagacccccaccacctcactggcctacatgcctgcgctacctgtacatggatggc  
 aactgctactacaagaaccttgcagggggcgctggagggtggtgcccgggtgcccctcctcggcctgggcaacctc  
 acacatctctcactcaagtacaacaatctcacggaggtgccccgcagcctgccccccagcctggagacctgctg  
 ttgtcctacaaccacattgtcaccctgacgcctgaggacctggccaatctgactgcccgtgcgctgtgatgtg  
 35 ggggggaactgccgcgctgtgacctgcccgaaccttgcagggagtgcccaaggaccaccccaagctgcac  
 tctgacaccttcagccacctgagccgctcgaaggcctgggtgtgaaagacagttctcttacaacctggacacc  
 aggtggttccgaggcctggacaggtccaagtgtggacctgagtgagaacttctctacgactgcacaccaag  
 accacggccttccagggcctggccgactgcgcagcctcaacctgtccttcaattaccacaagaagggtgctctt  
 gccacctgcacctggcacctccttgggacactccggtccttgaaggagctggacatgcatggcatcttcttc  
 cgctcgtcagtgagaccagctccaacctctgggtccaactgcctatgctccagacctgcgctgcagatgaac  
 40 ttcattaaccaggcccagctcagcatcttggggccttccctggcctgctgtacgtggacctatcggaacaaccgc  
 atcagcggagctgcaaggccagtgggcattactagggtggtggtggtgagggagaggggtcggctgccttccagg  
 aacctcgtccagctccactggacactctccgctcagaggacttcatgcaaaactgcaaggccttcagcttacc  
 ttggacctgtctcggaacaacctgggtgacaatccagtcggagatgttggctgcctctcacgcctcagtgctg  
 cgctgagccacaacagcatctccaggcggtcaatggctctcagtttggctgcgctgaccagcctgcccgtgctg  
 45 gacctgtccacaacaagctggacctgtatcacggcgctcgttcacggagctgcccgcgctggaagcactggac  
 ctgagctacaatagccagccctttaccatgcaggggtgtggggccacaacctcagcttctggtggccagctgcccgc  
 ctgcgtacctcagcctggcgacacatccatagccgagtgctcccagcagctctgtagcgcctcactgtgc  
 gccctggacttttagcggcaacgatctgagccggatgtgggctgaggagacctctatctccgcttcttccaaggc  
 ctaagaagcctagtctggctggacctgtcccagaaccacctgcacacctcctgcccagctgcccgaacctc  
 50 cccaaaagcctgaagcatctgcatctccgtgacaataacctggccttcttcaactggagcagcctgacctcctg  
 cccaagctggaaacctggacttggctggaaaccagctgaaggccctaagcaatggcagcctgccatctggcacc  
 cagctgcggaggctggacctcagtggaacagcatcggtttgtgaacctggcttcttggcctggccaagcag  
 ttagaagagctcaacctcagcgccaatgccctcaagacagtgaggccctcctgggttggctcgatgggtgggcaac  
 ctgaaagtcctagacgtgagcgccaacctctgcaactgtgcctgtggggcgacctcgtgggcttctgctggag  
 55 gtacaggctgcgctgctgggtgcccagccgctcaagtgtggcagtcggggcagctccaggccatagcatc  
 tttgcgcaagacctgcgctctgctggatgagacctctcgtggaactgttttggc

- 13 -

## SEQ ID NO:9 (Bovine TLR9)

MGPYCAPHPLSLLVQAAALAAALAEGLTLPALPCELQPHGQVDCNWLFLKSVPHFSAGAPRANVTSLSLISNRIH  
HLHDSDFVHLSNLRVNLKWNCPAGLSPMHFPCRMTEPNTFLAVPTLEELNLSYNGITTVPALPSSSLVSLSL  
5 HTSILVLGPTHFTGLHALRFLYMDGNCYMNPCPRALEVAPGALLGLGNLTHLSLKYNNTLTPRRPLPPSLDTLL  
LSYNHIVTLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKNFPKLHPDTFSHLSRLEGLVLKDSLSLYKLEK  
DWFRGLGRLQVLDLSENFLYDYITKTTIFNDLTQLRRLNLSFNYHKKVSFAHLHLASSFGSLVSLEKLDMHGIF  
RSLTNTITLQSLTRLPLKLSLHLQNLFINQAQLSIFGAFPSLLFVDLSDNRISGAATPAAALGEVDSRVEVWRLPR  
GLAPGPLDAVSSKDFMPSCNLTLDLSRNNLVTIQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTSLRVLD  
10 LSHNKLDLYHGRSFTELPQLEALDLSYNSQPFMSQGVGHNLSFVAQLPSLRYLSLAHNGIHSRVSQKLSSASLRA  
LDFSGNSLSQMWAEGLDLYLCFFKGLRNLVQLDLSENHLHTLLPRHLDNLPKSLRQLRLRDNNLAFNWSSLTVP  
RLEALDLAGNQLKALSNGSLPPGIRLQKLDVSSNSIGFVPGFVVRATRLIELNLSANALKTVDPSPWFGSLAGTL  
KILDVSANPLHCACGAAFVDFLLERQEAVPGLSRRVTCGSPGQLQGRSIFTQDLRLCLDETLSLDCFGSLLMVA  
LGLAVPMLHHLGWDWLYCFHLCLAHLPRLRRRQGEDTLLYDAVVVFDKVQSAVADWVYNELRVQLEERRRRAL  
15 RLCLEERDWLPKGLTFENLWASVYSSRKTMFVLDHTRVSGLLRASFLAQQRLEDRKDVVVLVILRPAAYRSR  
YVRLRQLRCLRQSVLLWPHQPSGQGSFWANLGIALTRDNRHFYNNRNFRCGPTTAE

## SEQ ID NO:10 (Bovine TLR9)

MGPYCAPHPLSLLVQAAALAAALAEGLTLPALPCELQPHGQVDCNWLFLKSVPHFSAGAPRANVTSLSLISNRIH  
HLHDSDFVHLSNLRVNLKWNCPAGLSPMHFPCRMTEPNTFLAVPTLEELNLSYNGITTVPALPSSSLVSLSL  
20 HTSILVLGPTHFTGLHALRFLYMDGNCYMNPCPRALEVAPGALLGLGNLTHLSLKYNNTLTPRRPLPPSLDTLL  
LSYNHIVTLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKNFPKLHPDTFSHLSRLEGLVLKDSLSLYKLEK  
DWFRGLGRLQVLDLSENFLYDYITKTTIFNDLTQLRRLNLSFNYHKKVSFAHLHLASSFGSLVSLEKLDMHGIF  
RSLTNTITLQSLTRLPLKLSLHLQNLFINQAQLSIFGAFPSLLFVDLSDNRISGAATPAAALGEVDSRVEVWRLPR  
GLAPGPLDAVSSKDFMPSCNLTLDLSRNNLVTIQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTSLRVLD  
25 LSHNKLDLYHGRSFTELPQLEALDLSYNSQPFMSQGVGHNLSFVAQLPSLRYLSLAHNGIHSRVSQKLSSASLRA  
LDFSGNSLSQMWAEGLDLYLCFFKGLRNLVQLDLSENHLHTLLPRHLDNLPKSLRQLRLRDNNLAFNWSSLTVP  
RLEALDLAGNQLKALSNGSLPPGIRLQKLDVSSNSIGFVPGFVVRATRLIELNLSANALKTVDPSPWFGSLAGTL  
KILDVSANPLHCACGAAFVDFLLERQEAVPGLSRRVTCGSPGQLQGRSIFTQDLRLCLDETLSLDCFG  
30

## SEQ ID NO:11 (Bovine TLR9)

gggaagtggcgccaagcattccttcctgcagctgcctcccaacctgcccgcagaccctctggagaagccgcat  
tcctgtcatgggcccctactgtgcccgcaccccttctctcctggtgcaggcggcgccactggcagcggccc  
tgcccgaggccaccctgcctgccttcctgcccctgtgagctccagcccatggtcagggtggactgcaactggctgt  
35 tcctgaagtctgtgcccgcacttttcggctggagcccccgggccaatgtcaccagcctctccttaattctccaacc  
gcatccaccacttgcatgactctgacttcgtccacctgtccaacctgcgggtcctcaacctcaagtggaaactgcc  
cgccggcgccgctcagcccatgcaacttccttcctgcgtatgaccatcgagcccaacaccttcctggctgtgccc  
ccctggaggagctgaacctgagctacaacggcatcacgaccgtgcctgcctgcccagttccctcgtgtccctgt  
cgctgagccacaccagcatcctggtgctaggccccaccacttcaccggcctgcacgcctgcgtttctgtaca  
40 tggacggcaactgctactacatgaacccctgcccgcggccctggaggtggccccaggcgccctcctcgccctgg  
gcaacctcacgcacctgtcgtcaagtacaacaacctcacggaggtgccccgcgcctgccccccagcctggaca  
ccctgctgtgtcctacaaccacattgtcacccctggcaccggaggacctggccaacctgactgcctgcgcgtgc  
ttgacgtgggtgggaactgccgcccgtgcgacctgcccgaacccctgcaggagtgcccaagaacttcccca  
agctgcaccctgacaccttcagtcacctgagccgctcgaaggcctggtgtgaaggacagttctctctacaac  
45 tagaagaagattggttccgcggcctgggcaggctccaagtgtcgacctgagtgagaacttctctctatgactaca  
tcacgaaccacctcttcaacgacctgaccagctgcgcagactcaacctgtccttcaattaccacaagaagg  
tgtccttcgcccacctgcacctagcgtcctcctttgggagctcgtgtcctggagaagctggacatgcacggca  
tcttcttcgcgtccctcaccacatcacgctccagtcgctgaccggcgtgcccagctccagagctctgcactctgc  
agctgaacttcacacacagggccagctcagcatctttggggccttcccagcctgctcttcgtggacctgtcgg  
50 acaaccgcatcagcggagccgcgacgcccagcggccgctgggggaggtggacagcagggtggaaactctggcgat  
tgcccagggcctcgtccaggcccgtggacggcgtcagctcaaaggacttcacgccaagctgcaacctcaact  
tcaccttggaactgtcacggaacaacctggtgacaatccagcaagagatgttaccgcgctctcccgcctccagt  
gcctgcgcctgagccacaacagcatctcgacggcgttaatggctcccagttcgtgcgcgtgaccagcctgcgag

- 14 -

tgctcgacctgtcccacaacaagctggacctgtaccatggcgctcattcacggagctgcccagctggaggcac  
tggacctcagctacaacagccagcccttcagcatgcagggcgctgggccacaacctcagcttcgtggcccagctgc  
cctccctgcgctacctcagccttgcgcacaatggcatccacagccgctgtcacagaagctcagcagcgctcgt  
5 tgcgcgcccctggacttcagcggcaactccctgagccagatgtgggcccaggagacctctatctctgcttttca  
aaggcttgaggaacctgggtccagctggacctgtccgagaacctctgcacacctcctgcctcgtcactggaca  
acctgcccagagcctgcccagctgcgtctccgggacaataacctggccttcttcaactggagcagcctgaccg  
tctgccccggctggaagccctggatctggcaggaacctcagctgaaggccctgagcaacggcagcctgcccgtc  
gcatccggtccagaaagctggacgtgagcagcaacagcatcggttcgtgatccccggcttcttcgtccgcgca  
10 ctccggtgatagacttaacctcagcgccaatgcccgaagacagtggatccctcctgggttcggttcccttagcag  
ggacctgaaaatcctagacgtgagcgccaacccgctccactgcgctgcggggcgcccttctgtgacttccctgc  
tggagagacaggaggccgtgcccgggctgtccaggcgctcacatgtggcagtcggggccagctccaggggcgca  
gcatcttcacacaggacctgcgctcctgctggatgagacctctccttggactgcttggcctctcactgctaa  
tgggtggcgctgggctggcagtgcccatgctgcaccacctctgtggctgggacctctgggtactgctccacctgt  
gtctggcccatctgccccgacggcgggcagcgggggcaggacacctgctctatgatgcgctcgtggtcttcg  
15 caagggtgcagagtgcagtggtgattgggtgtacaacagctcccgctgcagctggaggagcgccggggcgcc  
ggcgctccgctctgcctggaggagcgagactggctccctggtaagacgctcttcgagaacctgtgggctcgg  
tctacagcagccgcaagacctgttcgtgctggaccacaggacgggtcagcgccctcctgcgcgccagcttcc  
tgctggcccagcagcgctgttgaggaccgcaaggacgtcgtagtgtggtgatcctgcgccccgcgcctatc  
gggtccgctacgtgcgctgcgccagcgctctgcgccagagcgtcctcctctggccccaccagccagtgggc  
20 agggtagtttctgggccaacctgggcatagccctgaccagggaacaacctgcacttctataaccggaacttctgcc  
ggggccccacgacagccgaatagcacagagtgactgcccag

## SEQ ID NO:12 (Bovine TLR9)

atgggcccctactgtgccccgcaccccttctctcctgggtgcagggcgccgactggcagcgccctggccgag  
25 ggcacctgcctgcttccctgcccgtgtgagctccagccccatgggtcagggtggactgcaactggctgttccgaag  
tctgtgcccacttctcggtggagccccccgggccaatgtcacccagctctccttaactctcaaccgcatccac  
cacttgcatgactctgacttccgtccacctgtccaacctgcgggtcctcaacctcaagtggaaactgcccgcggcc  
ggcctcagccccatgcacttccctgcccgtatgaccatcgagcccaacaccttccctggctgtgcccacctggag  
30 gactgaaacctgagctacaacggeatcacgaacgtgctgcccctgcccagttccctcgtgtccctgtcgtgagc  
cacaccagcatcctgggtgctaggccccaccacttcaccggcctgcacgcccctgcgcttctgtacatggacggc  
aactgctactacatgaacccctgcccgcgggcccctggaggtggccccaggcgccctcctcgccctgggcaacctc  
acgcacctgtcgtcaagtacaacaacctcacggagggtgccccgcgcgctgccccccagcctggacacctgctg  
ctgtcctacaacacatgtcacccctggcaccggaggactggccaacctgactgcccgtgcgctgtgactgtg  
35 ggtgggaactgcccgcgctgagaccatgcccgaacccctgcaggagtgcccaagaacttccccaaactgac  
cctgacaccttcagtcacctgagcgccctcgaaggcctgggtgtgaaggacagttctctctacaaactagagaaa  
gattgggtccgcggcctgggcaggctccaagtgtcagctgagtgagaacttccctctatgactacataccaag  
accaccatcttcaacgacctgaccagctgcgcagactcaacctgtccttcaattaccacaagaagggtgctctc  
gcccacctgcacctagcgtcctccttgggagctcgtgtcctggagaagctggacatgcacggcatcttcttc  
40 cgtccctcaccaacatcacgctccagtcgctgaccgggctgcccagctccagagctcgcactcgcagctgaac  
ttcatcaaccaggcccagctcagcatcttggggccttcccagcctgctcttcgtggacctgtcggacaaccgc  
atcagcggagcgcgagcggcagcggccctggggagggtggacagcagggtggaagtctggcgatgcccagg  
ggcctcgtccaggcccgtggacgcccgtcagctcaaaggacttcagccaagctgcaacctcaacttcaccttg  
45 gacctgtcacggaacaacctgggtgacaatccagcaagagatgtttaccgcctctccgcctcagtgccctgcgc  
ctgagccacaacagcatctcgcaggcggttaatggctcccagttcgtgcccgtgaccagcctgcgagtgctcgac  
ctgtcccacaacaagctggacctgtaccatgggctcattcacggagctgcccagctggaggcactggacctc  
agctacaacagccagcccttcagcatgcagggcgctggggccacaacctcagcttcgtggcccagctgcccctcctg  
cgctacctcagccttgccgcacaatggcatccacagcgcgctgtcacagaagctcagcagcgctcgttgccgccc  
ctggacttcagcggcaactccttgagccagatgtgggcccagggagacctctatctctgcttttcaaggcttg  
50 aggaacctgggtccagctggacctgtccgagaacctctgcacacctcctgcctcgtcaacctggacaacctgccc  
aagagcctgcccagctgcgtctccgggacaataacctggccttcttcaactggagcagcctgacctcctgccc  
cggtggaagccctggatctggcaggaaccagctgaaggccctgagcaacggcagcctgcccctggcatccgg  
ctccagaagctggagctgagcagcaacagcatcggttcgtgatccccggcttcttcgtccgcgcgactcggctg  
atagagcttaacctcagcgccaatgcccgaagacagtggtacccctcctgggtcgttcccttagcagggacctg  
55 aaaatcctagacgtgagcgccaacccgctccactgcgctgcggggcgcccttctgtgacttccctgctggagaga  
caggaggccgtgcccgggctgtccaggcgctcacatgtggcagtcggggccagctccaggggcgagcatcttc  
acacaggacctgcgctcgtgctggatgagacctctccttggactgcttggc



- 15 -

## SEQ ID NO:13 (Equine TLR9)

MGPCHGALQPLSLLVQAAMLAVALAQGTLPFPLCELOPHGLVNCNWLFLKSVPHFSAAPRDNVTSLSLLSNRI  
HHLHDSDFQAQLSNLQKLNKWNCPAGLSPMHFPCHMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSLVSLIL  
5 SRTNIIQLDPTSLTGLHALRFLYMDGNCYYKNPCGRALEVAPGALLGLGNLTHLSLKYNNLTTPVPSLPPSLEYL  
LLSYNHIVTLAPEDLANLTALRVLDVGGNCRCDHARNPCVECPHKFPQLHSDTFSHLSRLEGLVLKDSSLYQLN  
PRWFRGLGNLTVDLSENFLYDCITKTKAFQGLAQLRRLNLSFNYHKKVSFAHLTLAPSFSGSLLSLQELDMHGIF  
FRSLSQKTLQPLARLPLQRLYLQMNFINQAQLGIFKDFPGLRYIDLSNDRISGAVEPVATTGEVDGGKKVWLTS  
RDLTPGPLDTPSSEDFMPSCKNLSFTLDLSRNNLVTVPQEMFAQLSRLQCLRLSHNSISQAVNGSQFVPLTSLQV  
10 LDLSHNKLDLYHGRSFTLPRLEALDLSYNSQPFMRGVGHNLFSVAQLPTLRYLSLAHNGIHSRVSQQLCSTSL  
WALDFSGNSLSQMWAEGDLYLRFFQGLRSLIRLDLSQNRLLHTLLPCTLGNLPKSLQLLRRLNNYLAFFNWSSLT  
LPNLETLDLAGNQLKALSNGSLPSGTQLQRLDVSNSIIFFVVPGFALATRLRELNLSANALRTEEPSWFGFLAG  
SLEVLDVVSANPLHCACGAAPVDFLLQVQAAVPGLPSPVKCGSPGQLQGRSIFAQDLRLCLDKSLSWDCFGLSLLV  
VALGLAMPMLHHLGWDLYWYCFHLGLAWLPRRGWQGDALS YDAFVVFDAQSAVADWVYNELRVRLEERRGR  
15 ALRLCLEERDWLPKTLFENLWASVYSSRKMLFVLAHTDQVSGLLRASFLLAQORLLEDKRDVVVLVILSPDARR  
SRYVRLRQRLCRQSVLFWPHQPSGQRSFWAQLGMALTRDNRHFYNQNFRCRGPTMAE

## SEQ ID NO:14 (Equine TLR9)

MGPCHGALQPLSLLVQAAMLAVALAQGTLPFPLCELOPHGLVNCNWLFLKSVPHFSAAPRDNVTSLSLLSNRI  
HHLHDSDFQAQLSNLQKLNKWNCPAGLSPMHFPCHMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSLVSLIL  
20 SRTNIIQLDPTSLTGLHALRFLYMDGNCYYKNPCGRALEVAPGALLGLGNLTHLSLKYNNLTTPVPSLPPSLEYL  
LLSYNHIVTLAPEDLANLTALRVLDVGGNCRCDHARNPCVECPHKFPQLHSDTFSHLSRLEGLVLKDSSLYQLN  
PRWFRGLGNLTVDLSENFLYDCITKTKAFQGLAQLRRLNLSFNYHKKVSFAHLTLAPSFSGSLLSLQELDMHGIF  
FRSLSQKTLQPLARLPLQRLYLQMNFINQAQLGIFKDFPGLRYIDLSNDRISGAVEPVATTGEVDGGKKVWLTS  
RDLTPGPLDTPSSEDFMPSCKNLSFTLDLSRNNLVTVPQEMFAQLSRLQCLRLSHNSISQAVNGSQFVPLTSLQV  
25 LDLSHNKLDLYHGRSFTLPRLEALDLSYNSQPFMRGVGHNLFSVAQLPTLRYLSLAHNGIHSRVSQQLCSTSL  
WALDFSGNSLSQMWAEGDLYLRFFQGLRSLIRLDLSQNRLLHTLLPCTLGNLPKSLQLLRRLNNYLAFFNWSSLT  
LPNLETLDLAGNQLKALSNGSLPSGTQLQRLDVSNSIIFFVVPGFALATRLRELNLSANALRTEEPSWFGFLAG  
SLEVLDVVSANPLHCACGAAPVDFLLQVQAAVPGLPSPVKCGSPGQLQGRSIFAQDLRLCLDKSLSWDCFG  
30

## SEQ ID NO:15 (Equine TLR9)

ctctgttctctgagctgttgccgcgtgaaggactgagcagcacaagcatcctcctctgagctgctgcccagtg  
tgccagctggaccctctggatcatctccactcctgtcatggcccttgccatggtgcccctgagccctgtct  
ctcctggtgagggcgccatgctggccgtggtcttgcccaaggcaccctgcctccttctgcccctgtgagctc  
35 cagccccacggcctggtgaactgcaactggctgttctgaagtccgtgcccacttctcagcagcagcaccgg  
gacaatgtcaccagccttctctgtctctccaaccgcatccaccactccacgactccgactttgcccactgtcc  
aacctgcagaaactcaacctcaaatggaactgccgcgcagccggcctcagccccatgcacttcccctgccatg  
accatcgagcccaacttctctggtgtaccaccctggaggagctgaacctgagctacaacggcatcagact  
gtgcctgcccctgcccagctccctcggtgctccctgatcctgagccgcaccaacatcctgcagctagaccccaccagc  
40 ctcacgggcctgcatgcccctgcgttctctatacatggatggcaactgctactacaagaacccctgcggggcgcc  
ctggagggtggccccaggcgccctccttgccctgggcaacctcaccacctgtcactcaagtacaacaacctcaca  
acgggtgccccgcagcctgcccctagcctggagtacgtggtgtctctacaaccacattgtcaccctggcacct  
gaggacctggccaatctgactgcccctgctgtgctcgatgtgggtggaactgccgcgctgtgacctgacgc  
aaccctgctggtgagtgccacataaattccccagctgcaactccgacacctcagccacctaaagccgcttagaa  
45 ggcctcgtgtgaaggatagttctctctaccagctgaacccagatggttccgtggcctgggcaacctcacagt  
ctcgacctgagtgagaacttctctacgactgcatcaccacaaaggcattccagggcctggccagctgcga  
agactcaactgtccttcaattaccataagaagggtgtctctcgccacctgacgctggcaccctccttcgggagc  
ctgctctcctgaggaactggacatgcatggcatcttcttcgctcactcagccagaagacgctccagccactg  
gcccgcctgcccctgctccagcgtgtgtatctgcagatgaacttcatcaaccaggcccagctcggcacttcaag  
50 gacttccctggtctgcgctacatagacctgtcagacaaccgcatcagtgaggctgtggagccggtggccaccaca  
ggggagggtggtggtgggaagaaggctctggctgacatccaggacacctcactccaggccactggacacccccagc  
tctgaggacttcatgccaagctgcaagaacctcagcttcccttgacacctgtcacggaacaacctggtaacagtc  
cagccagagatgtttgccagctctcgccctccagtgccctgcgctgagccacaacagcatctcgaggcggtc

- 16 -

aatggctcacagttcgtgccactgaccagcctgcagggtgctggacctgtcccataacaaactggacctgtaccat  
ggggcgtcgtttacggagctgccgcgactggaggccctggacctcagctacaacagccagcccttcagcatgagg  
gggtgaggccacaacctcagctttgtggccagctgccaccctgcgctacctcagcctggcacacaatggcatc  
cacagccgtgtgtcccagcagctctgcagcacctcgtgtggggccctggacttcagcggcaattccctgagccag  
5 atgtgggctgagggagacctctatctccgcttcttccaaggcctgagaagcctaattccggctagacctgtcccag  
aatcgtctgcataccctcctgccatgcaccctgggcaacctcccgaagagcttgagctgtgcgtctccgtaac  
aattacctggccttcttcaattggagcagcctgacctcctgcccacctggaaacctggacctggctggaaac  
cagctgaaggctctgagcaatggcagcctgaccttctggcaccagctccagaggctggacctcagcaggaacagc  
atcatcttcgtgggtccctggcttcttctgcttgccagaggctgcgagagctcaacctcagtggcaacgacctc  
10 aggcagagggagccctcctgggttgggttctctagcaggctcccttgaagtcttagatgtgagcgcaacctctg  
cactgcgcctgtggggcagcctttgtggacttctgctgcagggttcaggctgcgctgctggctgtgcccagccgc  
gtcaagtgtggcagtcggggcagctccagggcgcagcatcttcgcacaagacctgcgcctctgctggacaag  
tccctctcctgggactgtttgggtctctcattgctggttgtggccctgggctggccatgcctatgttgaccac  
ctctgcggtgggacctctggtactgcttccacctgggctggcctggctgccccgggggggtggcagcggggc  
15 gcgatgcctgagctatgatgccttctgtggtcttcgacaaggcacagagcgagtgccgactgggtgtacaat  
gaactgcgggtgcggctagaggagcgccgtggggcgccggcgctccgctgtgtctggaggagcgtgactggcta  
cctggcaagacgctgttcgaaaacctgtgggctcagtctacagcagccgaagatgctgttctgtgctggccac  
acggaccaggtcagtgccctcttgcgtgccagcttctgctggccagcagcgtctgctggaggacgcaaggac  
gttgtggtgctggtaacctgagccctgacgcccgcgttcccgctacgtgcggctgcgcccagcgcctctgccc  
20 cagagtgtcctctctgccccaccagcctagtggccagcgcagcttctggggccagctaggcatggccctgacc  
agggacaaccgcccacttctataaccagaacttctgcccggggcccgacgatggctgagtagcacagagtgcagcc  
tggcatgtacaacccccagccctgaccttgccctctctgcctatgatgccagctctgctcactctgtgacgccc  
tgctctgctccgcccacctcaccctggcatacagcaggcactcaataaatgccactggcagggcaaacagcca  
aaaaaaaaaaaaaaaa

25

## SEQ ID NO:16 (Equine TLR9)

atgggccccttgccatgggtgcccctgcagccctgtctctcctgggtgcaggcgcccatgctggccgtggctctggcc  
caaggcaccttgccctcccttctgcccctgtgagctccagccccagggcctgggtgaactgcaactggctgttccctg  
aagtccgtgcccacttctcagcagcagcaccgggacaatgtcaccagccttctcttctcctcacaacggcatc  
30 caccactccaagactccgacttgcaccaactgtccaacctgcagaaactcaacctcaaatggaaactgcccggca  
ggccggcctcagccccatgcacttcccctgccacatgaccatcgagcccaacttctcctgggtgtaccacacctg  
gaggagctgaacctgagctacaacggcatcacgactgtgcttgcctgcccagctccctcgtgtccctgatcctg  
agccgcaccaacatcctgcagctagacccccagcctcaggggctgcctgcctgcgcttctctatacatggat  
ggcaactgctactacaagaacctgcggggcgccctggagggtggccccagggcgccctccttggcctgggcaac  
35 ctacccacctgtcactcaagtacaacaacctcacaaagggtgccccgcagcctgccccctagcctggagtacctg  
ctgttctctacaaccacattgtcacccctggcacctgaggacctggccaatctgactgcccctgcgtgtgctcgat  
gtgggtggaaactgcccgcgctgtgacctgcacgcaacccctgcgtggagtggccacataaattccccagctg  
cactccgacaccttcagccacctaaagccgcctagaaggcctcgtgtgaaggatagttctctctaccagctgaac  
cccagatgggtccgtggcctgggcaacctcacagtgtcgacctgagtgagaacttctctacgactgcacacc  
40 aaaaccaaggcattccagggcctggcccagctgcgaagactcaacttgccttcaattaccataagaagggtgtcc  
ttcgccacctgagcctggcacctccttcgggagcctgctctccctgcaggaactggacatgcatggcatcttc  
ttcgctcactcagccagaagacgctccagccactggcccgccctgcccctgctccagcgtctgtatctgcagatg  
aacttcatcaaccaggcccagctcgccatcttcaaggacttccctgggtctgcgctacatagacctgtcagacaac  
cgcatcagtgaggctgtggagccggtggccaccacaggggaggtggatgggtgggaagaaggctctggctgacatcc  
45 agggacctcactccagggccactggacacccccagctctgaggacttcatgccaagctgcaagaacctcagcttc  
accttgacctgtcacggaacaacctggtaacagtccagccagagatgtttgcccagctctcgcgccctccagtg  
ctgcccctgagccacaacagcatctcgagggcggtcaatggctcacagttcgtgccactgaccagcctgcagggtg  
ctggacctgtcccataacaaactggacctgtacctggggcgcttctacggagctgcccgcgactggaggccctg  
gacctcagctacaacagccagcccttcagcatgcgggtgtggggccacaacctcagcttctgtggcccagctgcc  
50 acctgcgctacctcagcctggcacacaatggcatccacagcgtgtgtcccagcagctctgcagcacctcgctg  
tggggcctggacttcagcggcaattccctgagccagatgtggggtgagggagacctctatctccgcttcttccaa  
ggcctgagaagcctaattccggctagacctgtcccagaatcgtctgcataccctcctgccatgcacctgggcaac  
ctccccaaagagcttgagctgctgcgtctccgtaacaattacctggccttcttcaattggagcagcctgacctc  
ctgcccacacctggaaacctggacctgggtggaaaccagctgaaggctctgagcaatggcagcctgccttctggc  
55 accagctccagaggctggagctcagcaggaacagcatcatctcgtgggtccctgggttcttctgtctggccacg  
aggctgcgagagctcaacctcagtgccaacgacctcaggacagaggagccctcctgggttgggttctctagcagc  
tcccttgaagtcttagatgtgagcggcaacctctgcactgcgctgtggggcagccttctgtgacttctgctg

- 17 -

cagggttcagggtgcggtgcctggtctgccagccgcgtcaagtgtggcagtcggggccagctccaggggccgcagc  
atcttcgcacaagacctgcgcctctgctggacaagtcctctcctgggactgttttggt

## SEQ ID NO:17 (Ovine TLR9)

5 MGPYCAPHPLSLLVQAAALAAALAAQGTLPAPFLPCELQPRGKVCNWLFLKSVPFRFSAGAPRANVTSLSLISNRIH  
HLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFPCRMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSSLVLSLS  
RTSILVLGPTHFTGLHALRFLYMDGNCYYKNPCQQAWEVAPGALLGLGNLTHLSLKYNLLEVPRLPPSLDTLL  
LSYNHIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKNFPKLHPDTFSHLSRLEGLVLKDSLSLYKLEK  
10 DWFRGLGRLOVLDLSENFLYDYITKTTIFRNLTLQLRRLNLSFNHYHKKVSFAHLQLAPSFGGLVSLEKLDMHGIF  
RSLTNTTLRPLTQLPKLQSLSLQLNFINQAELSIFGAFPSLLFVLDSDNRISGAARPVAALGEVDSGVEVWRWR  
GLAPGPLAAVSAKDFMPSCNLTDLNRNLVTIQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTRLRVLD  
LSYNKLDLYHGRSFTELPQLEALDLSYNSQPFMSQGVGHNLFSVAQLPSRLRYLSLAHNGIHSRVSQKLSSASLRA  
LDFSGNSLSQMWAEGLDLYLCFFKGLRNLVQLDLSKNHLHTLLPRHLNLPKSLRQLRLRDNNLAFFNWSSLTVLP  
15 QLEALDLAGNQLKALSNGSLPPGTRLQKLDVSSNSIGFVTPGFFVLNRLKELNLSANALKTVDPFWFGRLTETL  
NILDVSPANLHCACGAAFVDFLLEMQAAVPGLSRRVTCGSPGQLQGRSIFAQDLRLCLDETSLDCFGFSILMVA  
LGLAVPMLHLCGWDLYCFHLCLAHLPRLRRQRGEDTLLYDAFVVDKAQSAVADWVYNELRVQLEERRGRRL  
RLCLEERDWPGLKTLFENLWASVSSRKTMFVLDHTDRVSGLLRASFLLAQQRLLDRKDVVVLVILRPAAYRSR  
YVRLRQLRCRQSVLLWPHQPSGQGSFWANLGMALTRDNRHFYNRNFCRGPTTAE

## 20 SEQ ID NO:18 (Ovine TLR9)

MGPYCAPHPLSLLVQAAALAAALAAQGTLPAPFLPCELQPRGKVCNWLFLKSVPFRFSAGAPRANVTSLSLISNRIH  
HLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFPCRMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSSLVLSLS  
RTSILVLGPTHFTGLHALRFLYMDGNCYYKNPCQQAWEVAPGALLGLGNLTHLSLKYNLLEVPRLPPSLDTLL  
LSYNHIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKNFPKLHPDTFSHLSRLEGLVLKDSLSLYKLEK  
25 DWFRGLGRLOVLDLSENFLYDYITKTTIFRNLTLQLRRLNLSFNHYHKKVSFAHLQLAPSFGGLVSLEKLDMHGIF  
RSLTNTTLRPLTQLPKLQSLSLQLNFINQAELSIFGAFPSLLFVLDSDNRISGAARPVAALGEVDSGVEVWRWR  
GLAPGPLAAVSAKDFMPSCNLTDLNRNLVTIQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTRLRVLD  
LSYNKLDLYHGRSFTELPQLEALDLSYNSQPFMSQGVGHNLFSVAQLPSRLRYLSLAHNGIHSRVSQKLSSASLRA  
LDFSGNSLSQMWAEGLDLYLCFFKGLRNLVQLDLSKNHLHTLLPRHLNLPKSLRQLRLRDNNLAFFNWSSLTVLP  
30 QLEALDLAGNQLKALSNGSLPPGTRLQKLDVSSNSIGFVTPGFFVLNRLKELNLSANALKTVDPFWFGRLTETL  
NILDVSPANLHCACGAAFVDFLLEMQAAVPGLSRRVTCGSPGQLQGRSIFAQDLRLCLDETSLDCFG

## SEQ ID NO:19 (Ovine TLR9)

gtcggcagcggaagtgcagcgccaagcatccttccctgcagctgcgcgccaacttgcccgcagaccctctggaga  
35 agccgcattccctgcatgggcccctactgtgccccgcacccctttctctcctggtgcaggcgccgctggc  
agcagccctggcccagggcaccctgctgcttctgcccgtgtagctccagccccgggtaagtgaaactgcaa  
ctggctgttctgaagtctgtgcccgcgttttcggcggagccccccgggccaatgtcaccagcctctcctta  
ctccaaaccgcatccaccacttgacgactctgacttctgcccactgtccaaactgcgggtcctcaacctcaagt  
40 gaactgcccgcggcgccgctcagccccatgcacttccctgcccgcagatgaccatcgagcccaacaccttctggc  
tgtgcccaccctggaggagctgaacctgagctacaatggcatcacgaccgtgctgcccctgcccagttctctcgt  
atccctgtcgctgagccgcaccagcatcctggtgctaggccccaccacttcaccggcctgcacgcccgtgctt  
tctgtacatggacggcaactgctactataagaaccctgccagcaggcctggaggtggccccaggcgccctcct  
tgccctgggcaacctcacgcacctgtcgctcaagtaacaacctcacggaggtgccccgcgctgccccccag  
cctggacacctgtgctgtctctacaaccacatcatcaccctggcaccggaggacctggccaatctgactgcct  
45 gcgtgtgctgtgctggcggggaactgcccgcgtgcgaccagccccgaaccctgcaggagtgcccaagaa  
cttccccaaagctgcaccctgacaccttcagccacctgagccgctcgaaggcctggtgtgaaggacagttctct  
ctacaaactagagaaagactgggtccgcggcctggcgaggtccaagtgcgacctgagtgagaacttctcta  
tgactacatcaccaagaccacctcttcaggaaactgaccagctgcccagactcaacctgtccttaattacca  
caagaaggtgtccttcgcccacctgcaactggcaccctcctttggggcctggtgtcctggagaagctggacat  
50 gcacggcatcttctccgctccctcaccaaccacagctccggcgcgtgaccagctgcccagctccagagctt  
gagctgtcagctgaacttcatcaaccaggccgagctcagcatctttggggccttcccagagcctgctctcgtgga  
cctgtcggacaaccgcatcagcggagctgcgaggccggtggccgcccctggggagggtggacagcgggggtggaagt  
ctggcggtggcccaggggcctcgctccaggcccgctggccgcccgtcagcgcaaaaggacttcatgccaagctgcaa

- 18 -

cctcaacttcaccttggacctgtcacggaacaacctggtagcatccagcaggagatgtttaccgcctctcccg  
cctccagtgcctgcgcctgagccacaacagcatctcgcaggcggttaatggctcgcagttcgtgccgtgacccg  
cctgcgagtgctcgacctgtcctacaacaagctggacctgtaccatgggcgctcgttcacggagctgccgcagct  
5 ggaggcactggacctcagctacaacagccagcccttcagcatgcagggcgctgggcccacaacctcagcttcgtggc  
ccagctgccgtccctgcgctacctcagccttgcgcacaacggcatccacagcccgctgtcacagaagctcagcag  
cgctcgtgcgcgcctggacttcagcggcaactccctgagccagatgtgggcccaggaggacctctatctctg  
cttcttcaaaggcttgaggacctggctccagctggacctgtccaagaaccacctgcacacctctctgctcgta  
cctggataacctgcccaagagcctggcgagctgcgtctcgggacaataacctggccttcttcaactggagcag  
10 cctgactgttctgccccagctggaagccctggatctggcgggaaaccagctgaaggccctgagcaacggcagcct  
gccacctggcaccggctccagaagctggacgtgagcagcaacagcatcggtcttgtgaccttggtctcttctgt  
ccttgccaaccggctgaaagagcttaacctcagcgccaacgacctgaagacagtggtacctcttctggttcggtcg  
cttaacagagacctgaatatcctagacgtgagcgccaacccgctccactgtgctgccccggcgcttctgtgga  
cttctgctggagatgcaggcgccgtgctgggctgtccaggcgctcacgtgtggcagtcggggccagctcca  
gggcccagcatcttcgcacaggacctgcgctctgctggatgagacctctccttgactgcttggcttctc  
15 gctgctaattggtggcgctgggctggcggtgcccagctgcacacctctgtggtgggacctgtggtactgctt  
ccacctgtgtctggccatttgcggcgagcgggcgggcagcgggcgaggacacctgctctacgatgccttctg  
ggctctcgacaaggcgagagtgagtgccgactgggtgtacaacagagctccgctgcagctggaggagcgccg  
cgggcgccggcgctccgctctgctggaggagcgagactggctccctggcaagacgctcttcgagaacctgtg  
ggcctcggtctacagcagccgtaagaccatgttcgtgctggaccacacggaccgggtcagtgccctctgcgcgc  
20 cagcttctgctggcccagcagcgctgttgaggaccgcaaggatgtcgtggtgctggtgatctgcgccccgc  
cgctaccggtcccgctacgtgcggtgcgcccagcgctctgcccagagcgctcctccttgccccaccagcc  
cagtgggcagggtagcttctgggccaacctgggcatggccctgaccagggacaaccggcacttctataaccggaa  
cttctgcggggccccacgacagcgaatagcacagagtgcactgcccag

## 25 SEQ ID NO:20 (Ovine TLR9)

atgggccccactgtgccccgcaccccccttctctctctggtgcaggcgcgcgctggcagcagccctggcccag  
ggcaccctgctgcttctgctctgtgagctccagcccccgggtaaggtagaactgcaactggctgttctgaag  
tctgtgcgcgcttctggcgaggccccccgggccaatgtcaccagcctctccttaattctcaaccgcacccac  
30 cacttgacgactctgacttctgctccacctgtccaacctgcgggtctcacaacctcaagtggaaactgcgcggcc  
ggcctcagcccatgcaacttccctgcgcctgacctgcagcccaacaccttccctggctgtgccccacctggag  
gagctgaacctgagctacaatggcatcacgacctgctgcccctgcccagttctctcgatccctgtgctgagc  
cgcaccagcatcctgggtgctaggccccaccacttcaccggcctgcagccctgcgcttctgtacatggacggc  
aactgctactataagaacctctgccagcagggcggtgaggtggccccagggcgccctcctggcctgggcaacctc  
acgcacctgtcgtcaagtacaacaacctcacggagtgccccgcgcctgccccccagcctggacacctctg  
35 ctgtcctacaaccacatcatcaccctggcaccggaggacctggccaatctgactgcccctgcgtgtgcttgatgtg  
ggcggaactgcgcgcgctgcgaccacgcccgaacctgcaggagtgcccaaagaacttccccaaagctgcac  
cctgacaccttcagccacctgagccgctcgaaggctgggtgtgaaggacagttctctctacaaactagagaaa  
gactggttccgcggcctgggacaggtccaagtgtcgacctgagtgagaacttctctatgactacatcaccaag  
accaccatcttcaggaacctgaccagctgcgcagactcaacctgtccttcaattaccacaagaaggtgtccttc  
40 gccacctgcactggcaccctccttgggggctgggtgtccttgagaagctggacatgcacggcatcttcttc  
cgctcctcaccacaaccagctccggcgctgaccagctgcccaagctccagagctcagctcgcagctgaac  
ttcatcaaccaggcgagctcagcatcttggggccttcccgagcctgctctcgtggacctgtcggaaccgc  
atcagcgagctgcgaggccgtggcgccctcggggaggtggacagcggggtggaagtctggcggtggcccagg  
ggcctcgtccaggcccgctggcgccgtcagcgcaaggacttcagccaagctgcaacctcaacttcaccttg  
45 gacctgtcacggaacaacctggtgacgatccagcaggagatgtttaccgcctctcccgccctcagtgccctgcg  
ctgagccacaacagcatctcgcaggcggttaatggctcgcagttcgtgcccgtgacctgcgagtgctcgac  
ctgtcctacaacaagctggacctgtacctggcgctcgttcacggagctgcgcagctggaggcactggacctc  
agctacaacagcagcccttcagcatgcaggcggtgggcccacaacctcagcttcgtggccagctgcgctcctg  
cgctacctcagccttgcgcacaacggcatccacagcgcggtgtcacagaagctcagcagcgctcgtgcgcgcc  
50 ctggacttcagcggaacctccctgagccagatgtgggcccaggaggacctctatctctgcttcttcaaaggcttg  
aggaacctggctcagctggacctgtccaagaacctgcacacctcctgctcgtcacctggataacctgccc  
aagagcctgcggcagctgctctcgggacaataacctggccttcttcaactggagcagcctgactgttctgccc  
cagctggaagccctggatctggcgggaaaccagctgaaggccctgagcaacggcagcctgccacctggcaccgg  
ctccagaagctggacgtgagcagcaacagcatcggttctgtgaccttggttcttctgcttggccaaccggctg  
55 aaagagcttaacctcagcgccaacgcccgaagacagtggtaccttctggttcggtcgttaacagagacctg  
aatatcctagacgtgagcgccaaccgctccactgtgctgcggggcgcccttctgtgacttctgctggagatg

- 19 -

caggcgccgtgcctgggctgtccaggcgcggtcacgtgtggcagtcggggccagctccaggcgccgagcatcttc  
gcacaggacctgcgcctctgctggatgagaccctctccttggaactgctttggc

Complete nucleotide and amino acid sequences for canine and feline TLR9 are  
publicly available. For example, an amino acid sequence for canine TLR9 is available as  
GenBank accession number BAC65192 and its corresponding nucleotide sequence is  
available as GenBank accession number AB104899. An amino acid sequence for feline  
TLR9 is available as GenBank accession number AAN15751 and its corresponding  
nucleotide sequence is available as GenBank accession number AY137581.

Complete nucleotide and amino acid sequences for canine and feline TLR9 were also  
determined independently from those available from public databases.

An amino acid sequence of canine TLR9 is provided as SEQ ID NO:21. Based on  
comparison with known amino acid sequences of human and murine TLR9, it appears that  
SEQ ID NO:21 includes sequence for at least a majority of the extracellular domain, all of the  
transmembrane domain, and at least a portion of the intracellular domain of canine TLR9  
(See Figure 1). Amino acids numbered 1-822 of SEQ ID NO:21 are presumptively  
extracellular domain and correspond to SEQ ID NO:22. SEQ ID NO:23 is a nucleotide  
sequence of canine TLR9 cDNA having an open reading frame corresponding to nucleotides  
91-3186. SEQ ID NO:24 is a nucleotide sequence of canine cDNA encoding amino acids 1-  
822 of SEQ ID NO:21.

An amino acid sequence of feline TLR9 is provided as SEQ ID NO:25. Based on  
comparison with known amino acid sequences of human and murine TLR9, it appears that  
SEQ ID NO:25 includes sequence for at least a majority of the extracellular domain, all of the  
transmembrane domain, and at least a portion of the intracellular domain of feline TLR9 (See  
Figure 1). Amino acids numbered 1-820 of SEQ ID NO:25 are presumptively extracellular  
domain and correspond to SEQ ID NO:26. SEQ ID NO:27 is a nucleotide sequence of feline  
TLR9 cDNA having an open reading frame corresponding to nucleotides 87-3179. SEQ ID  
NO:28 is a nucleotide sequence of feline cDNA encoding amino acids 1-820 of SEQ ID  
NO:25.

#### SEQ ID NO:21 (Canine TLR9)

MGPCRGALHPLSLLVQAAALALALAQGTLPAFLPCELQPHGLVNCNWFLKSVPRFSAAAPRGNVTSLSLYSNRI  
HHLHDYDFVHFVHLRRLNLKWNCPASLSPMHFPCHMTIEPNTFLAVPTLEDNLNSYNSITTVPALPSSLVSLSL  
SRTNIIVLDPATLAGLYALRFLFLDGNICYKNPCQALQVAPGALLGLGNLTHLSLKYNNLTVVPRGLPPSLEYL

- 20 -

LLSYNHIITLAPEDLANLTALRVLDVGGNCRCDHARNPCRECPKGFQQLHPNTFGHLSHLEGLVLRDSSLSYSLD  
 PRWFHGLGNLMVLDLSENFLYDCITTKAFYGLARLRLNLSFNHKKVSAHLHLASSFGSLLSQELDIHGIF  
 FRSLSKTTLQSLAHLPLQLRLHLQNFISQAQLSIFGAFPLRYVDLSDNRISGAAEPAAATGEVEADCGERVWP  
 QSRDLALGPLGTPGSEAFMPSCRTLNFTLDLSRNNLVTVPQEMFVRLARLQCLGLSHNSISQAVNGSQFVPLSNL  
 5 RVLDLSHNKLDLYHGRSFTLPRLEALDLSYNSQPFMSRGMVGHNLSFVAQLPALRYLSLAHNGIHSRVSQQLRSA  
 SLRALDFSGNTLSQMWAEGDLYLRFFQGLRSLVQLDLSQNLRLHTLLPRNLDNLPKSLRLLRLRDNYLAFFNWSSL  
 ALLPKLEALDLAGNQLKALSNGSLPNGTQLQRLDLSGNSIGFVVPSPFALAVRLRELNLSANALKTVEPSWFGSL  
 AGALKVLDVTANPLHCACGATFVDFLLEVQAAVPGPLSRVKCGSPGQLQGRSIFAQDLRLCLDEALSWSVCFSL  
 LAVALSLAVPMLHQLCGWDLWYCFHLCLAWLPRGRRRGVDALAYDAFVFDKAQSSVADWVYNELRVQLEERRG  
 10 RRALRLCLEERDWPVKTLFENLWASVYSSRKTFLVLRARTDRVSGLLRASFLLAQORLLEDKRDVVVLVILCPDA  
 HRSRYVRLRQLRQSVLLWPHQPSGQRSFWAQLGTALTRDNHRHFNQNFRCGPTTA

## SEQ ID NO:22 (Canine TLR9)

MGPCRGALHPLSLVQAAALALALAQGTLPAPFLPCELQPHGLVNCNWLFLKSVPFRFSAAAPRGNVTSLSLYSNRI  
 15 HHLHDYDFVHFVHLRRLNLKWNCPASLSPMHFPCMTIEPNTFLAVPTLEDNLNSYNSITTVPALPSSLSVLSL  
 SRTNIVLDPATLAGLYALRFLFDGNCYKNPCQQLQVAPGALLGLGNLTHLSLKYNNTLVVPRGLPPSLEYL  
 LLSYNHIITLAPEDLANLTALRVLDVGGNCRCDHARNPCRECPKGFQQLHPNTFGHLSHLEGLVLRDSSLSYSLD  
 PRWFHGLGNLMVLDLSENFLYDCITTKAFYGLARLRLNLSFNHKKVSAHLHLASSFGSLLSQELDIHGIF  
 20 FRSLSKTTLQSLAHLPLQLRLHLQNFISQAQLSIFGAFPLRYVDLSDNRISGAAEPAAATGEVEADCGERVWP  
 QSRDLALGPLGTPGSEAFMPSCRTLNFTLDLSRNNLVTVPQEMFVRLARLQCLGLSHNSISQAVNGSQFVPLSNL  
 RVLDLSHNKLDLYHGRSFTLPRLEALDLSYNSQPFMSRGMVGHNLSFVAQLPALRYLSLAHNGIHSRVSQQLRSA  
 SLRALDFSGNTLSQMWAEGDLYLRFFQGLRSLVQLDLSQNLRLHTLLPRNLDNLPKSLRLLRLRDNYLAFFNWSSL  
 ALLPKLEALDLAGNQLKALSNGSLPNGTQLQRLDLSGNSIGFVVPSPFALAVRLRELNLSANALKTVEPSWFGSL  
 AGALKVLDVTANPLHCACGATFVDFLLEVQAAVPGPLSRVKCGSPGQLQGRSIFAQDLRLCLDEALSWSVCF  
 25 S

## SEQ ID NO:23 (Canine TLR9)

aggaaggggctgtgagctccaagcatcctttcctgagctgctgcccagcctgccagccagaccctctggagaag  
 ccccgctcctgtgcatgggcccctgcctggcgccctgcaccccctgtctctcctgggtgagctgcccgccta  
 15 gcccggccctggcccaggccacctgcctgccttccctgcccctgtgagctccagcccctgagcctggtaactg  
 aactggctgttccctcaagtcctgcccgccttctcgccagctgcaccccgcggttaactgaccagccttccctg  
 30 tactccaaccgcatccaccacctccatgactatgactttgtccacttcgtccacctgcccgcctctcaatctcaag  
 tggaaactgcccgcggccagcctcagccccatgcactttccctgtcacatgaccattgagcccaacaccttccctg  
 gctgtgcccaccctagaggacctgaatctgagctataacagcatcacgactgtgcccgcctgcccagttcgctt  
 gtgtccctgtccctgagccgcaccaacatcctgggtgtggaacctgccacctggcaggcctttatgccctgccc  
 35 ttccctgttccctggatggcaactgctactacaagaacctgcccagcagccctgaggtggccccagggtgccctc  
 ctggccctgggcaacctcacacacctgtcactcaagtaacaacctcaccgtggtgcccgcgggcccctgcccccc  
 agcctggagtacctgcttctgtcctacaaccacatcacacctggcacctgaggacctggccaatctgactgcc  
 ctgctgttccctgatgtgggtgggaactgtgcgcgctgtgacctgcccgttaacctgagggagtgcccaag  
 40 ggcttccccagctgcaccccaacaccttcggccacctgagccacctcgaaggcctggtgttgagggaacagctct  
 ctctacagcctggacccaggtggttccatggcctgggcaacctcatggtgctggacctgagtgaagaacttccctg  
 tatgactgcatcaccaaaacaaagccttctacggcctggcccggctgcgcagactcaacctgtccttcaattat  
 cataagaaggtgtcctttgccacctgcatctggcatcctccttcgggagcctactgtccctgagggagctggac  
 45 atacatggcatcttcttccgctcgctcagcaagaccagctccagtcgctggcccacctgcccagctccagcgt  
 ctgcatctgagctgaactttatcagccaggccagctcagcatcttcggcgcttccctggactgcccgtacgtg  
 gacttgtcagacaaccgcatcagtgagctgcagagcccgcggctgccacaggggaggtagaggcagactgtggg  
 gagagagtctggccacagctcccgggacctgtctgggcccactgggacccccggctcagaggccttcatgccc  
 agctgcaggacctcaacttcaccttgacctgtctcggaacaacctagtactgttcagccggagatgtttgtc  
 50 cggctggcgccctccagtgccctgggctgagccacaacagcatctcgaggcggtcaatggctcgagcttcgtg  
 cctctgagcaacctgcgggtgtggaacctgtcccaataacaagctggacctgtaccacgggctcgcttcacggag  
 ctgcccgggctggaggccttggaacctcagctacaacagccagcccttcagcatgcccgggctgggcccacaatctc  
 agctttgtggcacagctgccagccctgcctacctcagcctggcgcaaatggcatccacagcccgctgtcccag  
 cagctccgagcgcctcgctccggccctggactcagtggaacacacctgagccagatgtgggcccaggagagac  
 55 ctctatctccgcttcttccaaggcctgagaagcctggttcagctggacctgtccagaatcgctgcataccctc  
 ctgccacgcaacctggacaacctccccaaagagcctgcggctcctgcggctccgtgacaattacctggcttcttc  
 aactggagcagcctggccctcctaccaagctggaagccctggacctggcgggaaaccagctgaaggccctgagc

- 21 -

aatggcagcttgcccaacggcaccagctccagaggctggacctcagcggcaacagcatcggcttcgtggtcccc  
 agcttttttgccttgccgtgaggcttcgagagctcaacctcagcgccaacgcctcaagacggtggagccctcc  
 tggtttgggtccctggcgggtgcctgaaagtccctagacgtgaccgccaaccccttgcatcgcttgccggcgca  
 accttcgtggacttcttgctggaggtgcaggctgcgggtgcccggcctgcctagccgtgtcaagtgcggcagcccc  
 5 ggccagctccagggccgcagcatcttcgcacaggacctgcgcctctgcctggacgaagcgtctcctgggtctgt  
 ttcagcctctcgctgctggctgtggcctgagcctggctgtgcccatgctgcaccagctctgtggctgggacctc  
 tgggtactgcttccacctgtgcctggcctggctgccccggcgggggcgggcggggtgtggatgccttgccctat  
 gacgccttcgtggtcttcgacaaggcgagagctcgggtggcgactgggtgtacaatgagctgcgggtacagcta  
 gaggagcgcctgggcgccggcgctacgcctgtgtctggaggaacgtgactgggtaccgggcaaaacctcttc  
 10 gagaacctctgggctcagtttacagcagccgcaagacgtgtttgtgctggccgcacggacagagtcagcggc  
 ctctgctgcccagcttctctgctggcccaacagcgctgctggaggaccgcaaggacgtcgtggtgctggtgatc  
 ctgtgccccgacgcccaccgctcccgctatgtgcggtgcgcagcgccctctgcgcagagtgctcctctctgg  
 ccccaccagcccagtgggccagcgagcttctgggcccagctgggcacggccctgaccagggaacaaccgcaacttc  
 tacaaccagaacttctgcggggccccacgacagcctgataggcagacagcccagcacttcgcgcccctacacc  
 15 ctgctgtctgtctgggatgcccagcctgctggctctacaccgcccgtctgtctccccctacaccagccctggca  
 taaagcgaccgctcaataaatgctgctggtagac

## SEQ ID NO:24 (Canine TLR9)

atgggccccctgcgctggcgccctgcacccccctgtctctcctgggtgcaggctgccgcgctagccctggccctggcc  
 20 cagggcacccctgcctgccttccctgcctgtgagctccagccccatggcctggtgaactgcaactggtgttccctc  
 aagtcctgccccgcttctcggcagctgcacccccgggtaacgtcaccagccttcccttgactccaaccgcac  
 caccacctccatgactatgactttgtccacttcgtccacctgcccgcgtctcaatctcaagtggaaactgcccgc  
 gccagcctcagccccatgcacttccctgtcacatgaccattgagcccaacaccttccctggctgtgcccacctc  
 25 gaggacctgaatctgagctataaacagcatcacgactgtgcccgcctgcccagttcgcttggtgctccctgctcc  
 agccgcaccaacatccctgggtgctggacctgcccacctggcaggcctttatgcctgcgcttccctgttccctggat  
 aggcaactgctactacaagaacccctgccagcaggccctgcagggtggccccaggtgcccctcctgggctgggcaac  
 ctcacacacgtgtcactcaagtacaacaacctcacctggtgcccgcggggcctgccccccagcctggagtacctg  
 ctcttgcctacaaccaeatcatcaccctggcacctgaggacctggccaatctgactgcccctgcgtgtcctcgat  
 30 tgggggtgggaactgtgcgcgctgtgacctgcccgttaacccctgcaggagtgcccccaagggttccccagctg  
 acaccccaacaccttcggcaccctgagccacctgcaggcctggtgttgagggaacagctctctctacagcctggac  
 cccaggtggttccatggcctgggcaacctcatggtgtggaacctgagtgagaacttccctgtatgcatgcaccc  
 aaaaaccaaagccttctacggcctggcccggctgcccagactcaacctgtccttcaattatcataagaaggtgtcc  
 35 tttgcccacctgcatctggcactcctccttcgggagcctactgtccttgcaggagctggacatacatggcatcttc  
 ttcgcgtcgctcagcaagaccagctccagtcgctggcccacctgcccagctccagcgtctgcatctgcagttg  
 aactttatcagccaggcccagctcagcatcttcggcgccctccctggactgcggtacgtggactgtcagacaac  
 cgcacagtgaggctgcagagccccgcggtgccacaggggaggttagaggcagactgtggggagagagctctggcca  
 cagtcggggagccttgctctgggcccactgggcacccccgcctcagaggccttcagtcgagctgcaggacctc  
 40 aacttcaccttggaactgtctcggaacaacctagtactgttcagccggagatgtttgtcggctggcgccctc  
 cagtgccctgggctgagccacacagcatctcagcagcgtgtcaatggctcgcagttcgtgctgcagccacctg  
 cgggtgctggacctgtccataacaagctggacctgtaccacggggcgctcgttcacggagctgcccgcggtggag  
 gccttgacctcagctacaacagccagcccttcagcatgcggggcggtgggcccacatctcagctttgtggcacag  
 ctgccagccctgcgctacctcagcctggcgcaaatggcatccacagccgctgtcccagcagctccgcagcgcc  
 tcgctccgggcccctggacttcagtggaataacctgagccagatgtgggcccaggaggacctctatctccgcttc  
 45 ttccaaggcctgagaagcctggttcagctggacctgtcccagaatcgccctgcataccctcctgccacgcaacctg  
 gacaacctccccaaagagcctgcggtcctgcggctccgtgacaattacctggctttcttcaactggagcagcctg  
 gccctcctacccaagctggaagcctggacctggcggaacacagctgaaggccctgagcaatggcagcttgccc  
 aacggcacccagctccagaggctggacctcagcggcaacagcatcggtctcgtgggtccccagcttttttgccctg  
 gccgtgaggcttcagagagctcaacctcagcgccaacgcccctcaagacggtggagccctcctggtttggttccctg  
 50 gcggtgacctgaaagtccctagacgtgaccgccaaccccttgcatcgcttgccggcgcaaccttcgtggacttc  
 ttgctggaggtgcaggctgcgggtgcccggcctgcctagccgtgtcaagtgcggcagccgggagcctccagggc  
 cgcagcatcttcgcacaggacctgcgcctctgcctggacgaagcgtctcctgggtctgtttcagc

## SEQ ID NO:25 (Feline TLR9)

MGPCHGALHPLSLVQAAALAVLAQGTLPALPCELQRHGLVNCDWLFLKSVPHFSAAPRGNVTSLSLSYNSRI  
 55 HHLHDSDFVHLSSLRRLNLKWNCPASLSPMHFPCHMTIEPHTFLAVPTLEELNLSYNSITVPAIPSSLSLSL

- 22 -

5 SRTNIIIVLDPANLAGLSLRFLELDGNCYYKNPCQALQVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYL  
 LLSYNHIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLHPDTFSLNHLLEGLVLKDSLSYLN  
 PRWFHALGNLMVLDLSENFLYDCITKTTAFQGLAQLRRLNLSFNHYHKVSAHLHLAPSPFGLSLSLQQLDMHGIF  
 10 FRSLSETTLRSLVHLPMQLSLHLQMNFINQAQLSIFGAPFGLRYVDLSDNRISGAMELAAATGEVDGGERVRLPS  
 GDALGPPGTPSPSEGFMPGCKTLNFTLDLSRNNLVTIQPEMFARLSRLQCLLSRNSISQAVNGSQFMPLTSLQV  
 LDLSHNKLDLYHGRSFTLPRLEALDLSYNSQPFMSQGVGHNLFSVAQLPALRYLSLAHNDIHSRVSQQLCSASL  
 RALDFSGNALSRMWAEGDLYLHFFRGLRSLVRLDLSQNLRLHTLLPRTLNDLPLKSLRLLRLRDNYLAFFNWSSVL  
 15 LPRLEALDLAGNQLKALSNGSLPNGTQLQRLDLSNSISFVASSFFALATRLRELNLSANALKTVEPSWFGSLAG  
 TLKVLDDVTGNPLHCACGAADFVDFLLEVQAAVPGLPGHVKCGSPGQLQGRSIFAQDLRLCLDEALSWDCFGLSLT  
 VALGLAVPMLHHLGWDLWYCFHLCLAWLPRGRRRGADALPYDAFVVDKAQSAVADWVYNELRVRLERGRRR  
 20 ALRLCLEERDWLPGKTLFENLWASVYSSRKMLFVLAHTDRVSGLLRASFLLAQORLLEDKRDVVLVILRPDAHR  
 SRYVRLRQRLCRQSVLLWPHQPSGQRSFWAQLGTALTRDNQHFYNQNFRCRGPTTAE

## SEQ ID NO:26 (Feline TLR9)

15 MGPCHGALHPLSLVQAAALAVALAQGTLPALPCELQRHGLVNCDFLKSVPHFSAAPRGNVTSLSLSYSNRI  
 HHLHDSDFVHLSLRLNLKWNCPASLSPMHFPCMTIEPHTFLAVPTLEELNLSYNSITTPALPSSLSVLSL  
 SRTNIIIVLDPANLAGLSLRFLELDGNCYYKNPCQALQVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYL  
 20 LLSYNHIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLHPDTFSLNHLLEGLVLKDSLSYLN  
 PRWFHALGNLMVLDLSENFLYDCITKTTAFQGLAQLRRLNLSFNHYHKVSAHLHLAPSPFGLSLSLQQLDMHGIF  
 FRSLSETTLRSLVHLPMQLSLHLQMNFINQAQLSIFGAPFGLRYVDLSDNRISGAMELAAATGEVDGGERVRLPS  
 GDALGPPGTPSPSEGFMPGCKTLNFTLDLSRNNLVTIQPEMFARLSRLQCLLSRNSISQAVNGSQFMPLTSLQV  
 LDLSHNKLDLYHGRSFTLPRLEALDLSYNSQPFMSQGVGHNLFSVAQLPALRYLSLAHNDIHSRVSQQLCSASL  
 25 RALDFSGNALSRMWAEGDLYLHFFRGLRSLVRLDLSQNLRLHTLLPRTLNDLPLKSLRLLRLRDNYLAFFNWSSVL  
 LPRLEALDLAGNQLKALSNGSLPNGTQLQRLDLSNSISFVASSFFALATRLRELNLSANALKTVEPSWFGSLAG  
 TLKVLDDVTGNPLHCACGAADFVDFLLEVQAAVPGLPGHVKCGSPGQLQGRSIFAQDLRLCLDEALSWDCFG

## SEQ ID NO:27 (Feline TLR9)

agggctctgcgagctccaggcattctctctgcatcgctgcccagctctgcatccagaccctctggagaagcccc  
 30 cactccctgtcatgggccccctgcatggcgccctgcacccctgtctctcctggtgcaggtgcgcgctggcgcg  
 tggccctggccagggcaccctgctgccccttctgcccctgtgagctccagcgccacggcctggaattgpcgact  
 ggctgttccctcaagtccgtgccccacttctcgccggcagcgccccctggtaacgtcaccagccttccctgtact  
 ccaaccgcattccaccacctccagcactccgacttctgcccactgtccagcctgcccgtctcaacctcaaatgga  
 actgcccacccgcagcctcagccccatgcacttcccctgtccatgaccattgagccccacaccttccctggccg  
 35 tgccaccctggaggagctgaacctgagctacaacagcatcacgacagtaccgcacctgcccagttccctcgtgt  
 ccctgtccttgagccgtaccaacatccctggtgctggaccctgccaacctcgagggctgcactccctgccccttc  
 tgttccctggatggcaactgctactacaagaacccctgcccgcagccctgcaggtggccccggcgccctccttg  
 gcttgggaaccttacgcacctgtcactcaagtaacaacacctcactgcggtgccccgcggcctgccccccagcc  
 40 tggagtacctgtattgtcctacaaccacatcatcaccctggcaccctgaggacctggccaacctgaccgccccgc  
 gtgtgctcgatgtgggtgggaactgcccgtcgctgtgaccacgcccgaacccctgtatggagtggcccaagggct  
 tccccgacctgcacctgacacctcagccacctgaaccacctgaaggcctggtgttgaggacagctctctct  
 45 acaacctgaacccagatgggtccatgcccctgggcaacctcatggtgctggacctgagtgagaacttccatattg  
 actgcatcaccaaaaccacagccttccagggcctggcccagctgcgcagactcaacttgtcttcaattaccaca  
 agaaggtgtcctttgcccacctgcatctggcgccctccttcgggagcctgctctccctgcagcagctggacatgc  
 atggcatcttctccgctcgctcagcgagaccagctccggtcgctggtccacctgcccagctccagagctcgc  
 50 acctgcagatgaacttcatcaatcagggccagctcagcatcttcggggccttccctggcctcgatcagtgagacc  
 tgtcagacaaccgcataagtggagcctgagctggcggtgccacgggggaggtggatgggtgggagagagctcc  
 ggctgcatctggggacctagctctggggccaccgggcaacccctagctccgagggttcatgccaggtgcaaga  
 cctcaacttcaacttggacctgtcacggaacaacctagtgaacatccagccagagatgtttgcccggctctcgc  
 55 gcctccagtgctgctcctgagccgaacagcatctcgaggcagtaacggctcacaatttatgcoctgacca  
 tggaggccctggacctcagctacaacagccagcccttcagcatgcaggcggtgggtcacaacctcagcttctgtg  
 cacagctgcggccctgcgctatctcagcctggcgacacagacatccacagccgtgtgtccagcagctctgca  
 gcgctcgctgcgggcttggacttcagcggaatgagcttgagccggatgtgggcccagggagacctgtatctcc  
 acttctccgagggcctgaggagcctggctccggttgatgtgtccagaatcgccctgcataacctcttgcacgca  
 ccctggacaacctccccagagcctgcggctgctgcgtctccgtgacaattatctggcttcttcaactggagca



- 23 -

g c c t g g t c c t c c c c a g g c t g g a a g c c c t g g a c c t g g c g g g a a a c c a g c t g a a g g c c c t g a g c a a c g g c a g c t  
 t g c c t a a t g g a a c c c a g c t c c a g a g g c t g g a c c t c a g c a g c a a c a g t a t c a g c t t c g t g g c c c c a g c t t t t t t g  
 c t c t g g c c a c c a g g c t g c g a g a g c t c a a c c t c a g t g c c a a c g c c c t c a a g a c g g t g g a g c c c t c c t g g t t c g g t t  
 c t c t a g c g g g c a c c c t g a a a g t c c t a g a t g t g a c t g g c a a c c c c c t g c a c t g c g c c t g t g g g g c g g c c t c g t g g  
 5 a c t t c t t g t g g a g g t g c a g g t g c a g t g c c c g g c c t g c a g g c c a c g t c a a g t g t g g c a g t c c a g g t c a g c t c c  
 a g g g c g c a g c a t c t t t g c g c a g g a t c t g c g c c t c t g c c t g g a t g a g g c c c t c t c c t g g g a c t g t t t t g g c c t c t  
 c g t g c t g a c c g t g g c c c t g g g c c t g g c c g t g c c c a t g c t g c a c c a c c t c t g t g g c t g g g a c c t c t g g t a c t g c t  
 t c c a c c t g t g c c t g g c c t g g c t g c c c c g g c g g g g c g g c g g g c g g g a t g c c c t g c c c t a c g a t g c c t t t g  
 t g g t c t t c g a a g g c a c a g a g c g c g g t g g c c g a c t g g t g t a c a a c a g a g c t g c g g g t a c g g c t a g a g g a g c g c c  
 10 g t g g a c g c c g a g c g c t c c g c c t g t g c c t g g a g g a a c g t g a c t g g c t a c c c g g t a a a a c g c t c t t t g a g a a c c t g t  
 g g g c c t c a g t t t a c a g c a g c g c a a g a t g c t g t t t g t g c t g g c c c a c a g a c a g g g t c a g c g g c c t c t t g c g c g  
 c c a g c t t t c t g c t g g c c c a g c a g c g c c t g c t g g a g a c c g c a a g g a c g t t g t g g t g c t g g t g a t c c t g c g c c c g  
 a c g c c c a c c g c t c c c g c a t g t g c g g c t g c g c c a g c g c c t c t g c g c c a g a g c g t c c t c c t c t g g c c c c a c c a g c  
 c c a g t g g c c a g c g c a g c t t c t g g g c c c a g c t g g g c a c g g c c c t g a c c a g g g a c a a c c a g c a c t t c t a t a a c c a g a  
 15 a c t t c t g c c g g g g c c c c a c g a c g g c a g a g t g a c c g c c c a g c a c c c c a a g c c t c c t a c a c c t t g c c t g t c t g c c t g  
 g g a t g c c g g g

## SEQ ID NO:28 (Feline TLR9)

a t g g g c c c c t g c c a t g g c g c c c t g c a c c c c t g t c t c t c c t g g t g c a g g c t g c c g c g c t g g c c g t g g c c c t g g c c  
 20 c a g g g c a c c c t g c c t g c c t t t c t g c c c t g t g a g c t c c a g c g c c a c g g c c t g g t g a a t t g c g a c t g g c t g t t c c t c  
 a a g t c c g t g c c c c a c t t c t c g g c g g c a g c g c c c c t g g t a a c g t c a c c a g c c t t t c c c t g t a c t c c a a c c g c a t c  
 c a c c a c t c c a c g a c t c c g a c t t t g t c c a c c t g t c c a g c c t g c g g c g t c t c a a c c t c a a t g g a a c t g c c c a c c c  
 g c a g c c t c a g c c c c a t g c a c t t c c c c t g t c a c a t g a c c a t t g a g c c c a c a c c t t c c t g g c c g t g c c c a c c c t g  
 g a g g a g c t g a a c c t g a g c t a c a a c a g c a t c a c g a c a g t a c c c g c c c t g c c a g t t c c c t g t g c c c t g c c t t g  
 25 a g c c g t a c c a a c a t c c t g g t g c t g g a c c c t g c c a a c c t c g c a g g g c t g c a c t c c c t g c g c t t t c t g t t c c t g g a t  
 g g c a a c t g c t a c t a c a a g a a c c c c t g c c c g c a g g c c c t g c a g g t g g c c c c g g g c g c c c t c c t t g g c c t g g g c a a c  
 c t t a c g a c c t g t c a c t c a a g t a c a a a c c t c a c t g c g g t g c c c c g c g g c c t g c c c c c a g c c t g g a g t a c c t g  
 c t a t g t c c t a c a a c c a c a t c a t c a c c c t g g c a c c t g a g g a c c t g g c c a a c c t g a c c g c c c t g c g t g t g c t c g a t  
 g t g g g t g g g a a c t g c c g t c g c t g t g a c c a c g c c c g e a a c c c c t g t a t g g a g t g c c c c a a g g g c t t c c c g c a c c t g  
 30 c a c c c t g a c a c c t t e a g c a c c t g a a c c a c c t c g a a g g c c t g g t g t g a a g g a c a g c t c t c t c t a c a a c c t g a a c  
 c c c a g a t g g g t t c c a t g c c c t g g g c a a c c t c a t g t g c t g g a c c t g a g t g a g a a c t t c c t c t a t a t a g c t g a t c a c c  
 a a a a c c a c a g c c t t c c a g g g c c t g g c c c a g c t g c g c a g a c t c a a c t t g t c t t t c a a t t a c c a c a a g a a g g t g t c c  
 t t t g c c c a c c t g c a t c t g g c g c c c t c c t t c g g g a g c c t g c t c c c c t g c a g a g c t g g a c a t g c a t g g c a t c t t c  
 t t c g g t e g c t c a g c g a g a c c a c g c t c c g g t c g t g g t c c a c c t g c c c a t g c t c c a g a g t c t g c a c c t g c a g a t g  
 35 a a c t t c a t c a a t c a g g c c c a g c t c a g c a t c t t c g g g g c c t t c c c t g g c c t g c g a t a c g t g g a c c t g t c a g a c a a c  
 c g c a a g t g g a g c c a t g g a g c t g g c g g c t g c c a c g g g g a g g t g g a t g g t g g g g a g a g a t c c g g c t g c c a t c t  
 g g g a c c t a g c t c t g g g c c c a c c g g g c a c c c c t a g c t c c g a g g g c t t c a t g c c a g g c t g c a a g a c c c t c a a c t t c  
 a c c t t g g a c c t g t c a c g g a a c c t a g t g a a a c c t a g c a g c a g a t g t t t g c c c g g c t c t c g c c c t c c a g t g c  
 c t g c t c c t g a g c c g c a a c a g c a t c t c g c a g g c a g t c a a c g g c t c a c a a t t t a t g c c g c t g a c c a g c c t g c a g g t g  
 40 c t g g a c c t g t c c c a t a a c a a g c t g g a c c t g t a c c a t g g g c g c t c t t t c a c g g a g c t g c c g c g g t g g a g g c c c t g  
 g a c c t c a g c t a c a a c a g c a g c c c t t c a g c a t g c a g g g c g t g g g t c a c a a c c t c a g c t t t g t g g c a c a g c t g c c g  
 g c c c t g c g c t a t c t c a g c c t g g c g c a c a a c g a c a t c c a c a g c c g t g t g t c c c a g c a g c t c t g c a g c g c c t c g t g  
 c g g g c c t t g g a c t t c a g c g g c a a t g c c t t g a g c c g g a t g t g g g c c g a g g g a g a c c t g t a t c c c a c t t c t t c c g a  
 g g c c t g a g g a g c c t g g t c c g g t t g g a t c t g t c c c a g a a t c g c c t g c a t a c c c t c t t g c c a c g c a c c c t g g a c a a c  
 45 c t c c c c a g g c t g g a a g c c c t g g a c c t g g c g g g a a a c c a g c t g a a g g c c c t g a g c a a c g g c a g c t t g c c t a a t g g a  
 a c c c a g c t c c a g a g g c t g g a c c t c a g c a g c a a c a g t a t c a g c t t c g t g g c c c c a g c t t t t t g c t c t g g c c a c c  
 a g g c t g c g a g a g c t c a a c c t c a g t g c c a a c g c c c t c a a g a c g g t g g a g c c c t c c t g g t t c g g t t c t c t a g c g g g c  
 a c c c t g a a a g t c c t a g a t g t g a c t g g c a a c c c c t g c a c t g c g c c t g t g g g g c g g c c t c g t g g a c t t c t t g c t g  
 50 g a g g t g c a g g c t g c a g t g c c c g g c c t g c a g g c c a c g t c a a g t g t g g c a g t c c a g g t c a g c t c c a g g g c c g c a g c  
 a t c t t t g c g c a g g a t c t g c g c c t c t g c c t g g a t g a g g c c c t c t c c t g g g a c t g t t t t g g c

Complete nucleotide and amino acid sequences for murine and human TLR9 are publicly available. For example, an amino acid sequence of murine TLR9 is available as

- 24 -

GenBank accession no. AAK29625, provided as SEQ ID NO:29. Amino acids numbered 1-821 of SEQ ID NO:29 presumptively include the entire extracellular domain and correspond to SEQ ID NO:30. SEQ ID NO:31 corresponds to GenBank accession number AF348140, which is a nucleotide sequence of murine TLR9 cDNA. SEQ ID NO:32 is a nucleotide  
 5 sequence of murine cDNA encoding amino acids 1-821 of SEQ ID NO:29.

An amino acid sequence of human TLR9 is available as GenBank accession no. AAF78037, provided as SEQ ID NO:33. Amino acids numbered 1-820 of SEQ ID NO:33 presumptively include the entire extracellular domain and correspond to SEQ ID NO:34. SEQ ID NO:35 corresponds to GenBank accession number AF245704, which is a nucleotide  
 10 sequence of human TLR9 cDNA. SEQ ID NO:36 is a nucleotide sequence of human cDNA encoding amino acids 1-820 of SEQ ID NO:33.

#### SEQ ID NO:29 (Murine TLR9)

15 MVLRRRTLHPLSLLVQAAVLAETLALGTLPAPFLPCELKPHGLVDCNWLFLKSVPRFSAAASCSNITRLSLISNRI  
 HHLHNSDFVHLSNLRQLNLKWNCPPTGLSPLHFSCHMTIEPRTFLAMRTLEELNLSYNGITTVPRLPSSLVNLSSL  
 SHTNIVLDANSLAGLYSLRVLFMDGNCYKPNCTGAVKVTGPALLGLSNLTHLSLKYNNTTKVPRQLPPSLEYL  
 LVSYNLIVKLGPEDLANLTSLRVLDVGGNCRCDHAPNPCIECGQKSLHLHPETFHHLSHLEGLVLKDDSSLHTLN  
 SSWFQGLVNLVLDLSENFLYESINHTNAFQNLTRLRKLNLSPFYRKKVSFARLHLASSFKNLVSLQELNMNGIF  
 20 FRSLNKYTLRWLADLPKLHTLHLQMNFINQAQLSIFGTFRALRFVDLSNDRISGPSTLSEATPEEADDAEQEELL  
 SADPHAPLSTPASKNFMDRCKNFKFTMDLSRNNLVTIKPEMFVNLSRLQCLSLSHNSIAQAVNGSQFLPLTNLQ  
 VLDLSHNKLDLYHWKSPSELQALDLSYNSQPFMSKGIGHNFSFVAHLSMLHSLSLAHNDIHTRVSSHLSNSNS  
 VRFLDFSGNGMGRMWDEGGLYLHFFQGLSGLLKLDLSQNNLHILRPQNLDNLPKSLKLLSLRDNYLSFFNWTSL  
 FLNLEVLDLAGNQLKALTNGTLPNGTLLQKLDVSSNSIVSVVPAFFALAVELKEVNLSHNILKTVDRSWFGPIV  
 25 MNLTVLDVRSNPLHCACGAADFVLDLLEVTQKVPGLANGVKCGSPGQLQGRSIFAQDLRLCLDEVLSWDCFLSLL  
 AVAVGMVVPILHHLGCGWDVWYCFHLCIAWLPLARSRRSAQALPYDAFVVDKAQSAVADWVYNELRVRLREERG  
 RRALRLCLEDRDLPGQTLFENLWASTYSGRKTFLVLAHTDRVSGLLRTSFLLAQQRLLEDKDVVVLVILRPDA  
 HRSRYVRLRLCRQSVLFWPQQPNGQGFWAQLSTALTRDNRHFYNQNFRCRGPTAE

#### SEQ ID NO:30 (Murine TLR9)

30 MVLRRRTLHPLSLLVQAAVLAETLALGTLPAPFLPCELKPHGLVDCNWLFLKSVPRFSAAASCSNITRLSLISNRI  
 HHLHNSDFVHLSNLRQLNLKWNCPPTGLSPLHFSCHMTIEPRTFLAMRTLEELNLSYNGITTVPRLPSSLVNLSSL  
 SHTNIVLDANSLAGLYSLRVLFMDGNCYKPNCTGAVKVTGPALLGLSNLTHLSLKYNNTTKVPRQLPPSLEYL  
 LVSYNLIVKLGPEDLANLTSLRVLDVGGNCRCDHAPNPCIECGQKSLHLHPETFHHLSHLEGLVLKDDSSLHTLN  
 35 SSWFQGLVNLVLDLSENFLYESINHTNAFQNLTRLRKLNLSPFYRKKVSFARLHLASSFKNLVSLQELNMNGIF  
 FRSLNKYTLRWLADLPKLHTLHLQMNFINQAQLSIFGTFRALRFVDLSNDRISGPSTLSEATPEEADDAEQEELL  
 SADPHAPLSTPASKNFMDRCKNFKFTMDLSRNNLVTIKPEMFVNLSRLQCLSLSHNSIAQAVNGSQFLPLTNLQ  
 VLDLSHNKLDLYHWKSPSELQALDLSYNSQPFMSKGIGHNFSFVAHLSMLHSLSLAHNDIHTRVSSHLSNSNS  
 VRFLDFSGNGMGRMWDEGGLYLHFFQGLSGLLKLDLSQNNLHILRPQNLDNLPKSLKLLSLRDNYLSFFNWTSL  
 40 FLNLEVLDLAGNQLKALTNGTLPNGTLLQKLDVSSNSIVSVVPAFFALAVELKEVNLSHNILKTVDRSWFGPIV  
 MNLTVLDVRSNPLHCACGAADFVLDLLEVTQKVPGLANGVKCGSPGQLQGRSIFAQDLRLCLDEVLSWDCFG

#### SEQ ID NO:31 (Murine TLR9)

tgtcagagggagcctcgggagaatcctccatctcccaacatggttctccgtcgaaggactctgcaccccttgctc  
 ctctcgttacaggctgcagtgtgctgagactctggcctgggtaccctgcctgccttctaccctgtgagctg

- 25 -

aagcctcatggcctgggtggactgcaattggctgttcctgaagtctgtaccccgcttctctgcggcagcatcctgc  
tccaacatcaccgcctctccttgatctccaaccgtatccaccacctgcacaactccgacttcgtccacctgtcc  
aacctgcggcagctgaacctcaagtggactgtccaccactggccttagccccctgacttctcttgccacatg  
accattgagcccaagaaccttctctggctatgctacactggaggagctgaacctgagctataatgggtatcaccact  
5 gtgccccgactgccagctccctgggtgaatctgagcctggacacaccaacatcctgggtctagatgctaacagc  
ctcgccggcctatacagcctgcgcgttctctcatggacgggaactgctactacaagaacctcctgcacaggagcg  
gtgaagggtgacccaggcgccctcctgggctgagcaatctcaccatctgtctctgaagtataacaacctcaca  
aagggtgccccgcaactgccccccagcctggagctacctcctgggtgctctataacctcattgtcaagctggggcct  
gaagacctggccaatctgacctcccttcgagctacttgatgtgggtgggaattgcccgtcgctgcgacctgcccc  
10 aatccctgtatagaatgtggccaaaagtccctccacctgcacctgagacctccatcacctgagccatctggaa  
ggcctgggtgctgaaggacagctctctccatacactgaactcttctgggtccaaggctggtcaacctctcggtg  
ctggacctaaagcgagaacttctctatgaaagcatcaaccacaccaatgccttccagaacctaaaccgctgcgc  
aagctcaacctgtccttcaattaccgcaagaaggtatcctttgcccgcctccacctggcaagttccttcaagaac  
ctgggtgctactgcaggagctgaacatgaacggcatcttctccgctcgctcaacaagtacacgctcagatggctg  
15 gccgatctgccccaaactccacactctgcatcttcaaatgaacttcatcaaccaggcacagctcagcatctttgggt  
accttccgagcccttcgctttgtggacttgctcagacaatcgcatcagtgggccttcaacgctgtcagaagccacc  
cctgaagaggcagatgatgcagagcaggaggagctgtgtctgcggatcctcaccagctccactgagcaccct  
gcttctaagaacttcatggacaggtgtaagaacttcaagttcaccatggacctgtctcggaacaacctgggtgact  
atcaaggctcagagatgtttgtcaatctctcagcctcaggtgtcttagcctgagccacaactccattgcacaggct  
20 gtcaatggctcagttcctgcgcgtgactaatctgcaggtgctggacctgtccataaacaactcgttctgtac  
cactggaaatcggtcagtgagctaccacagttgcaggccctggacctgagctacaacagccagcccttagcatg  
aagggtataggccacaatttctagtttgggtggccatctgtccatgctacacagccttagcctggcacacaatgac  
attcataaccgctgtgtcctcacatctcaacagcaactcagtgaggtttcttgacttcagcggcaacgggtatgggc  
cgcatgtgggatgaggggggcctttatctccatttcttccaaggcctgagtgccctgctgaagctggacctgtct  
25 caaaataacctgcatactctccggccccagaaccttgacaacctccccaaagacctgaagctgctgagcctccga  
gacaactacctatcttctttaactggaccagtctgtccttctgcccacactggaagctctagacctggcaggc  
aaccagctaaaggccctgaccatggcacccctgcctaatggcacccctcctccagaaactggatgtcagcagcaac  
agtatcgtctctgtgggtcccagccttcttcgctctggcggtcgagctgaaagaggtcaacctcagccacaacatt  
ctcaagacgggtggatcgctcctgggttggggccattgtgatgaacctgacagttctagacgtgagaagcaacct  
30 ctgcactgtgctgtggggcagccttcgttagacttaactgttggaggtgcagaccaagggtgctggcctggcta  
gggtgtgaagtgtggaagcccgccagctgcagggcggttagcatcttcgacaggacctgcggtgtgctggat  
gaggtcctctcttgggactgctttggcctttcactcttgggtgtggcctggtggatggtgtgctatactgcac  
catctctggcgctgggacgtctggtactgttttcatctgtgctcggcatggctacctttgctggcccgagccga  
cgacagcccaagctcttccctatgatgcctctctgtgtgtcgataaggcacagagcgcagttgaggactgggtg  
35 tataacgagctgcggtgctgggtgagggagcggcggtcgccgagccctacgcttgtgtctggaggacagatg  
tggctgctggccagacgtctctcgagaacctctgggttccatctatgggagccgcaagactctatttgtgtg  
gcccacacaggacggcgtcagtggtcctctgcgcaccagcttctctgtggtcagcagcgcctgttgaagaccgc  
aaggacgtggtggtgtggtgatcctgcgtccggatgccaccgctcccgctatgtgagctgcgcccagcgtctc  
tgccgccagagtgtgctcttctggccccagcagcccaacgggcagggggccttctggggccagctgagtagcgc  
40 ctgactagggaacaaccgaccttctataaccagaacttctgcccgggacctacagcagaatagctcagagcaaca  
gctggaaacagctgcatcttcatgctgttcccgagttgctctgcctgc

## SEQ ID NO:31 (Murine TLR9)

atggttctccgtcgaaggactctgcaccttctgctcctcctgggtacaggtctgcagtgctggctgagactctggcc  
45 ctgggtaccctgcctgccttctaccctgtgagctgaagcctcatggcctgggtggactgcaattggctgttctg  
aagtctgtaccccgcttctctgcggcagcatcctgtccaacatcaccgcctctccttgatctccaaccgtatc  
caccacctgcacaactccgacttcgtccacctgtccaacctgcccagctgaacctcaagtggaaactgtccacc  
actggccttagccccctgacttctcttgccacatgaccttgagcccagaaccttctgggtatgctgactg  
gaggagctgaacctgagctataatgggtatcaccactgtgccccgactgcccagctccctgggtgaatctgagcctg  
50 agccacaccaacatcctgggtctagatgctaacagcctcgccggcctatcacgctgcgcgttctcttcatggac  
gggaactgctactacaagaaccttgcacaggagcggtgaagggtgacccaggcgccctcctgggctgagcaat  
ctcaccatctgtctctgaagtataacaacctcacaagggtgccccgcaactgccccagcctggagtacctc  
ctgggtctctataacctcattgtcaagctggggcctgaagacctggccaatctgacctcccttcgagtagctt  
gtgggtgggaattgcccgtcgctgcgacctgcccccaatccctgtatagaatgtggccaaaagtccctccactg  
55 cacctgagaccttccatcacctgagccatctggaaggcctgggtgctgaaggacagctctctccatacactgaac  
tcttctggttccaaggctggtcaacctctcggtgctggacctaaagcgagaacttctctatgaaagcatcaac  
cacaccaatgccttccagaacctaaaccgctgcgcaagctcaacctgtccttcaattaccgcaagaaggtatcc

- 26 -

tttgcccgcctccacctggcaagttccttcaagaacctgggtgtcactgcaggagctgaacatgaacggcatcttc  
 ttcgcgtcgtcaacaagtacacgctcagatggctggccgatctgccaaactccacactctgcattcttcaaag  
 aacttcatcaaccaggcacagctcagcatcttttggtaccttccgagcccttcgctttgtggacttgtcagacaat  
 5 cgcattcagtgggccttcaacgctgtcagaagccacctgaagaggcagatgatgcagagcaggaggagctgttg  
 tctgcggtacctcaccagctccactgagcaccctgcttctaagaacttcatggacaggtgtaagaacttcaag  
 ttcaccatggactgtctcggaacaacctgggtgactatcaagccagagatgtttgtcaactctcagcctccag  
 tgtcttagcttgagccacacactccattgcacaggctgtcaatggctctcagttcctgcccgtgactaatctgcag  
 gtgctggacctgtccataacaaactggacttgtaccactggaaatcgttcagtgcagctaccacagttgcaggcc  
 ctggacctgagctacaacagccagccctttagcatgaagggtataggccacaatttcagttttgtggcccatctg  
 10 tccatgctacacagccttagcctggcacacaatgacattcataccctgtgtcctcacatctcaacgcaactca  
 gtgaggtttcttgacttcagcggcaacgggtatgggcccagatgtgggatgagggggcctttatctccatttcttc  
 caaggcctgagtggtgctgtaagctggacctgtctcaaaataacctgcatactcctcggcccccagaacctgac  
 aacctccccaaagacctgaagctgctgagcctccgagacaactacctatcttctttaactggaccagtctgtcc  
 ttctgcccacactgggaagcttagacctggcaggcaaccagctaaaggccctgaccaatggcaccctgcctaatt  
 15 ggcaccctcctccagaaactggatgtcagcagcaacagctatcgctctctgtggtcccagccttctcgctctggcg  
 gtcgagctgaaagaggtcaacctcagccacaacattctcaagacgggtggatcgctcctggtttgggcccattgtg  
 atgaacctgacagttctagacgtgagaagcaacctctgcactgtgctgtggggcagccttcgtagacttactg  
 ttggaggtgcagaccaaggtgctggcctggctaaggtgtgaagtggtggcagcccgccagctgcaggccgt  
 agcatcttcgcacaggacctgcggtgtgctggtgaggtcctctcttgggactgctttggc

20

## SEQ ID NO:33 (Human TLR9)

MGFCRSALHPLSLVQAIMLAMTLALGTLPAFLPCELQPHGLVNCNWLFLKSVPHFSMAAPRGNVTSLSLSSNRI  
 HHLHDSDFAHLPRLRLNLKWNCPVGLSPMHFPCMTIEPSTFLAVPTLEELNLSYNNIMTVPALPKSLISLSL  
 25 SHTNIMLDSASLAGLHALRFLFMDGNCYKNPCRQALEVAPGALLGLGNLTHLSLKYNNTLVVPRNLPSSLEYL  
 LLSYNRIVKLAPEDLANLTALRVLDVGGNCRCDHAPNCPMECPRHFPQLHPDTFSLSLRLEGLVLKSSLSWLN  
 ASWFRGLGNLRVLDLSENFLYKCTTKTAFQGLTQLRKLNLNFYQKRVSFAHLSLAPSGSLVALKELDMHGIF  
 FRSLDETTLRPLARLPLQLTLRLQMFINQAQLGIFRAFPGLRYVDLSDNRISGASELTATMGADGGEKVLQ  
 GD LAPAPVDTPSSEDFRPNCTLNFTLDSLRLNLVTQPEMFAQLSHLQCLRLSHNCISQAVNGSQFLPLTGLQV  
 30 LDLSRNKLDLYHEHSFTLPRLEALDLSYNSQPFQMVGHNFSFVAHLRLRLSLAHNNIHSQVSQQLCSTSL  
 RALDFSGNALGHMWAEGDLYLHFFQGLSGLIWLDSLQNRHLTLPLQTLRLNLPKSLQVLRRLDNYLAFFKWSLHF  
 LPKLEVLDLAGNRLKALTNGSLPAGTRLRLRLDVSCNSISFVAPGFFSKAKELRELNLSANALKTVDHWSFGPLAS  
 ALQILDVSNPLHCACGAAMDFLLEVQAAPVGLPSRVKCGSPGQLQGLSIFAQDLRLCLDEALSWDCFALSLLA  
 VALGLGVPMHLHLCGWDLWYCFHLCLAWLPWRGRQSGRDEDALPYDAFVVDKTSQSAVADWVYNELRGQLEECRG  
 35 RWALRLCLEERDWPGLKTLFENLWASVYGSRKTLFVLAHTDRVSGLLRASFLLAQORLLEDKDVVVLVILSPDG  
 RRSRYVRLRQLCRQSVLLWPHQPSGQRSFWAQLGMALTRDNHFFYNRNFCQGPAT

## SEQ ID NO:34 (Human TLR9)

MGFCRSALHPLSLVQAIMLAMTLALGTLPAFLPCELQPHGLVNCNWLFLKSVPHFSMAAPRGNVTSLSLSSNRI  
 HHLHDSDFAHLPRLRLNLKWNCPVGLSPMHFPCMTIEPSTFLAVPTLEELNLSYNNIMTVPALPKSLISLSL  
 40 SHTNIMLDSASLAGLHALRFLFMDGNCYKNPCRQALEVAPGALLGLGNLTHLSLKYNNTLVVPRNLPSSLEYL  
 LLSYNRIVKLAPEDLANLTALRVLDVGGNCRCDHAPNCPMECPRHFPQLHPDTFSLSLRLEGLVLKSSLSWLN  
 ASWFRGLGNLRVLDLSENFLYKCTTKTAFQGLTQLRKLNLNFYQKRVSFAHLSLAPSGSLVALKELDMHGIF  
 FRSLDETTLRPLARLPLQLTLRLQMFINQAQLGIFRAFPGLRYVDLSDNRISGASELTATMGADGGEKVLQ  
 GD LAPAPVDTPSSEDFRPNCTLNFTLDSLRLNLVTQPEMFAQLSHLQCLRLSHNCISQAVNGSQFLPLTGLQV  
 45 LDLSRNKLDLYHEHSFTLPRLEALDLSYNSQPFQMVGHNFSFVAHLRLRLSLAHNNIHSQVSQQLCSTSL  
 RALDFSGNALGHMWAEGDLYLHFFQGLSGLIWLDSLQNRHLTLPLQTLRLNLPKSLQVLRRLDNYLAFFKWSLHF  
 LPKLEVLDLAGNRLKALTNGSLPAGTRLRLRLDVSCNSISFVAPGFFSKAKELRELNLSANALKTVDHWSFGPLAS  
 ALQILDVSNPLHCACGAAMDFLLEVQAAPVGLPSRVKCGSPGQLQGLSIFAQDLRLCLDEALSWDCFA

## 50 SEQ ID NO:35 (Human TLR9)

aggcgtggtataaaaattcttacttctctattctctgagccgctgctgcccctgtgggaagggaacctcgagtgtga  
 agcatccttccctgtagctgctgtccagctctgcccgcagaccctctggagaagccctgccccagcatgggt  
 ttctgcccgcagcgcctgcaccgctgtctctcctggtgcaggccatcatgctggccatgacctggccctgggt

- 27 -

accttgccctgccttctaccctgtgagctccagccccacggcctggtgaactgcaactggctgttccctgaagtct  
gtgccccacttctccatggcagcaccctgtggcaatgtcaccagccttccctgtcctccaaccgcatccaccac  
ctccatgattctgactttgcccacctgccagcctgcccgcctctcaacctcaagtggaaactgcccgcgggtggc  
ctcagccccatgcacttcccctgccacatgaccatcgagcccagcaccttcttggtgtgcccacccctggaagag  
5 ctaaaccctgagctacaacaacatcatgactgtgcctgcgctgcccaaatccctcatatccctgtccctcagccat  
accaacatccctgatgctagactctgccagcctgcgcggcctgcatgccctgcgcttccctattcatggacggcaac  
tgttattacaagaacccctgcaggcaggcactggaggtggccccgggtgccctccttgccctgggcaacctcacc  
cacctgtcactcaagtacaacaacctcactgtggtgccccgcaacctgccttccagcctggagtatctgctgttg  
tctacaaccgcatcgtcaaactggcgccctgaggacctggccaatctgaccgcccctgcgtgtgctcgatgtgggc  
10 ggaaattgccgcccgtgcgaccacgtcccaacccctgcatggagtgcctcgtcacttccccagctacatccc  
gataccttcagccacctgagcgcctctgaaggcctggtgttgaggacagttctctctcctggctgaatgccagt  
tggttccgtgggctgggaaacctccgagtgctggacctgagtgagaacttccctctacaaatgcatcactaaaacc  
aaggcctccagggcctaacacagctgcgcaagcttaacctgtccttcaattacaaaaggaggtgtcctttgcc  
cacctgtctctggcccttccctcgggagcctggtgccttgaaggagctggacatgcacggcatcttcttccgc  
15 tcaactcgatgagaccacgtccggccactggcccgcctgccatgctccagactctgcgtctgcagatgaacttc  
atcaaccaggcccagctcggcatcttcaggcccttccctggcctgcgtacgtggacctgtcggacaaccgcatc  
agcggagcttccggagctgacagccaccatgggggaggcagatggaggggagaaggctcgtgctgcagcctggggac  
cttgcctccggccccagtggaactcctcagctctgaagacttcaggcccaactgcagcacctcaacttcaccttg  
gatctgtcacggaacaacctggtgaccgtgcagccggagatgtttgccagctctcgcacctgcagtgcctgcgc  
20 ctgagcccaactagcatctgcagggcagctcaatggctcccagttcctgcgctgaccggtctgcaggtgctagac  
ctgtcccgaataagcttgacctctaccacgagcactcaattcacggagctaacgcgactggagggcctggacctc  
agctacaacagccagccttctggcatgcaggcgtggggccacaacttcagcttctggtgctcacctgcgcacctg  
cgccacctcagcctggcccacaacaacatccacagccaagtgtcccagcagctctgcagtacgtgcgtgcgggccc  
ctggacttcagcggcaatgcactggggccatgtggtggcgaggagacctctatctgcacttcttccaaggcctg  
25 agcggtttgatctggctggacttgtcccagaaccgcctgcacacctcctgccccaaacctgcgcaacctcccc  
aagagcctacaggtgctgcgtctccgtgacaattacctggccttctttaagtgggtggagcctccacttccctgcc  
aaaactggaagtccctgcactggcaggaacccgctgaaggccctgaccaatggcagcctgctgtggcaccgg  
ctccggaggctggatgtcagctgcaacagcatcagcttctgtggcccccgcttctttccaaggccaaggagctg  
cgagagctcaaccttagcgcaacgcctcaagcagtggaactcctgggttggggccctggcgagtgccctg  
30 caaataactagatgtaagcgccaacctctgcactgcgcctgtggggcgcccttcttggaacttccctgctggaggtg  
caggctgcgcgtgcccggctctgcccagccgggtgaagtgtggcagtcggggccagctccaggccctcagcatctt  
ggcacaggacctgcccctctgctggatgaggccctctcctgggactgttccgcccctctcgctgctggctgtggct  
ctgggctccctggcgggggcggaagtggcgagatgaggatgcctgcctacgatgcctcgtggctcttcgac  
35 aaaacgcagagcgcagtggcagactgggtgtacaacagacttcggggggcagctggaggagtgccgtggcgctgg  
gcactccgctctgtgcctggaggaaacgcgactgctgctggcaaaacctcttggagaacctgtgggcctcggtc  
tatggcagccgcaagacgtgttgtgctggcccacacggacccgggtcagtggtctcttgcgcgccagcttctctg  
ctggcccagcagcctgctggaggaccgcaaggacgtcgtggtgctggtgatcctgagccctgacggccgcgc  
tcccgtacgtgcccgtgcgccagcgcctctgcccagagtgctcctctggtggccaccagccagtggtcag  
40 cgcagcttctggggccagctggcatggccctgaccagggacaaccaccactctataaccggaacttctgccag  
ggaccacagggcgaatagcgtgagccggaatcctgcaggtgccacctccacactcacctcacctctgctgccc  
tggctgaccctccctgctgcctccctcaccacacactgacacagagca

## SEQ ID NO:36 (Human TLR9)

atgggtttctgcccagcgccttgcacccgctgtctctcctggtgcaggccatcatgctggccatgacctggcc  
ctgggtaccttgccctgccttccctaccctgtgagctccagccccacggcctggtgaactgcaactggctgttccctg  
aagtctgtgccccacttctccatggcagcaccctgtggcaatgtcaccagccttccctgtcctccaaccgcatc  
caccacctccatgattctgactttgcccacctgccagcctgcccgcctctcaacctcaagtggaaactgcccgcg  
gttggcctcagccccatgcacttcccctgccacatgaccatcgagcccagcaccttcttggtgtgcccacccctg  
50 gaagagctaaacctgagctacaacaacatcatgactgtgcctgcgctgccaaatccctcatatccctgtccctc  
agccataccaacatccctgatgctagactctgccagcctgcgcggcctgcatgccctgcgcttccctattcatggac  
ggcaactgttattacaagaacccctgcaggcaggcactggaggtggccccgggtgccctccttgccctgggcaac  
ctcaccacactgtcactcaagtacaacaacctcactgtggtgccccgcaacctgccttccagcctggagtatctg  
ctgtgtctctacaaccgcatcgtcaaactggcgccctgaggacctggccaatctgaccgcccctgcgtgtgctcgat  
gtggcgggaaattgccgcccgtgcgaccacgtcccaacccctgcatggagtgcctcgtcacttccccagcta  
55 catcccagataccttcagccacctgagcgcctctgaaggcctggtgttgaggacagttctctctcctggctgaat  
gccagttgggttccgtgggctgggaaacctccgagtgctggacctgagtgagaacttccctctacaaatgcatcact

- 28 -

aaaaccaaggccttccagggcctaacacagctgcgcaagcttaacctgtccttcaattacaaaaagagggtgtcc  
 tttgcccacctgtctctggcccttctctcgaggagcctggtcgccctgaaggagctggacatgcacggcatcttc  
 ttccgctcactcgatgagaccacgctccggccactggcccgctgcccatgctccagactctgctgtcgagatg  
 aacttcatcaaccaggcccagctcggcatcttcaggggccttccctggcctgcgctacgtggacctgtcggaacac  
 5 cgcatcagcggagcttcggagctgacagccaccatgggggaggcagatggaggggagaaggtctggctgcagcct  
 ggggaccttgctccggccccagtggaactcccagctctgaagacttcaggcccaactgcagcacctcaacttc  
 accttggatctgtcacggaacaacctggtgacctgcagccggagatgtttgccagctctcgacactgcagtgc  
 ctgcgctgagccacaactgcatctcgaggcagtcgaatggctcccagttcctgcccgtgacctgtgcaggtg  
 ctgacctgtcccgaataagctggacctctaccacgagcactcattcacggagctaccgcgactggagccctg  
 10 gacctcagctacaacagccagccctttggcatgcaggcgctgggccacaacttcagcttctgtggctcacctgcgc  
 acctgcgccacctcagcctggcccaacaacatccacagccaagtgtcccagcagctctgcagtacgtcgctg  
 cgggcccctggacttcagcggcaatgcactgggccatattgtggccgagggagacctctatctgcactcttccaa  
 ggctgagcgggtttgatctggctggacttgtcccagaaccgctgcacaccctcctgccccaaacctgcgcaac  
 ctccccaaagagcctacaggtgctgctctccgtgacaattacctggccttctttaagtggtggagcctccacttc  
 15 ctgccccaaactggaagtctctcgacctggcaggaaccggctgaaggccctgaccaatggcagcctgctgctggc  
 accggctccggaggctggatgtcagctgcaacagcatcagcttctgtggccccggcttcttttccaaggccaag  
 gagctgcgagagctcaaccttagcgccaacgcctcaagacagtggaccactcctgggtttgggccccctggcgagt  
 gccctgcaataactagatgtaagcgccaacctctgcactgcgcctgtggggcgcccttatggacttctgctg  
 gaggtgcaggctgccgtgccggctgtgccagccgggtgaagtgtggcagtcggggccagctccaggccctcagc  
 20 atctttgcacaggacctgcgcctctgctggatgaggccctctcctgggactgtttcgcc

In addition to the foregoing native rat, porcine, bovine, equine, and ovine TLR9  
 polypeptides and nucleic acid molecules encoding them, chimeric TLR9 polypeptides and  
 nucleic acid molecules encoding them are provided by the invention. The chimeric  
 25 polypeptides include at least one amino acid substitution based on a comparison of  
 conserved and non-conserved amino acids among at least two of rat, murine, porcine, bovine,  
 equine, ovine, canine, feline, and human TLR9. The information contained in a multiple  
 sequence alignment of these various TLR9 polypeptide sequences, provided for example in  
 Figure 1, can be used to identify and select individual amino acid positions and even  
 30 individual amino acids to substitute in designing a chimeric TLR9. The substitution or  
 substitutions can be effected using methods known to those of ordinary skill in molecular  
 biology. Nucleic acids encoding the native or chimeric polypeptides of the invention can be  
 inserted into an expression vector and used to express TLR9 polypeptide.

A conservative amino acid substitution shall refer to a substitution of a first amino  
 35 acid for a second amino acid, wherein side chains of the first amino acid and the second  
 amino acid share similar features in terms of hydrophobicity, size, aromaticity, or tendency to  
 alter conformation. For example, conservative amino acid substitutions generally may be  
 made between members within each of the following groups: hydrophobic (A, I, L, M, V),  
 neutral (C, S, T), acidic (D, E), basic (H, K, N, Q, R), and aromatic (F, W, Y). A non-  
 40 conservative amino acid substitution refers to any other amino acid substitution.

- 29 -

An expression vector for TLR9 will include at least a nucleotide sequence coding for a TLR9, or a fragment thereof coding for a functional TLR9 polypeptide, operably linked to a gene expression sequence which can direct the expression of the TLR9 nucleic acid within a eukaryotic or prokaryotic cell. A "gene expression sequence" is any regulatory nucleotide sequence, such as a promoter sequence or promoter-enhancer combination, which facilitates the efficient transcription and translation of the nucleic acid to which it is operably linked. With respect to TLR9 nucleic acid, the "gene expression sequence" is any regulatory nucleotide sequence, such as a promoter sequence or promoter-enhancer combination, which facilitates the efficient transcription and translation of the TLR9 nucleic acid to which it is operably linked. The gene expression sequence may, for example, be a mammalian or viral promoter, such as a constitutive or inducible promoter. Constitutive mammalian promoters include, but are not limited to, the promoters for the following genes: hypoxanthine phosphoribosyl transferase (HPRT), adenosine deaminase, pyruvate kinase,  $\beta$ -actin promoter, and other constitutive promoters. Exemplary viral promoters which function constitutively in eukaryotic cells include, for example, promoters from the simian virus (e.g., SV40), papillomavirus, adenovirus, human immunodeficiency virus (HIV), Rous sarcoma virus (RSV), cytomegalovirus (CMV), the long terminal repeats (LTR) of Moloney murine leukemia virus and other retroviruses, and the thymidine kinase (TK) promoter of herpes simplex virus. Other constitutive promoters are known to those of ordinary skill in the art. The promoters useful as gene expression sequences of the invention also include inducible promoters. Inducible promoters are expressed in the presence of an inducing agent. For example, the metallothionein (MT) promoter is induced to promote transcription and translation in the presence of certain metal ions. Other inducible promoters are known to those of ordinary skill in the art.

In general, the gene expression sequence shall include, as necessary, 5' non-transcribing and 5' non-translating sequences involved with the initiation of transcription and translation, respectively, such as a TATA box, capping sequence, CAAT sequence, and the like. Especially, such 5' non-transcribing sequences will include a promoter region which includes a promoter sequence for transcriptional control of the operably joined nucleic acid coding sequence for a TLR9 polypeptide. The gene expression sequences optionally include enhancer sequences or upstream activator sequences as desired.

- 30 -

Generally a nucleic acid coding sequence and a gene expression sequence are said to be "operably linked" when they are covalently linked in such a way as to place the transcription and/or translation of the nucleic acid coding sequence under the influence or control of the gene expression sequence. Thus the TLR9 nucleic acid coding sequence and the gene expression sequence are said to be "operably linked" when they are covalently linked in such a way as to place the transcription and/or translation of the TLR9 nucleic acid coding sequence under the influence or control of the gene expression sequence. If it is desired that the TLR9 sequence be translated into a functional protein, two DNA sequences are said to be operably linked if induction of a promoter in the 5' gene expression sequence results in the transcription of the TLR9 sequence and if the nature of the linkage between the two DNA sequences does not (1) result in the introduction of a frame-shift mutation, (2) interfere with the ability of the promoter region to direct the transcription of the TLR9 sequence, or (3) interfere with the ability of the corresponding RNA transcript to be translated into a protein. Thus, a gene expression sequence would be operably linked to a TLR9 nucleic acid sequence if the gene expression sequence were capable of effecting transcription of that TLR9 nucleic acid sequence such that the resulting transcript might be translated into the desired TLR9 protein or polypeptide.

A "TLR9 ligand" as used herein refers to a molecule that specifically binds a TLR9 polypeptide. In one embodiment the TLR9 ligand specifically binds a TLR9 polypeptide corresponding to at least a ligand-binding portion of the extracellular domain of TLR9. In most instances a TLR9 ligand will also induce TLR9 signaling when contacted with TLR9 under suitable conditions. TLR9 signaling refers to TLR/IL-1R signal transduction mediated through the TLR9, as described in further detail elsewhere herein. As mentioned above, CpG nucleic acids have been reported to be TLR9 ligands, but TLR9 ligands may include other entities as well, including, for example, small molecules. As also previously mentioned, there appears to be a species-specific preference for at least certain TLR9s and certain CpG motifs. As used herein, a species-preferred CpG DNA refers to a particular CpG DNA that is optimized for signal induction by a TLR9 of a particular species. A CpG DNA that is optimized for signal induction by a TLR9 of a particular species refers to a CpG DNA having a sequence that preferentially binds to and/or induces signaling by TLR9 of that species. For example, a human-preferred CpG DNA shall refer to a CpG DNA that optimally stimulates human TLR9 to signal through its TIR domain. Likewise, a murine-preferred CpG DNA



- 31 -

shall refer to a CpG DNA that optimally stimulates murine TLR9 to signal through its TIR domain. Examples of human-preferred and murine-preferred CpG DNA are ODN 2006 (SEQ ID NO:58) and 1668 (SEQ ID NO:60), respectively.

5 The binding and species specificity of TLR9s are believed to be influenced by key amino acids present in the extracellular domain of TLR9. Key amino acids in a TLR9 as used herein refer to those amino acids which contribute significantly to ligand binding and ligand specificity of a particular TLR9 polypeptide.

A "CpG nucleic acid" or a "CpG immunostimulatory nucleic acid" as used herein is a nucleic acid containing at least one unmethylated CpG dinucleotide (cytosine-guanine  
10 dinucleotide sequence, i.e., "CpG DNA" or DNA containing a 5' cytosine followed by 3' guanine and linked by a phosphate bond) which activates a component of the immune system. The entire CpG nucleic acid can be unmethylated or portions may be unmethylated but at least the C of the 5' CG 3' must be unmethylated.

In one embodiment a CpG nucleic acid is represented by at least the formula:

15 
$$5'-N_1X_1CGX_2N_2-3'$$

wherein  $X_1$  and  $X_2$  are nucleotides, N is any nucleotide, and  $N_1$  and  $N_2$  are nucleic acid sequences composed of from about 0-25 N's each. In some embodiments  $X_1$  is adenine, guanine, or thymine and/or  $X_2$  is cytosine, adenine, or thymine. In other embodiments  $X_1$  is cytosine and/or  $X_2$  is guanine.

20 Nucleic acids having modified backbones, such as phosphorothioate backbones, also fall within the class of immunostimulatory nucleic acids. U.S. Pat. Nos. 5,723,335 and 5,663,153 issued to Hutcherson, et al. and related PCT publication WO95/26204 describe immune stimulation using phosphorothioate oligonucleotide analogues. These patents describe the ability of the phosphorothioate backbone to stimulate an immune response in a  
25 non-sequence specific manner.

An immunostimulatory nucleic acid molecule, including for example a CpG DNA, may be double-stranded or single-stranded. Generally, double-stranded molecules may be more stable *in vivo*, while single-stranded molecules may have increased activity. The terms "nucleic acid" and "oligonucleotide" refer to multiple nucleotides (i.e., molecules comprising  
30 a sugar (e.g., ribose or deoxyribose) linked to a phosphate group and to an exchangeable organic base, which is either a substituted pyrimidine (e.g., cytosine (C), thymine (T) or uracil (U)) or a substituted purine (e.g., adenine (A) or guanine (G)) or a modified base. As

- 32 -

used herein, the terms "nucleic acid" and "oligonucleotide" refer to oligoribonucleotides as well as oligodeoxyribonucleotides. The terms shall also include polynucleosides (i.e., a polynucleotide minus the phosphate) and any other organic base-containing polymer. The terms "nucleic acid" and "oligonucleotide" also encompass nucleic acids or oligonucleotides with a covalently modified base and/or sugar. For example, they include nucleic acids having backbone sugars which are covalently attached to low molecular weight organic groups other than a hydroxyl group at the 2' position and other than a phosphate group at the 5' position. Thus modified nucleic acids may include a 2'-O-alkylated ribose group. In addition, modified nucleic acids may include sugars such as arabinose instead of ribose. Thus the nucleic acids may be heterogeneous in backbone composition thereby containing any possible combination of polymer units linked together such as peptide-nucleic acids (which have amino acid backbone with nucleic acid bases). In some embodiments the nucleic acids are homogeneous in backbone composition.

The substituted purines and pyrimidines of the immunostimulatory nucleic acids include standard purines and pyrimidines such as cytosine as well as base analogs such as C-5 propyne substituted bases. Wagner RW et al. (1996) *Nat Biotechnol* 14:840-4. Purines and pyrimidines include but are not limited to adenine, cytosine, guanine, thymine, 5-methylcytosine, 2-aminopurine, 2-amino-6-chloropurine, 2,6-diaminopurine, hypoxanthine, and other naturally and non-naturally occurring nucleobases, substituted and unsubstituted aromatic moieties.

The immunostimulatory nucleic acid is a linked polymer of bases or nucleotides. As used herein with respect to linked units of a nucleic acid, "linked" or "linkage" means two entities are bound to one another by any physicochemical means. Any linkage known to those of ordinary skill in the art, covalent or non-covalent, is embraced. Such linkages are well known to those of ordinary skill in the art. Natural linkages, which are those ordinarily found in nature connecting the individual units of a nucleic acid, are most common. The individual units of a nucleic acid may be linked, however, by synthetic or modified linkages.

Whenever a nucleic acid is represented by a sequence of letters it will be understood that the nucleotides are in 5' to 3' (or equivalent) order from left to right and that "A" denotes adenine, "C" denotes cytosine, "G" denotes guanine, "T" denotes thymidine, and "U" denotes uracil unless otherwise noted.

- 33 -

Immunostimulatory nucleic acid molecules useful according to the invention can be obtained from natural nucleic acid sources (e.g., genomic nuclear or mitochondrial DNA or cDNA), or are synthetic (e.g., produced by oligonucleotide synthesis). Nucleic acids isolated from existing nucleic acid sources are referred to herein as native, natural, or isolated nucleic acids. The nucleic acids useful according to the invention may be isolated from any source, including eukaryotic sources, prokaryotic sources, nuclear DNA, mitochondrial DNA, etc. Thus, the term nucleic acid encompasses both synthetic and isolated nucleic acids.

The immunostimulatory nucleic acids can be produced on a large scale in plasmids, (see *Molecular Cloning: A Laboratory Manual*, J. Sambrook, et al., eds., Second Edition, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York, 1989) and separated into smaller pieces or administered whole. After being administered to a subject the plasmid can be degraded into oligonucleotides. One skilled in the art can purify viral, bacterial, eukaryotic, etc. nucleic acids using standard techniques, such as those employing restriction enzymes, exonucleases or endonucleases.

For use in the instant invention, the immunostimulatory nucleic acids can be synthesized *de novo* using any of a number of procedures well known in the art. For example, the  $\beta$ -cyanoethyl phosphoramidite method (Beaucage SL and Caruthers MH, *Tetrahedron Let* 22:1859 (1981)); nucleoside-H-phosphonate method (Garegg et al., *Tetrahedron Let* 27:4051-4054 (1986); Froehler et al., *Nucl Acid Res* 14:5399-5407 (1986); Garegg et al., *Tetrahedron Let* 27:4055-4058 (1986); Gaffney et al., *Tetrahedron Let* 29:2619-2622 (1988)). These chemistries can be performed by a variety of automated oligonucleotide synthesizers available in the market.

The immunostimulatory nucleic acid may be any size of at least 6 nucleotides but in some embodiments are in the range of between 6 and 100 or in some embodiments between 8 and 35 nucleotides in size. Immunostimulatory nucleic acids can be produced on a large scale in plasmids. These may be administered in plasmid form or alternatively they can be degraded into oligonucleotides before administration.

A "stabilized immunostimulatory nucleic acid" shall mean a nucleic acid molecule that is relatively resistant to *in vivo* degradation (e.g., via an exo- or endo-nuclease).

Stabilization can be a function of length or secondary structure. Nucleic acids that are tens to hundreds of kbs long are relatively resistant to *in vivo* degradation. For shorter nucleic acids, secondary structure can stabilize and increase their effect. For example, if the 3' end of an

- 34 -

oligonucleotide has self-complementarity to an upstream region, so that it can fold back and form a sort of stem loop structure, then the oligonucleotide becomes stabilized and therefore exhibits more activity.

Some stabilized immunostimulatory nucleic acids have a modified backbone. It has  
5 been demonstrated that modification of the oligonucleotide backbone provides enhanced activity of the immunostimulatory nucleic acids when administered *in vivo*. Nucleic acids, including at least two phosphorothioate linkages at the 5' end of the oligonucleotide and multiple phosphorothioate linkages at the 3' end, preferably 5, may provide maximal activity and protect the oligonucleotide from degradation by intracellular *exo*- and *endo*-nucleases.  
10 Other modified oligonucleotides include phosphodiester modified oligonucleotide, combinations of phosphodiester and phosphorothioate oligonucleotide, methylphosphonate, methylphosphorothioate, phosphorodithioate, and combinations thereof. Each of these combinations and their particular effects on immune cells is discussed in more detail in U.S. Pat. Nos. 6,194,388 and 6,207,646, the entire contents of which are incorporated herein by  
15 reference. It is believed that these modified oligonucleotides may show more stimulatory activity due to enhanced nuclease resistance, increased cellular uptake, increased protein binding, and/or altered intracellular localization. Both phosphorothioate and phosphodiester nucleic acids are active in immune cells.

Other stabilized immunostimulatory nucleic acids include: nonionic DNA analogs,  
20 such as alkyl- and aryl-phosphates (in which the charged phosphonate oxygen is replaced by an alkyl or aryl group), phosphodiester and alkylphosphotriesters, in which the charged oxygen moiety is alkylated. Oligonucleotides which contain diol, such as tetraethyleneglycol or hexaethyleneglycol, at either or both termini have also been shown to be substantially resistant to nuclease degradation.

25 Phosphorothioate nucleic acid molecules may be synthesized using automated techniques employing either phosphoramidate or H-phosphonate chemistries. Aryl- and alkyl-phosphonates can be made, e.g., as described in U.S. Pat. No. 4,469,863; and alkylphosphotriesters (in which the charged oxygen moiety is alkylated as described in U.S. Pat. No. 5,023,243 and European Patent No. 092,574) can be prepared by automated solid  
30 phase synthesis using commercially available reagents. Methods for making other DNA backbone modifications and substitutions have been described. Uhlmann E and Peyman A (1990) *Chem Rev* 90:544; Goodchild J (1990) *Bioconjugate Chem* 1:165.

- 35 -

Other sources of immunostimulatory nucleic acids useful according to the invention include standard viral and bacterial vectors, many of which are commercially available. In its broadest sense, a "vector" is any nucleic acid material which is ordinarily used to deliver and facilitate the transfer of nucleic acids to cells. The vector as used herein may be an empty  
 5 vector or a vector carrying a gene which can be expressed. In the case when the vector is carrying a gene the vector generally transports the gene to the target cells with reduced degradation relative to the extent of degradation that would result in the absence of the vector. In this case the vector optionally includes gene expression sequences to enhance expression of the gene in target cells such as immune cells, but it is not required that the gene  
 10 be expressed in the cell.

Nucleic acid-binding fragments of TLRs are believed to include the extracytoplasmic (extracellular) domain or subportions thereof, such as those which include at least an MBD motif, a CXXC motif, or both an MBD motif and a CXXC motif.

Both mouse and human TLR9 have an N-terminal extension of approximately 180  
 15 amino acids compared to other TLRs. An insertion also occurs at amino acids 253-268, which is not found in TLRs 1-6 but is present in human TLR7 and human TLR8. This insert has two CXXC motifs which participate in forming a CXXC domain. The CXXC domain resembles a zinc finger motif and is found in DNA-binding proteins and in certain specific CpG binding proteins; e.g. methyl-CpG binding protein-1 (MBD-1). Fujita N et al. (2000)  
 20 *Mol Cell Biol* 20:5107-18. Both human and mouse TLR9 CXXC domains occur at aa 253-268:

CXXC motif:	GNCXXCXXXXXXCXXC	SEQ ID NO:62
Human TLR9:	GNCRRCDHAPNPCMEC	SEQ ID NO:63
25 Murine TLR9:	GNCRRCDHAPNPCMIC	SEQ ID NO:64

An additional motif believed to be involved in CpG binding is the MBD motif, also found in MBD-1, listed below as SEQ ID NO:53. Fujita, N et al. (2000) *Mol Cell Biol* 20:5107-18; Ohki I et al. (1999) *EMBO J* 18:6653-61. Amino acids 524-554 of hTLR9 and  
 30 aa 525-555 of mTLR9 correspond to the MBD motif of MBD-1 as shown:

MBD motif:

- 36 -

	MBD-1	R-XXXXXXX-R-X-D-X-Y-XXXXXXXXXX-R-S-XXXXXX-Y	SEQ ID NO:65
	hTLR9	Q-XXXXXXX-K-X-D-X-Y-XXXXXXXXXX-R-L-XXXXXX-Y	SEQ ID NO:66
	mTLR9	Q-XXXXXXX-K-X-D-X-Y-XXXXXXXXXX-Q-L-XXXXXX-Y	SEQ ID NO:67
5	hTLR9	Q-VLDLSRN-K-L-D-L-Y-HEHSFTELP-R-L-EALDLS-Y	SEQ ID NO:68
	mTLR9	Q-VLDLSHN-K-L-D-L-Y-HWKSFSLEP-Q-L-QALDLS-Y	SEQ ID NO:69

Although the signaling functions of MBD-1 and TLR9 are quite different, the core D-X-Y is conserved and is believed to be involved in CpG binding.

10 According to another aspect of the invention, a screening method is provided for identifying an immunostimulatory compound. The method according to this aspect of the invention involves contacting a functional TLR9 with a test compound; detecting presence or absence of a response mediated by a TLR9 signal transduction pathway in the presence of the test compound arising as a result of an interaction between the functional TLR9 and the test  
15 compound; and determining the test compound is an immunostimulatory compound when the presence of a response mediated by the TLR9 signal transduction pathway is detected.

An immunostimulatory compound is a natural or synthetic compound that is capable of inducing an immune response when contacted with an immune cell. A TLR9 ligand that is an immunostimulatory compound is a natural or synthetic compound that is capable of  
20 inducing an immune response when contacted with an immune cell that expresses TLR9. A TLR9 ligand that is an immunostimulatory compound is also a natural or synthetic compound that is capable of inducing a TLR/IL-1R signal transduction pathway when contacted with a TLR9. Immunostimulatory compounds include but are not limited to immunostimulatory  
25 molecule, polynucleotide or oligonucleotide, a polypeptide or oligopeptide, a lipid or lipopolysaccharide, a small molecule.

A basis for certain of the screening assays is the presence of a functional TLR9 in a cell. The functional TLR9 in some instances is naturally expressed by a cell. In other instances, expression of the functional TLR9 can involve introduction or reconstitution of a  
30 species-specific TLR9 into a cell or cell line that otherwise lacks the TLR9 or lacks responsiveness to immunostimulatory nucleic acid, resulting in a cell or cell line capable of activating the TLR/IL-1R signaling pathway in response to contact with an

- 37 -

immunostimulatory nucleic acid. In yet other instances, expression of the functional TLR9 can involve introduction of a chimeric or modified TLR9 into a cell or cell line that otherwise lacks the TLR9 or lacks responsiveness to immunostimulatory nucleic acid, resulting in a cell or cell line capable of activating the TLR/IL-1R signaling pathway in response to contact  
5 with an immunostimulatory nucleic acid. Examples of cell lines lacking TLR9 or immunostimulatory nucleic acid responsiveness include, but are not limited to, 293 fibroblasts (ATCC CRL-1573), MonoMac-6, THP-1, U937, CHO, and any TLR9 knock-out. The introduction of the species-specific, chimeric or modified TLR9 into the cell or cell line is preferably accomplished by transient or stable transfection of the cell or cell line with a  
10 TLR9-encoding nucleic acid sequence operatively linked to a gene expression sequence (as described above). Methods for transient and for stable transfection of a cell are well known in the art.

The screening assays can have any of a number of possible readout systems based upon either TLR/IL-1R signaling pathway or other assays useful for assessing response to  
15 immunostimulatory-nucleic acids. It has been reported that immune cell activation by CpG immunostimulatory-sequences is dependent in some way on endosomal processing.

~~In certain embodiments, the readout for the screening assay is based on the use of native genes or, alternatively, cotransfected or otherwise co-introduced reporter gene constructs which are responsive to the TLR/IL-1R signal transduction pathway involving~~  
20 MyD88, TRAF, p38, and/or ERK. Häcker-H et al. (1999) *EMBO J* 18:6973-6982. These pathways activate kinases including  $\kappa$ B kinase complex and c-Jun N-terminal kinases. Thus reporter genes and reporter gene constructs particularly useful for the assays can include a reporter gene operatively linked to a promoter sensitive to NF- $\kappa$ B. Examples of such promoters include, without limitation, those for NF- $\kappa$ B, IL-1 $\beta$ , IL-6, IL-8, IL-12 p40, CD80,  
25 CD86, and TNF- $\alpha$ . The reporter gene operatively linked to the TLR-sensitive promoter can include, without limitation, an enzyme (e.g., luciferase, alkaline phosphatase,  $\beta$ -galactosidase, chloramphenicol acetyltransferase (CAT), etc.), a bioluminescence marker (e.g., green-fluorescent protein (GFP, U.S. Pat. No. 5,491,084), blue fluorescent protein, etc.), a surface-expressed molecule (e.g., CD25), and a secreted molecule (e.g., IL-8, IL-12 p40, TNF- $\alpha$ ). In  
30 certain embodiments the reporter is selected from IL-8, TNF- $\alpha$ , NF- $\kappa$ B-luciferase (NF- $\kappa$ B-luc; Häcker H et al. (1999) *EMBO J* 18:6973-6982), IL-12 p40-luc (Murphy TL et al. (1995)

- 38 -

*Mol Cell Biol* 15:5258-5267), and TNF-luc (Häcker H et al. (1999) *EMBO J* 18:6973-6982). At least one of these reporter constructs (NF- $\kappa$ B-luc) is commercially available (Stratagene, La Jolla, CA). In assays relying on enzyme activity readout, substrate can be supplied as part of the assay, and detection can involve measurement of chemiluminescence, fluorescence, color development, incorporation of radioactive label, drug resistance, or other marker of enzyme activity. For assays relying on surface expression of a molecule, detection can be accomplished using FACS analysis or functional assays. Secreted molecules can be assayed using enzyme-linked immunosorbent assay (ELISA) or bioassays. Many such readout systems are well known in the art and are commercially available.

10 According to one embodiment of this method, comparison can be made to a reference immunostimulatory nucleic acid. The reference immunostimulatory nucleic acid may be any suitably selected immunostimulatory nucleic acid, including a CpG nucleic acid. In certain embodiments the screening method is performed using a plurality of test nucleic acids. In certain embodiments comparison of test and reference responses is based on comparison of  
15 quantitative measurements of responses in each instance.

In another aspect the invention provides a screening method for identifying species specificity of an immunostimulatory nucleic acid. The method involves contacting a TLR9 of a first species with a test immunostimulatory nucleic acid; contacting a TLR9 of a second species with the test immunostimulatory nucleic acid; measuring a response mediated by a  
20 TLR signal transduction pathway associated with the contacting the TLR9 of the first species with the test immunostimulatory nucleic acid; measuring a response mediated by the TLR signal transduction pathway associated with the contacting the TLR9 of the second species with the test immunostimulatory nucleic acid; and comparing the two responses. The TLR9 may be expressed by a cell or it may be part of a cell-free system. The TLR9 may be part of  
25 a complex, with either another TLR or with another protein, e.g., MyD88, IRAK, TRAF, I $\kappa$ B, NF- $\kappa$ B, or functional homologues and derivatives thereof. Thus for example a given ODN can be tested against a panel of human fibroblast 293 fibroblast cells transfected with TLR9 from various species and optionally cotransfected with a reporter construct sensitive to TLR/IL-1R activation pathways. Thus in another aspect, the invention provides a method for  
30 screening species selectivity with respect to a given nucleic acid sequence.

Test compounds can include but are not limited to peptide nucleic acids (PNAs), antibodies, polypeptides, carbohydrates, lipids, hormones, and small molecules. Test



- 39 -

compounds can further include variants of a reference immunostimulatory nucleic acid incorporating any one or combination of the substitutions described above. Test compounds can be generated as members of a combinatorial library of compounds.

In preferred embodiments, the screening methods can be performed on a large scale and with high throughput by incorporating, e.g., an array-based assay system and at least one automated or semi-automated step. For example, the assays can be set up using multiple-well plates in which cells are dispensed in individual wells and reagents are added in a systematic manner using a multiwell delivery device suited to the geometry of the multiwell plate. Manual and robotic multiwell delivery devices suitable for use in a high throughput screening assay are well known by those skilled in the art. Each well or array element can be mapped in a one-to-one manner to a particular test condition, such as the test compound. Readouts can also be performed in this multiwell array, preferably using a multiwell plate reader device or the like. Examples of such devices are well known in the art and are available through commercial sources. Sample and reagent handling can be automated to further enhance the throughput capacity of the screening assay, such that dozens, hundreds, thousands, or even millions of parallel assays can be performed in a day or in a week. Fully robotic systems are known in the art for applications such as generation and analysis of combinatorial libraries of synthetic compounds. See, for example, U.S. Pat. Nos. 5,443,791 and 5,708,158.

The following examples are provided for illustrative purposes and are not meant to be limiting in any way.

### Examples

Example 1. Cloning and Sequencing of Rat, Porcine, Bovine, Equine, Ovine, Canine, and Feline TLR9

*Cells and Tissues.* Lymphoid tissues, primarily spleen or blood mononuclear cells (PBMC) from five mammalian species were collected: mouse, pig, bovine, rat and horse. Spleen samples were collected in RNeasy<sup>TM</sup> (Ambion<sup>®</sup>, Austin, TX, USA), stabilized at 4°C overnight and stored at -70°C. Blood samples were centrifuged at 500 x g for 25 min at room temperature and the buffy coat, containing enriched PBMC, was then removed and stored at -70°C. The mouse specimen was used as a comparative positive control.

- 40 -

*First-strand cDNA synthesis.* Total RNA from the spleen and PBMC samples was isolated using a monophasic solution of phenol and guanidine isothiocyanate: TRIzol™ reagent (GIBCO BRL®, Burlington, ON, Canada) according to the manufacturer's instructions. First-strand cDNA was synthesized from the total RNA using  
5 SUPERScript™ II reverse transcriptase (GIBCO BRL®, Burlington, ON, Canada). Approximately 3 µg of total RNA was added to 50 pmoles of oligo(dT) primer [poly T<sub>(18)</sub>]; the mixture was heated to 70°C for 10 min and subsequently chilled on ice. The following was added to the cooled reaction mixture: 1 µl of mixed dNTP stock containing 10 mM each dATP, dCTP, dGTP and dTTP (Amersham Pharmacia Biotech Inc., Baie de Urfe, Quebec) at  
10 neutral pH, 1X first strand buffer (50 mM Tris-HCl pH 8.3/ 75 mM KCl/ 3 mM MgCl<sub>2</sub>) and 2 µl of 0.1 M DTT. The mixture was subsequently heated to 42°C for 2 min, followed by addition of 200 units of SUPERScript™ II reverse transcriptase. The reaction was carried out at 42°C for 50 min, followed by 70°C for 15 min. The first-strand cDNA was used as the template for subsequent polymerase chain reaction (PCR) amplifications.

15 *PCR amplification.* TLR9 gene was PCR amplified from each of the above-mentioned species using primers designed from known mouse and human TLR9 sequence in Genbank: Accession AF314224 and AF259262, respectively. The primers were designed using the primer design software, Clone Manager 5 (Scientific and Educational Software, Durham, NC, USA). TLR9 gene-specific primers used were:

20 forward primer 5'-ACCTTGCCTGCCTTCCTACCCTGTGA-3' (SEQ ID NO:37) and reverse primer 5'-GTCCGTGTGGGCCAGCACAAA-3' (SEQ ID NO:38).

The 2.7 Kbp fragment was PCR amplified using Advantage® 2 DNA polymerase mix (BD Biosciences Clontech, Palo Alto, CA, USA) according to the manufacturer's instructions.

PCR reaction volumes of 25 µl contained 15 pmoles of each primer, 0.2 mM of dNTP mix

25 and 1 µl of reverse transcription reaction. PCR amplification was conducted by initial denaturation at 94°C for 1 min followed by 30 cycles of 94°C denaturation (15 sec), 65°C annealing (45 sec) and 72°C extensions (2 min), with a final extension at 72°C for 5 min.

*Cloning and sequencing.* The PCR amplified fragment was treated with 500 units of T4 DNA polymerase (Amersham Pharmacia Biotech Inc., Baie de Urfe, Quebec) for 15 min  
30 at room temperature prior to cleaning the reaction with QIAquick PCR purification kit (QIAGEN Inc., Mississauga, ON, Canada). The fragment was then ligated to pZEROTM - 2

- 41 -

vector (Invitrogen™ Life Technologies, Burlington, ON, Canada), treated with *Eco RV* restriction enzyme, using T4 DNA Ligase (GIBCO BRL®, Burlington, ON, Canada). *E. coli* TOP 10 chemically competent cells (Invitrogen™ Life Technologies, Burlington, ON, Canada) were used to transform ligated products. Plasmids containing the 2.7 Kbp fragment were sequenced using an automated DNA sequencer, CEQ™ 2000XL DNA analysis system (Beckman Coulter Inc., Fullerton, CA, USA).

Sequences of the 2.7 Kbp fragment were derived from three clones of each species selected from independent PCR reactions to account for errors that may have been incurred during the PCR amplifications and to confirm the sequence data.

Nucleotide sequences of the rat, porcine, bovine, equine, ovine, canine, and feline TLR9 were extended and completed using standard 5' and 3' RACE PCR and primers designed using the sequences obtained from the 2.7 Kbp fragments.

*Results.* Nucleotide sequences of rat, porcine, bovine, equine, canine, and feline TLR9 cDNA obtained by the methods above are provided as SEQ ID NOs 3, 7, 11, 15, 19, 23, and 27, respectively. Deduced amino acid sequences are provided as SEQ ID NOs 1, 5, 9, 13, 17, 21, and 25, respectively. Deduced amino acid sequences of full-length murine and human TLR9 are provided as SEQ ID NOs 29 and 33, respectively.

#### Example 2: Comparison of Aligned Sequences for TLR9 from Various Mammalian Species.

Multiple sequence alignment of deduced amino acid sequences for feline, canine, bovine, mouse, ovine, porcine, horse, human, and rat TLR9 polypeptides was performed using Clustal W 1.82 (see, for example, [www.cmbi.kun.nl/bioinf/tools/clustalw.shtml](http://www.cmbi.kun.nl/bioinf/tools/clustalw.shtml)). In addition, paired sequence alignment of deduced amino acid sequences for murine and human TLR9 polypeptides was performed using Clustal W 1.82. The results of the multiple sequence alignment are presented in Figure 1. As will be appreciated from Figure 1, certain amino acids are highly conserved across all species examined. Similarly, certain amino acids differ only by conservative amino acid substitutions among the various species. In addition, it is evident that certain amino acids which are conserved between murine and human TLR9 are not conserved in other species. Furthermore, Figure 1 also indicates that certain amino acids are highly divergent across various species. The information provided by the comparison of multiple species adds significantly to the information available by comparison between only murine and human TLR9 sequences.

- 42 -

The putative transmembrane regions of the TLR9 polypeptides are indicated in boxes in Figure 1. Sequence upstream of each transmembrane region is extracellular domain and is believed to include sequence primarily responsible for binding to TLR9 ligands, including CpG DNA. The extracellular domains of feline, canine, bovine, mouse, ovine, porcine, horse, human, and rat TLR9 correspond to amino acids numbered 1-820, 1-822, 1-818, 1-821, 1-818, 1-819, 1-820, 1-820, and 1-821, respectively, as shown in Figure 1.

Figure 2 presents an evolutionary relatedness tree for six TLR9 polypeptides examined. The cladogram in Figure 2 was prepared using Clustal W (see above). As can be appreciated from this figure, murine and human TLR9 are nearly the most divergent TLR9s in this group. Surprisingly, human and horse TLR9 appear relatively closely related.

### Example 3. Reconstitution of TLR9 Signaling in 293 Fibroblasts.

Mouse TLR9 cDNA (SEQ ID NO:31) and human TLR9 cDNA (SEQ ID NO:35) in pT-Adv vector (from Clontech) were individually cloned into the expression vector pcDNA3.1(-) from Invitrogen using the EcoRI site. Utilizing a "gain of function" assay it was possible to reconstitute human TLR9 (hTLR9) and murine TLR9 (mTLR9) signaling in CpG-DNA non-responsive human 293 fibroblasts (ATCC, CRL-1573). The expression vectors mentioned above were transfected into 293 fibroblast cells using the calcium phosphate method.

Since NF- $\kappa$ B activation is central to the IL-1/TLR signal transduction pathway (Medzhitov R et al. (1998) *Mol Cell* 2:253-258; Muzio M et al. (1998) *J Exp Med* 187:2097-101), cells were transfected with hTLR9 or co-transfected with hTLR9 and an NF- $\kappa$ B-driven luciferase reporter construct. Human fibroblast 293 cells were transiently transfected with hTLR9 and a six-times NF- $\kappa$ B-luciferase reporter plasmid (NF- $\kappa$ B-luc) or with hTLR9 alone. After stimulus with CpG-ODN (2006, 2 $\mu$ M, TCGTCGTTTGTGCTTTTGTGCTT, SEQ ID NO:58), GpC-ODN (2006-GC, 2 $\mu$ M, TGCTGCTTTTGTGCTTTTGTGCTT, SEQ ID NO:59), LPS (100 ng/ml) or media, NF- $\kappa$ B activation by luciferase readout (8h) or IL-8 production by ELISA (48h) were monitored. Results representative of three independent experiments showed that cells expressing hTLR9 responded to CpG-DNA but not to LPS.

Independently, human fibroblast 293 cells were transiently transfected with mTLR9 and the NF- $\kappa$ B-luc construct or with mTLR9 alone. After stimulation with CpG-ODN (1668, 2 $\mu$ M; TCCATGACGTTCTGATGCT, SEQ ID NO:60), GpC-ODN (1668-GC, 2 $\mu$ M;

- 43 -

TCCATGAGCTTCCTGATGCT, SEQ ID NO:61), LPS (100 ng/ml) or media, NF- $\kappa$ B activation by luciferase readout (8h) or IL-8 production by ELISA (48h) were monitored. Results showed that expression of TLR9 (human or mouse) in 293 cells results in a gain of function for CpG-DNA stimulation.

5 To generate stable clones expressing human TLR9, murine TLR9, or either TLR9 with the NF- $\kappa$ B-luc reporter plasmid, 293 cells were transfected in 10 cm plates ( $2 \times 10^6$  cells/plate) with 16  $\mu$ g of DNA and selected with 0.7 mg/ml G418 (PAA Laboratories GmbH, Cölbe, Germany). Clones were tested for TLR9 expression by RT-PCR. The clones were also screened for IL-8 production or NF- $\kappa$ B-luciferase activity after stimulation with  
10 ODN. Four different types of clones were generated.

293-hTLR9-luc: expressing human TLR9 and 6-fold NF- $\kappa$ B-luciferase reporter

293-mTLR9-luc: expressing murine TLR9 and 6-fold NF- $\kappa$ B-luciferase reporter

293-hTLR9: expressing human TLR9

15 293-mTLR9: expressing murine TLR9

~~Results indicated that stable clones also responded to CpG-ODN.~~

~~Example 4: Similar ODN Sequence Specificity of TLR9 of Human and Equine TLR9.~~

20  $3 \times 10^6$  293T cells were electroporated with 5  $\mu$ g NF- $\kappa$ B-luc plasmid and 5  $\mu$ g of either horse TLR9-pcDNA3.1 plasmid or human TLR9-pcDNA3.1 plasmid at 200V, 975  $\mu$ F. After the electroporation the cells were plated in 96-well cell culture plates at  $2.5 \times 10^4$  cells per well and grown overnight at 37°C. The cells were stimulated with the indicated concentration of ODN for 16h, after which the supernatant was removed and the cells lysed in lysis buffer and  
25 frozen for at least 2 hours at -80°C. Luciferase activity was measured by adding Luciferase Assay substrate from Promega. Values are given as fold specific induction over non-stimulated control. Results are shown in Figure 3.

As shown in Figure 3, ODN 2006 (TCGTCGTTTTGTCGTTTTGTCGTT; SEQ ID NO:58) has a strong specificity for human TLR9. ODN 1982  
30 (TCCAGGACTTCTCTCAGGTT; SEQ ID NO:70) was the negative control ODN. ODN 5890 (TCCATGACGTTTTTGTATGTT; SEQ ID NO:39) has a strong specificity for mouse

- 44 -

TLR9. This experiment demonstrates the similarity of horse TLR9 to human TLR9 in binding specificity, a result predicted by the evolutionary relatedness of horse TLR9 to human TLR9. Mouse TLR9 is more distant from horse TLR9 and human TLR9 in sequence homology, and ODN 5890 was not detected by either human or horse TLR9.

5

Example 5. Non-human, Non-murine Native Mammalian TLR9 Useful in Screening for Human-Preferred CpG DNA.

Native rat, porcine, bovine, equine, and ovine TLR9 polypeptides are screened for binding or TLR9 signaling activity when contacted with human-preferred CpG DNA (ODN 2006). Rat, porcine, bovine, equine, or ovine TLR9 polypeptides which exhibit significant TLR9 binding or TLR9 signaling activity in this assay are then used as the basis for screening for additional human-preferred CpG DNA. An expression vector containing a nucleic acid sequence encoding a selected native rat, porcine, bovine, equine, or ovine TLR9 polypeptide, and optionally a reporter construct, is introduced into cells which do not express TLR9. The cells expressing the selected native rat, porcine, bovine, equine, or ovine TLR9 polypeptide are contacted with candidate human-preferred CpG DNA. Candidate human-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as human-preferred CpG DNA.

20 Example 6. Chimeric TLR9 Useful in Screening for Human-Preferred CpG DNA.

Chimeric TLR9 polypeptides are screened for binding or TLR9 signaling activity when contacted with human-preferred CpG DNA (ODN 2006). Chimeric TLR9 polypeptides which exhibit significant TLR9 binding or TLR9 signaling activity in this assay are then used as the basis for screening for additional human-preferred CpG DNA. An expression vector containing a nucleic acid sequence encoding a selected chimeric TLR9 polypeptide, and optionally a reporter construct, is introduced into cells which do not express TLR9. The cells expressing the selected chimeric TLR9 polypeptide are contacted with candidate human-preferred CpG DNA. Candidate human-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as human-preferred CpG DNA.

30

Example 7. Chimeric TLR9 Responsive to Both Human-Preferred and Murine-Preferred CpG DNA.

- 45 -

Chimeric TLR9 polypeptides are screened for binding or TLR9 signaling activity when contacted with human-preferred CpG DNA (ODN 2006) and also screened for binding or TLR9 signaling activity when contacted with murine-preferred CpG DNA (ODN 1668). Chimeric TLR9 polypeptides which exhibit significant TLR9 binding or TLR9 signaling activity in each of these assays are then used as the basis for screening for additional human-preferred CpG DNA and for screening for additional murine-preferred CpG DNA. An expression vector containing a nucleic acid sequence encoding a selected chimeric TLR9 polypeptide, and optionally a reporter construct, is introduced into cells which do not express TLR9. The cells expressing the selected chimeric TLR9 polypeptide are contacted with candidate human-preferred CpG DNA or candidate murine-preferred CpG DNA. Candidate human-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as human-preferred CpG DNA. Candidate murine-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as murine-preferred CpG DNA.

#### Equivalents

The foregoing written specification is considered to be sufficient to enable one skilled in the art to practice the invention. The present invention is not to be limited in scope by examples provided, since the examples are intended as a single illustration of one aspect of the invention and other functionally equivalent embodiments are within the scope of the invention. Various modifications of the invention in addition to those shown and described herein will become apparent to those skilled in the art from the foregoing description and fall within the scope of the appended claims. The advantages of the invention are not necessarily encompassed by each embodiment of the invention.

All references, patents and patent publications that are recited in this application are incorporated in their entirety herein by reference.

We claim:

- 46 -

## Claims

1. An isolated polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:1, SEQ ID NO:5, SEQ ID NO:9, SEQ ID NO:13, and SEQ ID NO:17.

5

2. An isolated polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:2, SEQ ID NO:6, SEQ ID NO:10, SEQ ID NO:14, and SEQ ID NO:18.

3. An isolated nucleic acid molecule comprising a nucleic acid sequence encoding a polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:1, SEQ ID NO:5, SEQ ID NO:9, SEQ ID NO:13, and SEQ ID NO:17.

10

4. An isolated nucleic acid molecule comprising a nucleic acid sequence encoding a polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:2, SEQ ID NO:6, SEQ ID NO:10, SEQ ID NO:14, and SEQ ID NO:18.

15

5. A vector comprising the nucleic acid of any of claims 3-4.

6. A cell comprising the vector of claim 5.

20

7. An antibody or fragment thereof that binds specifically to the polypeptide of any of claims 1-2.

8. A method for identifying key amino acids in a TLR9 of a first species which confer specificity for CpG DNA optimized for TLR9 of the first species, comprising:  
aligning protein sequences of TLR9 of a first species, TLR9 of a second species, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for TLR9 of the first species rather than when contacted with a CpG DNA optimized for TLR9 of the second species;  
generating an initial set of candidate amino acids in the TLR9 of the first species by excluding each amino acid in the TLR9 of the first species which (a) is identical with the

25  
30



- 47 -

TLR9 of the second species or (b) differs from the TLR9 of the second species only by conservative amino acid substitution;

generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in the TLR9 of the first species which (a) is identical with the TLR9 of the third species or (b) differs from the TLR9 of the third species only by conservative amino acid substitution; and

identifying as key amino acids in the TLR9 of the first species each amino acid in the refined set of candidate amino acids.

9. A method for identifying key amino acids in human TLR9 which confer specificity for CpG DNA optimized for human TLR9, comprising:

aligning protein sequences of human TLR9, murine TLR9, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for human TLR9 rather than when contacted with a CpG DNA optimized for murine TLR9;

generating an initial set of candidate amino acids in human TLR9 by excluding each amino acid in human TLR9 which (a) is identical with murine TLR9 or (b) differs from murine TLR9 only by conservative amino acid substitution;

generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in human TLR9 which (a) is identical with the TLR9 of the third species or (b) differs from the TLR9 of the third species only by conservative amino acid substitution; and

identifying as key amino acids in human TLR9 each amino acid in the refined set of candidate amino acids.

25

10. The method according to claim 9, performed iteratively with a plurality of TLR9s derived from different species other than human and mouse, wherein for each TLR9 the refined set of candidate amino acids is assigned a weight, said weight corresponding to a ratio equal to (responsiveness to human-preferred CpG DNA)/(responsiveness to murine-preferred CpG DNA).

30

- 48 -

11. An isolated polypeptide comprising an amino acid sequence identical to SEQ ID NO:30 except for substitution of at least one key amino acid identified according to the method of any of claims 9 or 10.

5        12. An isolated nucleic acid molecule comprising a nucleic acid sequence encoding a polypeptide according to claim 11.

13. A vector comprising the nucleic acid of claim 12.

10        14. A cell comprising the vector of claim 13.

15. An antibody that binds specifically to the polypeptide of claim 14.

16. A screening method to identify a TLR9 ligand, comprising:  
15        contacting a polypeptide according to any of claims 1, 2, or 11 with a candidate TLR9 ligand;  
             measuring a signal in response to the contacting; and  
             identifying the candidate TLR9 ligand as a TLR9 ligand when the signal in response to the contacting is consistent with TLR9 signaling.

20        17. The method of claim 16, wherein the signal comprises expression of a reporter gene responsive to TLR/IL-1R signal transduction pathway.

25        18. The method of claim 17, wherein the reporter gene is operatively linked to a promoter sensitive to NF- $\kappa$ B.

19. The method of claim 17, wherein the candidate TLR9 ligand is an immunostimulatory nucleic acid.

30        20. The method of claim 19, wherein the immunostimulatory nucleic acid is CpG DNA.

- 49 -

21. A screening method to identify species-specific CpG-motif preference of an isolated polypeptide of claim 2 or claim 11, comprising:

contacting an isolated polypeptide of claim 2 or claim 11 with a CpG DNA comprising a hexamer sequence selected from the group consisting of GACGTT, AACGTT, CACGTT, TACGTT, GCGGTT, GCCGTT, GTCGTT, GATGTT, GAAGTT, GAGGTT, GACATT, GACCTT, GACTTT, GACGCT, GACGAT, GACGGT, GACGTC, GACGTA, and GACGTG;

measuring a signal in response to the contacting; and

identifying a species-specific CpG-motif preference when the signal in response to the contacting is consistent with TLR9 signaling.

22. The method of claim 21, wherein the signal comprises expression of a reporter gene responsive to TLR/IL-1R signal transduction pathway.

23. The method of claim 17, wherein the reporter gene is operatively linked to a promoter sensitive to NF- $\kappa$ B.

24. The method of claim 21, wherein the CpG DNA is an oligodeoxynucleotide having a sequence selected from the group consisting of

20	TCCATGACGTTTTTGATGTT	(SEQ ID NO:39),
	TCCATAACGTTTTTGATGTT	(SEQ ID NO:40),
	TCCATCACGTTTTTGATGTT	(SEQ ID NO:41),
	TCCATTACGTTTTTGATGTT	(SEQ ID NO:42),
	TCCATGGCGTTTTTGATGTT	(SEQ ID NO:43),
25	TCCATGCCGTTTTTGATGTT	(SEQ ID NO:44),
	TCCATGTCGTTTTTGATGTT	(SEQ ID NO:45),
	TCCATGATGTTTTTGATGTT	(SEQ ID NO:46),
	TCCATGAAGTTTTTGATGTT	(SEQ ID NO:47),
	TCCATGAGGTTTTTGATGTT	(SEQ ID NO:48),
30	TCCATGACATTTTTGATGTT	(SEQ ID NO:49),
	TCCATGACCTTTTTGATGTT	(SEQ ID NO:50),
	TCCATGACTTTTTTGATGTT	(SEQ ID NO:51),
	TCCATGACGCTTTTGATGTT	(SEQ ID NO:52),
	TCCATGACGATTTTGATGTT	(SEQ ID NO:53),
35	TCCATGACGGTTTTGATGTT	(SEQ ID NO:54),
	TCCATGACGTCTTTGATGTT	(SEQ ID NO:55),
	TCCATGACGTATTTGATGTT	(SEQ ID NO:56), and
	TCCATGACGTGTTTGATGTT	(SEQ ID NO:57).

Figure 1  
(1/3)

```

feline      MGPCHGALHPLSLVQAAALAVALAQGTLPAPFLPCELQPHGLVNCNWLFLKSVPHFSAAA 60
canine      MGPCRGALHPLSLVQAAALALALAQGTLPAPFLPCELQPHGLVNCNWLFLKSVPRFSAAA 60
bovine      MGP-YCAPHPLSLVQAAALAAALAEAGTLPAPFLPCELQPHGQVDCNWLFLKSVPHFSAGA 59
mouse       MGP-YCAPHPLSLVQAAALAAALAEAGTLPAPFLPCELQPHGQVDCNWLFLKSVPHFSAGA 59
ovine       MGP-YCAPHPLSLVQAAALAAALAEAGTLPAPFLPCELQPHGQVDCNWLFLKSVPRFSAGA 59
porcine     MGP-RCTLEHPLSLVQVQVTAALAAALAQGTLPAPFLPCELQPHGLVNCNWLFLKSVPHFSAAA 59
horse       MGPCHGALQPLSLVQAAALAVALAQGTLPAPFLPCELQPHGLVNCNWLFLKSVPHFSAAA 60
human       MGFCRSALHPLSLVQAIMLAMLALGTLPAPFLPCELQPHGLVNCNWLFLKSVPHFSMAA 60
rat         MVLCRRTLHPLSLVQAAVLAELALGTLPAPFLPCELKPHGLVDCNWLFLKSVPHFSAAE 60
*          : :*****. ** : * * *.*****; : * * :*****:***

feline      PRGNVTSLSLYSNRIHHLHDSDFVHLSLRLNLKWNCPASLSPMHFFCHMTIEPHTFL 120
canine      PRGNVTSLSLYSNRIHHLHDYDFVHFVHLRLNLKWNCPASLSPMHFFCHMTIEPNTFL 120
bovine      PRANVTSLSLISNRIHHLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFFCRMTEPNTFL 119
mouse       PRANVTSLSLISNRIHHLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFFCRMTEPNTFL 119
ovine       PRANVTSLSLISNRIHHLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFFCRMTEPNTFL 119
porcine     PRANVTSLSLISNRIHHLHDSDFVHLSLRLNLKWNCPAGLSPMHFFCHMTIEPNTFL 119
horse       PRDNVTSLSLISNRIHHLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFFCHMTIEPNTFL 120
human       PRGNVTSLSLISNRIHHLHDSDFVHLSLRLNLKWNCPVGLSPMHFFCHMTIEPSTFL 120
rat         PRSNITSLSIANRIHHLHNLDFVHLPNVRQLNLKWNCPGLSPLHFSCRMTEPKTFL 120
** :***** :*****: **:: : *****. ****:***:***** ***

feline      AVPTLEELNLSYNSITTPALPSSLVLSLRTNIVLDPANLAGLSLRFELDGNCCYY 180
canine      AVPTLEELNLSYNSITTPALPSSLVLSLRTNIVLDPATLAGLYALRFELDGNCCYY 180
bovine      AVPTLEELNLSYNGITTPALPSSLVLSLRTNIVLGPHTFTGLHALRFLYMDGNCCYY 179
mouse       AVPTLEELNLSYNGITTPALPSSLVLSLRTNIVLGPHTFTGLHALRFLYMDGNCCYY 179
ovine       AVPTLEELNLSYNGITTPALPSSLVLSLRTNIVLGPHTFTGLHALRFLYMDGNCCYY 179
porcine     AVPTLEELNLSYNSITTPALPSSLVLSLRTNIVLDPHTGLHALRFLYMDGNCCYY 179
horse       AVPTLEELNLSYNGITTPALPSSLVLSLRTNIVLDPHTGLHALRFLYMDGNCCYY 180
human       AVPTLEELNLSYNNIMTPALPKSLISLRTNIVLDPHTGLHALRFLYMDGNCCYY 180
rat         AMRMLEELNLSYNGITTPRLPSSLTNLSLRTNIVLDPHTGLHALRFLYMDGNCCYY 180
*** :*****. **** : * * *.*****:*** :*****:*****

feline      KNPCQALQVAPGALLGLGNLTHLSLKYNLTAVPRLPPSLEYLLSYNHIITLAPEDL 240
canine      KNPCQALQVAPGALLGLGNLTHLSLKYNLTVVPRGLPPSLEYLLSYNHIITLAPEDL 240
bovine      MNPCPRALEVAPGALLGLGNLTHLSLKYNLTVVPRRLPPSLDTLLSYNHIITLAPEDL 239
mouse       MNPCPRALEVAPGALLGLGNLTHLSLKYNLTVVPRRLPPSLDTLLSYNHIITLAPEDL 239
ovine       KNPCQAVEVAPGALLGLGNLTHLSLKYNLTVVPRRLPPSLDTLLSYNHIITLAPEDL 239
porcine     KNPCQALEVVPAGALLGLGNLTHLSLKYNLTVVPRSLPPSLETLLSYNHIITLTPEDL 239
horse       KNPCGRALEVAPGALLGLGNLTHLSLKYNLTVVPRSLPPSLEYLLSYNHIITLAPEDL 240
human       KNPCQALEVAPGALLGLGNLTHLSLKYNLTVVPRNLPPSLEYLLSYNRIIVKLAPEDL 240
rat         KNPCGAVNVTDAFLGLSNLTHLSLKYNLTVVPRQLPPSLEYLLSYNLIIVKLGAEDL 240
*** :*****. **** : * * *.*****:*** :*****:*****

feline      ANLTALRVLDVGGNCRCDHARNPCMECPKGFPHLHPDTFSLHNLHLEGLVLKDSLSLYLN 300
canine      ANLTALRVLDVGGNCRCDHARNPCRECPKGFQHLHPDTFGLSHLEGLVLKDSLSLYSD 300
bovine      ANLTALRVLDVGGNCRCDHARNPCRECPKNFPHLHPDTFSLHNLHLEGLVLKDSLSLYKLE 299
mouse       ANLTALRVLDVGGNCRCDHARNPCRECPKNFPHLHPDTFSLHNLHLEGLVLKDSLSLYKLE 299
ovine       ANLTALRVLDVGGNCRCDHARNPCRECPKNFPHLHPDTFSLHNLHLEGLVLKDSLSLYKLE 299
porcine     ANLTALRVLDVGGNCRCDHARNPCRECPKDHPLHSDTFSLHNLHLEGLVLKDSLSLYLN 299
horse       ANLTALRVLDVGGNCRCDHARNPCVECPHKEFQHLHSDTFSLHNLHLEGLVLKDSLSLYQLN 300
human       ANLTALRVLDVGGNCRCDHARNPCMECPRHFPQHLHPDTFSLHNLHLEGLVLKDSLSLYLN 300
rat         ANLTSLRMLDVGGNCRCDHAPDLCTECRQKSLDLHPQTFHLSHLEGLVLKDSLSLYLN 300
****:*****:***** : * * : .**::** :*****:*****

feline      PRWFHALGNLMVLDLSENFLYDCITKTTFQGLAQLRLNLNFNYHKKVSFAHLHLAPSF 360
canine      PRWFHGLGNLMVLDLSENFLYDCITKTTFQGLAQLRLNLNFNYHKKVSFAHLHLASSF 360
bovine      KDWFGRGLQVLDLSENFLYDYITKTTFQGLAQLRLNLNFNYHKKVSFAHLHLASSF 359
mouse       KDWFGRGLQVLDLSENFLYDYITKTTFQGLAQLRLNLNFNYHKKVSFAHLHLASSF 359
ovine       KDWFGRGLQVLDLSENFLYDYITKTTFQGLAQLRLNLNFNYHKKVSFAHLHLAPSF 359
porcine     TRWFGRGLQVLDLSENFLYDCITKTTFQGLAQLRLNLNFNYHKKVSFAHLHLAPSF 359
horse       PRWFGRGLNLTVDLSENFLYDCITKTTFQGLAQLRLNLNFNYHKKVSFAHLHLAPSF 360
human       ASWFGRGLNLTVDLSENFLYKCTKTTFQGLAQLRLNLNFNYHKKVSFAHLHLAPSF 360
rat         SKWFQGLANLVDLSENFLYKCTKTTFQGLAQLRLNLNFNYHKKVSFAHLHLASSF 360
**::* . *****. **** : * * : .**::** :*****:*****

```

[illegible]

Figure 1  
(3/3)

feline	SFFALATRLRELNLSANALKTVEPSWFGSLAGTLKVLDTGNPLHCACGAAFVDFLLEVO	778
canine	SFFALAVRLRELNLSANALKTVEPSWFGSLAGALKVLDVTANPLHCACGATFVDFLLEVO	780
bovine	GFFVRATRLIELNLSANALKTVDPSPWFGSLAGTLKILDVSNPLHCACGAAFVDFLLERQ	776
mouse	GFFVRATRLIELNLSANALKTVDPSPWFGSLAGTLKILDVSNPLHCACGAAFVDFLLERQ	776
ovine	GFFVLANRLKELNLSANALKTVDPFWFGRLTETLNILDVSNPLHCACGAAFVDFLLEMO	776
porcine	GFFALAKQLEELNLSANALKTVEPSWFGSMVGNLKVLDVSNPLHCACGATFVGFLLEVO	777
horse	GFFALATRLRELNLSANALRTEEPSWFGFLAGSLEVLVDVSNPLHCACGAAFVDFLLQVO	778
human	GFFSKAKELRELNLSANALKTVDSHWFGPLASALQILDVSNPLHCACGAAFMDFLLEVO	778
rat	AFPALAVELKEVNLSHNILKTVDRSWFGPIVMNLTVDVSSNPLHCACGAPFVDLLLEVO	779
	..** * . * :*** * : * : * : * : * : * : * : * : * : * : * : *	
feline	AAVPGPLPGHVKCGSPGQLQGRSIFAQDLRLCLDEALSWDCFGLSLLTVALGLAVPMLHHI	838
canine	AAVPGPLPSRVKCGSPGQLQGRSIFAQDLRLCLDEALSWVCFGLSLLAVALSLAVPMLHQL	840
bovine	EAVPGLSRRVTCGSPGQLQGRSIFTQDLRLCLDETSLDCFGLSLLMVALGLAVPMLHHI	836
mouse	EAVPGLSRRVTCGSPGQLQGRSIFTQDLRLCLDETSLDCFGLSLLMVALGLAVPMLHHI	836
ovine	AAVPGLSRRVTCGSPGQLQGRSIFAQDLRLCLDETSLDCFGLSLLMVALGLAVPMLHHI	836
porcine	AAVPGPLPSRVKCGSPGQLQGRSIFAQDLRLCLDETSLWNCFGLSLLAMALGLVVPMLHHI	837
horse	AAVPGPLPSRVKCGSPGQLQGRSIFAQDLRLCLDKSLSWDCFGLSLLVVALGLAMPMLHHI	838
human	AAVPGPLPSRVKCGSPGQLQGRSIFAQDLRLCLDEALSWDCFGLSLLAVALGLGVPMMLHHI	838
rat	TKVPGPLANGVKCGSPRQLQGRSIFAQDLRLCLDDVLSRDCFGLSLLAVAVGTVLPMLLHHI	839
	****. * . **** * * * :*****. * * * : * : * : * : * : *	
feline	CGWDLWYCFHLCLAWLPRRRGR--RGADALPYDAFVVDKAQSAVADWVYNELRVLEER	896
canine	CGWDLWYCFHLCLAWLPRRRGR--RGVDALAYDAFVVDKAQSSVADWVYNELRVQLEER	898
bovine	CGWDLWYCFHLCLAWLPRRRGR--RGEDTLLYDAVVVDKQSAVADWVYNELRVQLEER	894
mouse	CGWDLWYCFHLCLAWLPRRRGR--RGEDTLLYDAVVVDKQSAVADWVYNELRVQLEER	894
ovine	CGWDLWYCFHLCLAWLPRRRGR--RGEDTLLYDAFVVDKAQSAVADWVYNELRVQLEER	894
porcine	CGWDLWYCFHLCLAWLPHRGQR--RGADALFYDAFVVDKAQSAVADWVYNELRVQLEER	895
horse	CGWDLWYCFHLCLAWLPRRGWQ--RGADALSADAFVVDKAQSAVADWVYNELRVLEER	896
human	CGWDLWYCFHLCLAWLPRGRQSGRDEDALPYDAFVVDKQSAVADWVYNELRVQLEER	898
rat	CGWDLWYCFHLCLAWLPLTRGR--RSAQALPYDAFVVDKAQSAVADWVYNELRVLEER	898
	***** : * * * * * : * : * * * : * : * * * : * : * * * : * : *	
feline	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKMLFVLAHTDRVSGLLRASFLLAQORL	956
canine	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKTLFVLAHTDRVSGLLRASFLLAQORL	958
bovine	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKTMFVLDHTDRVSGLLRASFLLAQORL	954
mouse	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKTMFVLDHTDRVSGLLRASFLLAQORL	954
ovine	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKTMFVLDHTDRVSGLLRASFLLAQORL	954
porcine	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKTLFVLAHTDRVSGLLRASFLLAQORL	955
horse	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKMLFVLAHTDQVSGLLRASFLLAQORL	956
human	RGRRALRLCLEERDWPGLKTLFENLWASVYSGRKTLFVLAHTDRVSGLLRASFLLAQORL	958
rat	RGRRALRLCLEERDWPGLKTLFENLWASVYSGRKTLFVLAHTDKVSGLLRTSFLLAQORL	958
	*** : * * * * * : * : * * * : * : * * * : * : * * * : * : *	
feline	LEDKRDVVVLVILRPDAHRSRYVRLRQRLCRQSVLLWPHQPSGQSFWAQLGTALTRDNQ	1016
canine	LEDKRDVVVLVILCPDAHRSRYVRLRQRLCRQSVLLWPHQPSGQSFWAQLGTALTRDNR	1018
bovine	LEDKRDVVVLVILRPAAYRSRYVRLRQRLCRQSVLLWPHQPSGQSFWANLGIALTRDNR	1014
mouse	LEDKRDVVVLVILRPAAYRSRYVRLRQRLCRQSVLLWPHQPSGQSFWANLGIALTRDNR	1014
ovine	LEDKRDVVVLVILRPAAYRSRYVRLRQRLCRQSVLLWPHQPSGQSFWANLGIALTRDNR	1014
porcine	LEDKRDVVVLVILRPDAYRSRYVRLRQRLCRQSVLLWPHQPSGQSFWAQLGTALTRDNH	1015
horse	LEDKRDVVVLVILSPDARRSRYVRLRQRLCRQSVLFWPHQPSGQSFWAQLGMALTRDNR	1016
human	LEDKRDVVVLVILSPDARRSRYVRLRQRLCRQSVLLWPHQPSGQSFWAQLGMALTRDNH	1018
rat	LEDKRDVVVLVILRPDAHRSRYVRLRQRLCRQSVLFWPHQPSGQSFWAQLGTALTRDNH	1018
	***** : * . ***** : * * * * * : * * * * * : * : * * * : * : *	
feline	HFYNNFCRGPTTAE-----	1031
canine	HFYNNFCRGPTTAE-----	1032
bovine	HFYNNFCRGPTTAE-----	1029
mouse	HFYNNFCRGPTTAE-----	1032
ovine	HFYNNFCRGPTTAE-----	1029
porcine	HFYNNFCRGPTTAE-----	1030
horse	HFYNNFCRGPTTAE-----	1031
human	HFYNNFCRGPTTAE-----	1032
rat	HFYNNFCRGPTTAE-----	1032
	****. * : * * *	

Figure 2





Figure 3



## SEQUENCE LISTING

<110> Coley Pharmaceutical GmbH  
University of Saskatchewan  
Qiagen GmbH

<120> TOLL-LIKE RECEPTOR 9 (TLR9) FROM VARIOUS MAMMALIAN SPECIES

<130> C1041.70040WO00

<150> US 60/412,479

<151> 2002-09-19

<160> 70

<170> PatentIn version 3.1

<210> 1

<211> 1032

<212> PRT

<213> Rattus norvegicus

<400> 1

Met Val Leu Cys Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln  
1 5 10 15

Ala Ala Val Leu Ala Glu Ala Leu Ala Leu Gly Thr Leu Pro Ala Phe  
20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu  
35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Glu Pro Arg Ser Asn  
50 55 60

Ile Thr Ser Leu Ser Leu Ile Ala Asn Arg Ile His His Leu His Asn  
65 70 75 80

Leu Asp Phe Val His Leu Pro Asn Val Arg Gln Leu Asn Leu Lys Trp  
85 90 95

Asn Cys Pro Pro Pro Gly Leu Ser Pro Leu His Phe Ser Cys Arg Met  
100 105 110

Thr Ile Glu Pro Lys Thr Phe Leu Ala Met Arg Met Leu Glu Glu Leu  
115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser  
130 135 140



Leu Thr Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala  
 145 150 155 160

Ser Ser Leu Ala Gly Leu His Ser Leu Arg Val Leu Phe Met Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Asn Gly Ala Val Asn Val Thr Pro  
 180 185 190

Asp Ala Phe Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Glu Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn Leu Ile Val Lys Leu Gly Ala Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ser Leu Arg Met Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

~~Arg Cys Asp His Ala Pro Asp Leu~~ Cys Thr Glu Cys Arg Gln Lys Ser  
 260 265 270

~~Leu Asp Leu His Pro Gln Thr Phe~~ His His Leu Ser His Leu Glu Gly  
 275 280 285

~~Leu Val Leu Lys Asp Ser Ser Leu His Ser Leu~~ Asn Ser Lys Trp Phe  
 290 295 300

Gln Gly Leu Ala Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Glu Ser Ile Asn Lys Thr Ser Ala Phe Gln Asn Leu Thr Arg Leu  
 325 330 335

Arg Lys Leu Asp Leu Ser Phe Asn Tyr Cys Lys Lys Val Ser Phe Ala  
 340 345 350

Arg Leu His Leu Ala Ser Ser Phe Lys Ser Leu Val Ser Leu Gln Glu  
 355 360 365

Leu Asn Met Asn Gly Ile Phe Phe Arg Leu Leu Asn Lys Asn Thr Leu  
 370 375 380

Arg Trp Leu Ala Gly Leu Pro Lys Leu His Thr Leu His Leu Gln Met  
385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Val Phe Ser Thr Phe Arg Ala  
405 410 415

Leu Arg Phe Val Asp Leu Ser Asn Asn Arg Ile Ser Gly Pro Pro Thr  
420 425 430

Leu Ser Arg Val Ala Pro Glu Lys Ala Asp Glu Ala Glu Lys Gly Val  
435 440 445

Pro Trp Pro Ala Ser Leu Thr Pro Ala Leu Pro Ser Thr Pro Val Ser  
450 455 460

Lys Asn Phe Met Val Arg Cys Lys Asn Leu Arg Phe Thr Met Asp Leu  
465 470 475 480

Ser Arg Asn Asn Gln Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu  
485 490 495

Ser His Leu Gln Cys Leu Ser Leu Ser His Asn Cys Ile Ala Gln Ala  
500 505 510

Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Lys Val Leu Asp  
515 520 525

Leu Ser Tyr Asn Lys Leu Asp Leu Tyr His Ser Lys Ser Phe Ser Glu  
530 535 540

Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe  
545 550 555 560

Ser Met Gln Gly Ile Gly His Asn Phe Ser Phe Leu Ala Asn Leu Ser  
565 570 575

Arg Leu Gln Asn Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val  
580 585 590

Ser Ser Arg Leu Tyr Ser Thr Ser Val Glu Tyr Leu Asp Phe Ser Gly  
595 600 605

Asn Gly Val Gly Arg Met Trp Asp Glu Glu Asp Leu Tyr Leu Tyr Phe

610	615	620
Phe Gln Asp Leu Arg Ser Leu Ile His Leu Asp Leu Ser Gln Asn Lys		
625	630	635 640
Leu His Ile Leu Arg Pro Gln Asn Leu Asn Tyr Leu Pro Lys Ser Leu		
	645	650 655
Thr Lys Leu Ser Phe Arg Asp Asn His Leu Ser Phe Phe Asn Trp Ser		
	660	665 670
Ser Leu Ala Phe Leu Pro Asn Leu Arg Asp Leu Asp Leu Ala Gly Asn		
	675	680 685
Leu Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu		
	690	695 700
Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Phe Val Val Pro Ala		
705	710	715 720
<del>Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn</del>		
	<del>725</del>	<del>730 735</del>
<del>Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn</del>		
	<del>740</del>	<del>745 750</del>
<del>Leu Thr Val Leu Asp Val Ser Ser Asn Pro Leu His Cys Ala Cys Gly</del>		
	<del>755</del>	<del>760 765</del>
<del>Ala Pro Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly</del>		
	<del>770</del>	<del>775 780</del>
Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Arg Gln Leu Gln Gly Arg		
785	790	795 800
Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Asp Val Leu Ser		
	805	810 815
Arg Asp Cys Phe Gly Leu Ser Leu Leu Ala Val Ala Val Gly Thr Val		
	820	825 830
Leu Pro Leu Leu Gln His Leu Cys Gly Trp Asp Val Trp Tyr Cys Phe		
	835	840 845

His Leu Cys Leu Ala Trp Leu Pro Leu Leu Thr Arg Gly Arg Arg Ser  
 850 855 860

Ala Gln Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln  
 865 870 875 880

Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu  
 885 890 895

Glu Arg Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Asp Arg Asp  
 900 905 910

Trp Leu Pro Gly Gln Thr Leu Phe Glu Asn Leu Trp Ala Ser Ile Tyr  
 915 920 925

Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Lys Val Ser  
 930 935 940

Gly Leu Leu Arg Thr Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu  
 945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala His  
 965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val  
 980 985 990

Leu Phe Trp Pro His Gln Pro Asn Gly Gln Gly Ser Phe Trp Ala Gln  
 995 1000 1005

Leu Ser Thr Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg  
 1010 1015 1020

Asn Phe Cys Arg Gly Pro Thr Ala Glu  
 1025 1030

<210> 2  
 <211> 821  
 <212> PRT  
 <213> Rattus norvegicus

<400> 2

Met Val Leu Cys Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Val Leu Ala Glu Ala Leu Ala Leu Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Glu Pro Arg Ser Asn  
 50 55 60

Ile Thr Ser Leu Ser Leu Ile Ala Asn Arg Ile His His Leu His Asn  
 65 70 75 80

Leu Asp Phe Val His Leu Pro Asn Val Arg Gln Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Pro Gly Leu Ser Pro Leu His Phe Ser Cys Arg Met  
 100 105 110

Thr Ile Glu Pro Lys Thr Phe Leu Ala Met Arg Met Leu Glu Glu Leu  
 115 120 125

~~Asn Leu Ser Tyr~~ Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser  
 130 135 140

~~Leu Thr Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala~~  
 145 150 155 160

~~Ser Ser Leu Ala Gly~~ Leu His Ser Leu Arg Val Leu Phe Met Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Asn Gly Ala Val Asn Val Thr Pro  
 180 185 190

Asp Ala Phe Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Glu Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn Leu Ile Val Lys Leu Gly Ala Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ser Leu Arg Met Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Pro Asp Leu Cys Thr Glu Cys Arg Gln Lys Ser  
 260 265 270

Leu Asp Leu His Pro Gln Thr Phe His His Leu Ser His Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu His Ser Leu Asn Ser Lys Trp Phe  
 290 295 300

Gln Gly Leu Ala Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Glu Ser Ile Asn Lys Thr Ser Ala Phe Gln Asn Leu Thr Arg Leu  
 325 330 335

Arg Lys Leu Asp Leu Ser Phe Asn Tyr Cys Lys Lys Val Ser Phe Ala  
 340 345 350

Arg Leu His Leu Ala Ser Ser Phe Lys Ser Leu Val Ser Leu Gln Glu  
 355 360 365

Leu Asn Met Asn Gly Ile Phe Phe Arg Leu Leu Asn Lys Asn Thr Leu  
 370 375 380

Arg Trp Leu Ala Gly Leu Pro Lys Leu His Thr Leu His Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Val Phe Ser Thr Phe Arg Ala  
 405 410 415

Leu Arg Phe Val Asp Leu Ser Asn Asn Arg Ile Ser Gly Pro Pro Thr  
 420 425 430

Leu Ser Arg Val Ala Pro Glu Lys Ala Asp Glu Ala Glu Lys Gly Val  
 435 440 445

Pro Trp Pro Ala Ser Leu Thr Pro Ala Leu Pro Ser Thr Pro Val Ser  
 450 455 460

Lys Asn Phe Met Val Arg Cys Lys Asn Leu Arg Phe Thr Met Asp Leu  
 465 470 475 480

Ser Arg Asn Asn Gln Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu  
 485 490 495

Ser His Leu Gln Cys Leu Ser Leu Ser His Asn Cys Ile Ala Gln Ala  
500 505 510

Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Lys Val Leu Asp  
515 520 525

Leu Ser Tyr Asn Lys Leu Asp Leu Tyr His Ser Lys Ser Phe Ser Glu  
530 535 540

Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe  
545 550 555 560

Ser Met Gln Gly Ile Gly His Asn Phe Ser Phe Leu Ala Asn Leu Ser  
565 570 575

Arg Leu Gln Asn Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val  
580 585 590

Ser Ser Arg Leu Tyr Ser Thr Ser Val Glu Tyr Leu Asp Phe Ser Gly  
595 600 605

Asn Gly Val Gly Arg Met Trp Asp Glu Glu Asp Leu Tyr Leu Tyr Phe  
610 615 620

Phe Gln Asp Leu Arg Ser Leu Ile His Leu Asp Leu Ser Gln Asn Lys  
625 630 635 640

Leu His Ile Leu Arg Pro Gln Asn Leu Asn Tyr Leu Pro Lys Ser Leu  
645 650 655

Thr Lys Leu Ser Phe Arg Asp Asn His Leu Ser Phe Phe Asn Trp Ser  
660 665 670

Ser Leu Ala Phe Leu Pro Asn Leu Arg Asp Leu Asp Leu Ala Gly Asn  
675 680 685

Leu Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu  
690 695 700

Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Phe Val Val Pro Ala  
705 710 715 720

Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn

725

730

735

Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn  
 740 745 750

Leu Thr Val Leu Asp Val Ser Ser Asn Pro Leu His Cys Ala Cys Gly  
 755 760 765

Ala Pro Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly  
 770 775 780

Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Arg Gln Leu Gln Gly Arg  
 785 790 795 800

Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Asp Val Leu Ser  
 805 810 815

Arg Asp Cys Phe Gly  
 820

&lt;210&gt; 3

&lt;211&gt; 3099

&lt;212&gt; DNA

&lt;213&gt; Rattus norvegicus

&lt;400&gt; 3

atggttctct gtcgcaggac cctgcacccc ttgtctctcc tggtagagc cgcagtgtg 60  
 gctgaggtct tggccctggg taccctgcct gccttcctac cctgtgaact gaagcctcat 120  
 ggcctggttag actgcaactg gctcttcctg aagtctgtgc ctcaattctc tgccgcagaa 180  
 ccccgttcca acatcaccag cctttccttg atcgccaacc gcatccacca cctgcacaac 240  
 ctgactttg tccacctgcc caacgtgcga cagctgaacc tcaagtggaa ctgtccgccc 300  
 cctggcctca gccccttgca cttctcctgc cgcattacca ttgagcccaa aaccttctg 360  
 gctatgcgca tgctggaaga gctgaacctg agctataacg gtatcaccac tgtgccccgc 420  
 ctgcccagct cctgacgaa tctgagccta agccacacca acatcctggg actcgatgcc 480  
 agcagcctcg ctggcctgca cagcctgcga gttctcttca tggacgggaa ctgtactac 540  
 aagaaccctt gcaacggggc ggtgaacgtg acccggagc ccttctctgg cttgagcaac 600  
 ctcaccactt tgtcccttaa gtataacaac ctcacagagg tgccccgcca actgcccccc 660  
 agcctggagt acctcctgct gtctataaac ctcacgtgca agctgggggc cgaagacct 720  
 gccaacctga cctcccttcg aatgcttgat gtgggtggga attgccgtcg ctgtgatcac 780



gcccccgacc tctgtacaga atgccggcag aagtccttg atctgcaccc tcagactttc	840
catcacctga gccacctga aggcctggtg ctgaaggaca gttctctcca ctgctgaac	900
tccaagtgg tccaggtct ggcgaacctc tcggtgctgg acctaacga gaactttctc	960
tacgagagca tcaacaaaac cagcgccctt cagaacctga cccgtctgcg caagctcgac	1020
ctgtccttca attactgcaa gaaggtatcg ttccgccgcc tccacctggc aagttccttc	1080
aagagcctgg tgctgctgca ggagctgaac atgaacggca tcttcttccg ctactcaac	1140
aagaacacgc tcaggtggct ggctggtctg cccaagctcc acacgctgca cttcaaatg	1200
aatttcatca accaggcgca gctcagcgtc tttagtacct tccgagccct tcgctttgtg	1260
gacctgtcca ataatcgcat cagcgggcct ccaacgctgt ccagagtcgc ccccgaaaag	1320
gcagacgagg cggagaaggg ggttccatgg cctgcaagtc tcacccagc tctcccgagc	1380
actcccgctc caaagaactt catggtcagg tgtaagaacc tcagattcac catggacctg	1440
tctcggaaca accaggtgac tatcaagcca gagatgttcg tcaacctctc ccatctccag	1500
tgtctgagcc tgagccacaa ctgcatcgcg caggctgtca atggctctca gttcctgccg	1560
ctgaccaacc tgaaggtgct ggacctgtcc tataacaagc tggacctgta ccattcgaaa	1620
tcgttcagtg agctccaca gttgcaggcc ctggacctga gctacaacag ccagccattc	1680
agcatgcagg ggataggcca caacttcagt tttctggcca atctgtccag gttacagaac	1740
ctttagctgg acacaaatga cattcacagc cgcgtgtcct cagcctcta cagcacctca	1800
gtggagtatc tggacttcag cggcaacggt gtgggcccga tgtgggacga ggaggacctt	1860
tacctctatt tcttccaaga cctgagaagc ctgattcatc tggacctgtc tcagaataag	1920
ctgeacatcc tccggcccca gaacctcaac tacctcccca agagcctgac gaagctgagt	1980
ttccgtgaca atcacctctc tttctttaac tggagcagtc tggccttctt gcccaatctg	2040
cgagacctgg acctggcagg caatctacta aaggccctga ccaacggcac cctgcctaatt	2100
ggcacgctcc tccagaaact ggatgtcagt agcaacagta tcgtctttgt ggtcccagcc	2160
ttctttgtct tggcggtaga gctaaaagag gtcaacctca gccataacat cctcaagact	2220
gtggatcgct cctggtttgg gccatttg atgaacctga cggttctaga cgtgagcagc	2280
aacctctctg atttgtcctg cgggtgcaccc tttgtagact tactgctgga agtgcagacc	2340
aagggtgctg gcctggctaa cgggtgtgaag tgtggcagtc cccgccagct gcagggccgc	2400
agcatctttg cgcaagacct ggggtgtgct ctggatgacg tcctttctcg ggactgcttt	2460
ggcctttcac tcctggctgt ggccgtgggc acggtgttgc ctttactgca gcctctctgc	2520
ggctgggacg tctggtactg tttccatctg tgctggcat ggctaccttt gctgacctgt	2580

ggccggcgca gcgccaagc tctcccttat gatgccttcg tgggtgtcga taaggcgag 2640  
 agcgcggttg ctgactgggt gtataacgag cttcgagtgc ggctagagga gcggcgcggt 2700  
 cgccgagccc tacgcttggt tctggaggac cgagattggc tgcctggcca gacactcttc 2760  
 gagaacctct gggcctccat ctatggcagc cgcaagactc tgtttgtgct ggcccacacg 2820  
 gacaaggta gtggcctcct gcgcaccagc ttctgtctgg ctcagcagcg cctgctggag 2880  
 gaccgcaagg acgtgggtgg gttgggtgat ctgcgcctg atgccaccg ctcccgctac 2940  
 gtgcgactgc gccagcgctt ctgccgccag agtgtgtctt tctggcccca tcagcccaac 3000  
 gggcagggca gcttctgggc ccagctgagt acagccctga ctagggacaa ccaccacttc 3060  
 tataaccgga acttctgccg gggacctaca gcagaatag 3099

<210> 4

<211> 2463

<212> DNA

<213> Rattus norvegicus

<400> 4

atggttctct gtgcaggac cctgcacccc ttgtctctcc tggtagaggc cgcagtgtg 60  
 gctgaggctc tggccctggg taccctgcct gccttcctac cctgtgaact gaagcctcat 120  
 ggcctggtag actgcaactg gctcttcctg aagtctgtgc ctcacttctc tgccgcagaa 180  
 ccccgttcca acatcaccag cctttccttg atcgccaacc gcatccacca cctgcacaac 240  
 ctgcactttg tceacctgcc caacgtgcga cagctgaacc tcaagtggaa ctgtccgccc 300  
 cctggcctca gccccttgca cttctcctgc cgcattacca ttgagcccaa aaccttcctg 360  
 gctatgcgca tgctggaaga gctgaacctg agctataacg gtatcaccac tgtgccccgc 420  
 ctgcccagct ccctgacgaa tctgagccta agccacacca acatcctggg actcgatgcc 480  
 agcagcctcg ctggcctgca cagcctgcga gttctcttca tggacgggaa ctgctactac 540  
 aagaacccct gcaacggggc ggtgaacctg acccggagc ccttcctggg cttgagcaac 600  
 ctacccact tgtcccttaa gtataacaac ctcacagagg tgccccgcca actgcccccc 660  
 agcctggagt acctcctgct gtcctataac ctcacgtca agctgggggc cgaagacct 720  
 gccaacctga cctcccttcg aatgcttgat gtgggtggga attgccgtcg ctgtgatcac 780  
 gccccgacc tctgtacaga atgccggcag aagtccttg atctgcacc tcagactttc 840  
 catcacctga gccaccttga aggcctgggt ctgaaggaca gttctctcca ctgctgaac 900  
 tccaagtggg tccagggctt ggcgaacctc tgggtgctgg acctaaagcga gaactttctc 960  
 tacgagagca tcaacaaaac cagcgccttt cagaacctga cccgtctgcg caagctcgac 1020

ctgtccttca attactgcaa gaaggtatcg ttgcgccgcc tccacctggc aagttccttc 1080  
 aagagcctgg tgctgctgca ggagctgaac atgaacggca tcttcttccg cttactcaac 1140  
 aagaacacgc tcaggtggct ggctggtctg cccaagctcc acacgctgca ccttcaaattg 1200  
 aatttcatca accaggcgca gctcagcgctc tttagtagctc tccgagccct tcgctttgtg 1260  
 gacctgtcca ataatcgcat cagcgggcct ccaacgctgt ccagagtcgc ccccgaaaag 1320  
 gcagacgagg cggagaaggg ggttccatgg cctgcaagtc tcaccccagc tctcccagac 1380  
 actcccgctc caaagaactt catggtcagg tgtaagaacc tcagattcac catggacctg 1440  
 tctcggaaca accaggtgac tatcaagcca gagatgttcg tcaacctctc ccatctccag 1500  
 tgtctgagcc tgagccacaa ctgcatcgcg caggctgtca atggctctca gttcctgccc 1560  
 ctgaccaacc tgaaggtgct ggacctgtcc tataacaagc tggacctgta ccattcgaaa 1620  
 tcgttcagtg agtcccaca gttgcaggcc ctggacctga gctacaacag ccagccattc 1680  
 agcatgcagg gtagaggcca caacttcagt tttctggcca atctgtccag gttacagaac 1740  
 cttagcctgg cacacaatga cattcacagc cgcgtgtcct caccgctcta cagcacctca 1800  
 gtggagtatc tggacttcag cggcaacggt gtgggccgca tgtgggacga ggaggacctt 1860  
 ctacctctatt tctctcaaga cctgagaagc ctgattcatc tggacctgtc tcagaataag 1920  
 ctgcacatcc tccggcccca gaacctcaac tacctccca agagcctgac gaagctgagt 1980  
 tttccgtgacat cactctctc tttctttaac tggagcagtc tggccttctt gcccaatctg 2040  
 cagagacctg gacctggcagg caatctacta aaggccctga ccaacggcac cctgcctaatt 2100  
 ggcaecgtcc cccagaaaact ggatgtcagt agcaacagta tcgtctttgt ggtcccagcc 2160  
 tttcttgctc tggcggtaga gctaaaagag gtcaacctca gccataacat cctcaagact 2220  
 gtggatcgct cctggtttgg gccatttgat atgaacctga cggttctaga cgtgagcagc 2280  
 aaccctctgc attgtgcctg cgggtgcacc tttgtagact tactgctgga agtgcagacc 2340  
 aaggtgcctg gcctggctaa cgggtgtgaag tgtggcagtc cccgccagct gcagggccgc 2400  
 agcatctttg cgcaagacct gcggctgtgc ctggatgacg tcctttctcg ggactgcttt 2460  
 ggc 2463

<210> 5  
 <211> 1030  
 <212> PRT  
 <213> Sus scrofa  
 <400> 5

Met Gly Pro Arg Cys Thr Leu His Pro Leu Ser Leu Leu Val Gln Val  
 1 5 10 15  
 Thr Ala Leu Ala Ala Ala Leu Ala Gln Gly Arg Leu Pro Ala Phe Leu  
 20 25 30  
 Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu Phe  
 35 40 45  
 Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Ala Asn Val  
 50 55 60  
 Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp Ser  
 65 70 75 80  
 Asp Phe Val His Leu Ser Ser Leu Arg Thr Leu Asn Leu Lys Trp Asn  
 85 90 95  
 Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met Thr  
 100 105 110  
 Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
 115 120 125  
 Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Asp Ser Leu  
 130 135 140  
 Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro Thr  
 145 150 155 160  
 His Leu Thr Gly Leu His Ala Leu Arg Tyr Leu Tyr Met Asp Gly Asn  
 165 170 175  
 Cys Tyr Tyr Lys Asn Pro Cys Gln Gly Ala Leu Glu Val Val Pro Gly  
 180 185 190  
 Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
 195 200 205  
 Asn Leu Thr Glu Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Thr Leu  
 210 215 220  
 Leu Leu Ser Tyr Asn His Ile Val Thr Leu Thr Pro Glu Asp Leu Ala  
 225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
 245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asp His Pro  
 260 265 270

Lys Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
 275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asp Thr Arg Trp Phe Arg  
 290 295 300

Gly Leu Asp Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr  
 305 310 315 320

Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Arg Leu Arg  
 325 330 335

~~Ser~~ Leu Asn ~~Leu~~ Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
 340 345 350

~~Leu~~ His ~~Leu~~ Ala ~~Pro~~ Ser Phe Gly His Leu Arg Ser Leu Lys Glu Leu  
 355 360 365

~~Asp~~ Met ~~His~~ Gly ~~Ile~~ Phe ~~Phe~~ Arg Ser Leu Ser Glu Thr Thr Leu Gln  
 370 375 380

~~Pro~~ Leu ~~Val~~ Gln ~~Leu~~ Pro Met Leu Gln Thr Leu Arg Leu Gln Met Asn  
 385 390 395 400

Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly Leu  
 405 410 415

Leu Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro  
 420 425 430

Val Ala Ile Thr Arg Glu Val Asp Gly Arg Glu Arg Val Trp Leu Pro  
 435 440 445

Ser Arg Asn Leu Ala Pro Arg Pro Leu Asp Thr Leu Arg Ser Glu Asp  
 450 455 460

Phe Met Pro Asn Cys Lys Ala Phe Ser Phe Thr Leu Asp Leu Ser Arg  
 465 470 475 480

Asn Asn Leu Val Thr Ile Gln Ser Glu Met Phe Ala Arg Leu Ser Arg  
 485 490 495

Leu Glu Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn  
 500 505 510

Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser  
 515 520 525

His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro  
 530 535 540

Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Thr Met  
 545 550 555 560

Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala Leu  
 565 570 575

Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser Gln  
 580 585 590

Gln Leu Cys Ser Ala Ser Leu Cys Ala Leu Asp Phe Ser Gly Asn Asp  
 595 600 605

Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe Gln  
 610 615 620

Gly Leu Arg Ser Leu Val Trp Leu Asp Leu Ser Gln Asn His Leu His  
 625 630 635 640

Thr Leu Leu Pro Arg Ala Leu Asp Asn Leu Pro Lys Ser Leu Lys His  
 645 650 655

Leu His Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu  
 660 665 670

Thr Leu Leu Pro Lys Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln Leu  
 675 680 685

Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Arg Arg  
 690 695 700

Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Asn Pro Gly Phe Phe

705	710	715	720
Ala Leu Ala Lys Gln Leu Glu Glu Leu Asn Leu Ser Ala Asn Ala Leu	725	730	735
Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Met Val Gly Asn Leu Lys	740	745	750
Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Thr	755	760	765
Phe Val Gly Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu Pro	770	775	780
Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly His Ser Ile	785	790	795
Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Trp Asn	805	810	815
<del>Cys Phe Gly Ile Ser Leu Leu Ala Met Ala Leu Gly Leu Val Val Pro</del>	<del>820</del>	<del>825</del>	<del>830</del>
<del>Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His Leu</del>	<del>835</del>	<del>840</del>	<del>845</del>
<del>Cys Leu Ala Trp Leu Pro His Arg Gly Gln Arg Arg Gly Ala Asp Ala</del>	<del>850</del>	<del>855</del>	<del>860</del>
<del>Leu Phe Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala Val</del>	<del>865</del>	<del>870</del>	<del>875</del>
Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu Glu Arg Arg	885	890	895
Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu Pro	900	905	910
Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser Arg	915	920	925
Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser Gly Leu Leu	930	935	940

Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg Lys  
 945 950 955 960

Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala Tyr Arg Ser Arg  
 965 970 975

Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu Trp  
 980 985 990

Pro His Gln Pro Arg Gly Gln Gly Ser Phe Trp Ala Gln Leu Gly Thr  
 995 1000 1005

Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg Asn Phe Cys  
 1010 1015 1020

Arg Gly Pro Thr Thr Ala Glu  
 1025 1030

<210> 6  
 <211> 819  
 <212> PRT  
 <213> Sus scrofa

<400> 6

Met Gly Pro Arg Cys Thr Leu His Pro Leu Ser Leu Leu Val Gln Val  
 1 5 10 15

Thr Ala Leu Ala Ala Ala Leu Ala Gln Gly Arg Leu Pro Ala Phe Leu  
 20 25 30

Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu Phe  
 35 40 45

Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Ala Asn Val  
 50 55 60

Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp Ser  
 65 70 75 80

Asp Phe Val His Leu Ser Ser Leu Arg Thr Leu Asn Leu Lys Trp Asn  
 85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met Thr  
 100 105 110



Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
 115 120 125

Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Asp Ser Leu  
 130 135 140

Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro Thr  
 145 150 155 160

His Leu Thr Gly Leu His Ala Leu Arg Tyr Leu Tyr Met Asp Gly Asn  
 165 170 175

Cys Tyr Tyr Lys Asn Pro Cys Gln Gly Ala Leu Glu Val Val Pro Gly  
 180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
 195 200 205

Asn Leu Thr Glu Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Thr Leu  
 210 215 220

~~Leu Leu Ser Tyr Asn His Ile Val Thr Leu Thr Pro Glu Asp Leu Ala~~  
~~225 230 235 240~~

~~Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg~~  
~~245 250 255~~

~~Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asp His Pro~~  
~~260 265 270~~

Lys Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
 275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asp Thr Arg Trp Phe Arg  
 290 295 300

Gly Leu Asp Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr  
 305 310 315 320

Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Arg Leu Arg  
 325 330 335

Ser Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
 340 345 350

Leu His Leu Ala Pro Ser Phe Gly His Leu Arg Ser Leu Lys Glu Leu  
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu Gln  
 370 375 380

Pro Leu Val Gln Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met Asn  
 385 390 395 400

Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly Leu  
 405 410 415

Leu Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro  
 420 425 430

Val Ala Ile Thr Arg Glu Val Asp Gly Arg Glu Arg Val Trp Leu Pro  
 435 440 445

Ser Arg Asn Leu Ala Pro Arg Pro Leu Asp Thr Leu Arg Ser Glu Asp  
 450 455 460

Phe Met Pro Asn Cys Lys Ala Phe Ser Phe Thr Leu Asp Leu Ser Arg  
 465 470 475 480

Asn Asn Leu Val Thr Ile Gln Ser Glu Met Phe Ala Arg Leu Ser Arg  
 485 490 495

Leu Glu Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn  
 500 505 510

Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser  
 515 520 525

His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro  
 530 535 540

Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Thr Met  
 545 550 555 560

Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala Leu  
 565 570 575

Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser Gln  
 580 585 590

Gln Leu Cys Ser Ala Ser Leu Cys Ala Leu Asp Phe Ser Gly Asn Asp  
595 600 605

Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe Gln  
610 615 620

Gly Leu Arg Ser Leu Val Trp Leu Asp Leu Ser Gln Asn His Leu His  
625 630 635 640

Thr Leu Leu Pro Arg Ala Leu Asp Asn Leu Pro Lys Ser Leu Lys His  
645 650 655

Leu His Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu  
660 665 670

Thr Leu Leu Pro Lys Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln Leu  
675 680 685

Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Arg Arg  
690 695 700

Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Asn Pro Gly Phe Phe  
705 710 715 720

Ala Leu Ala Lys Gln Leu Glu Glu Leu Asn Leu Ser Ala Asn Ala Leu  
725 730 735

Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Met Val Gly Asn Leu Lys  
740 745 750

Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Thr  
755 760 765

Phe Val Gly Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu Pro  
770 775 780

Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly His Ser Ile  
785 790 795 800

Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Trp Asn  
805 810 815

Cys Phe Gly

<210> 7  
 <211> 3352  
 <212> DNA  
 <213> Sus scrofa

<400> 7  
 gagcacgaac atccttcact gtagctgctg cccggctctgc cagccagacc ctttgagaaa 60  
 gacccactc cctgtcatgg gccccgctg caccctgcac cccctttctc tcctgggtgca 120  
 ggtgacagcg ctggctgcgg ctctggcca gggcaggctg cctgccttcc tgccctgtga 180  
 gctccagccc cacggcctgg tgaactgcaa ctggctcttc ctgaagtccg tgccccactt 240  
 ctggcgggca ggcggcggg ccaacgtcac cagcctctcc ttactctcca accgcatcca 300  
 ccacctgcac gactccgact tcgtccacct gtccagccta cgaactctca acctcaagtg 360  
 gaactgcccg ccggctggcc tcagcccat gcacttcccc tgccacatga ccatcgagcc 420  
 caacaccttc ctggccgtgc ccacctgga ggagctgaac ctgagctaca acagcatcac 480  
 gaccgtgcct gccctgcccg actccctcgt gtccctgtcg ctgagccgca ccaacatcct 540  
 ggtgctagac cccaccacc tcaactggcct acatgccctg cgctacctgt acatggatgg 600  
 caactgctac tacaagaacc cctgccaggg ggcgctggag gtggtgccgg gtgccctcct 660  
 cggcctgggc aacctcacac atctctcact caagtacaac aatctcacgg aggtgccccg 720  
 cagcctgccc ccagcctgg agacctgct gttgtcctac aaccacattg tcacctgac 780  
 gcctgaggac ctggccaatc tgactgcctt gcgcgtgctt gatgtggggg ggaactgccg 840  
 ccgctgtgac catgcccga acccctgcag ggagtgccca aaggaccacc ccaagctgca 900  
 ctctgacacc ttcagccacc tgagccgcct cgaaggcctg gtgttgaaag acagttctct 960  
 ctacaacctg gacaccaggt gggtccgagg cctggacagg ctccaagtgc tggacctgag 1020  
 tgagaacttc ctctacgact gcatcaccaa gaccacggcc ttccagggcc tggcccgact 1080  
 gcgcagcctc aacctgtcct tcaattacca caagaagggt tcctttgccc acctgcacct 1140  
 ggcacctcc tttgggcacc tccggtcctt gaaggagctg gacatgcatg gcatcttctt 1200  
 ccgctcgctc agtgagacca cgtccaacc tctggtccaa ctgcctatgc tccagacct 1260  
 gcgcctgcag atgaacttca ttaaccaggc ccagctcagc atctttgggg ccttccctgg 1320  
 cctgctgtac gtggacctat cggacaaccg catcagcgga gctgcaaggc cagtggccat 1380  
 tactagggag gtggatggtg gggagagggt ctggctgcct tccaggaacc tcgctccacg 1440  
 tccactggac actctccgct cagaggactt catgccaaac tgcaaggcct tcagcttcac 1500

cttaggacctg tctcggaaca acctggtgac aatccagtcg gagatgtttg ctgcctctc 1560  
 acgcctcgag tgccctgcgc tgagccacaa cagcatctcc caggcgggtca atggctctca 1620  
 gtttgtgccc ctgaccagcc tgcgggtgct ggacctgtcc cacaacaagc tggacctgta 1680  
 tcacggggcgc tcgttcacgg agctgccgcg cctggaagca ctggacctca gctacaatag 1740  
 ccagcccttt accatgcagg gtgtgggcca caacctcagc ttcgtggccc agctgccgcg 1800  
 cctgcgctac ctacgcctgg cgcacaatga catccatagc cgagtgtccc agcagctctg 1860  
 tagcgcctca ctgtgcgccc tggactttag cggcaacgat ctgagccgga tgtgggctga 1920  
 gggagacctc tatctccgct tcttccaagg cctaagaagc ctagtctggc tggacctgtc 1980  
 ccagaaccac ctgcacaccc tctgtccacg tgccctggac aacctcccca aaagcctgaa 2040  
 gcatctgcat ctccgtgaca ataacctggc cttcttcaac tggagcagcc tgacctcct 2100  
 gccaagctg gaaacctgg acttggtgg aaaccagctg aaggccctaa gcaatggcag 2160  
 cctgccatct ggcaccagc tgcggaggct ggacctcagt ggcaacagca tcggctttgt 2220  
 gaacctggc tcttttgccc tggccaagca gttagaagag ctcaacctca gcgccaatgc 2280  
 cctcaagaca gtggagccct cctggtttgg ctgatggtg ggcaacctga aagtccatga 2340  
 cgtgagcgcc aacctctgc actgtgcctg tggggcgacc ttcgtgggt tctgtctgga 2400  
 ggtacaggct gccgtgcctg ggctgccag ccgctcaag tgtggcagtc cggggcagct 2460  
 ccaggggccat cagcatctct ggcgcaagacct ggcctctgc ctggatgaga ccctctctg 2520  
 gaactgtttt ggcatctgc tgctggccat ggccctgggc ctggttgtgc ccatgctgca 2580  
 ccacctctgc ggcctgggacc tctggtactg cttccacctg tgccctggcct ggctgcccc 2640  
 ccgagggcag cggcgggggc cagacgccct gttctatgat gccttcgtgg tctttgacaa 2700  
 agctcagagt gctgtggccg actgggtgta caacgagctg cgggtgcagc tggaggagcg 2760  
 ccgtggggc cgcgcactgc gcctgtgcct ggaggagcga gactggttac ctggcaagac 2820  
 gctcttcgag aacctgtggg cctcagtcta cagcagccgc aagacctgt ttgtgctggc 2880  
 ccacacggac cgtgtcagcg gcctcttgcg tgccagttc ctgctggccc agcagcgct 2940  
 gctggaggac cgcaaggacg ttgtagtgct ggtgatcctg cgcgccgatg cctaccgctc 3000  
 ccgtacgtg cggctgcgcc agcgcctctg ccgcagagt gtccctctct ggccccacca 3060  
 gcccgtggg cagggcagct tctggggcca gctgggcaca gccctgacca gggacaacca 3120  
 ccacttctat aaccggaact tctgccgggg cccacgcaca gccgaatagc actgagtgc 3180  
 agcccagttg cccagcccc cctggatttg cctctctgcc tggggtgccc caacctgctt 3240  
 tgetcagcca caccactgct ctgctccctg tccccaccc cccccccag cctggcatgt 3300

aacatgtgcc caataaatgc taccggaggg ccaagaaaaa aaaaaaaaaa aa 3352

<210> 8

<211> 2457

<212> DNA

<213> Sus scrofa

<400> 8

atgggcccc gctgcaccct gcacccctt tctctcctgg tgcaggtgac agcgctggct 60  
 ggggctctgg cccagggcag gctgcctgcc ttcttgccct gtgagctcca gccccacggc 120  
 ctggtgaact gcaactggct cttctgaag tccgtgcccc acttctcggc ggcagcgccc 180  
 cgggccaacg tcaccagcct ctcttactc tccaaccgca tccaccacct gcacgactcc 240  
 gacttcgtcc acctgtccag cctacgaact ctcaacctca agtggaactg cccgccggct 300  
 ggctcagcc catgcactt cccctgccac atgaccatcg agccaacac cttctggcc 360  
 gtgcccacc tggaggagct gaacctgagc tacaacagca tcacgaccgt gcctgccttg 420  
 cccgactccc tcgtgtccct gtcgtgagc cgcaccaaca tcctgggtgt agaccccacc 480  
 cacctcactg gcctacatgc cctgcgtac ctgtacatgg atggcaactg ctactacaag 540  
 aacccctgcc agggggcgct ggaggtggtg ccgggtgccc tcctcggcct gggcaacctc 600  
 acacatctct cactcaagta caacaatctc acggaggtgc cccgcagcct gccccccagc 660  
 ctggagacc tgctgttgc ctacaaccac attgtcacc tgacgcctga ggacctggcc 720  
 aatctgactg ccctgcgcgt gcttgatgtg ggggggaact gccgccgtg tgacctgcc 780  
 cgcaaccct gcaggagtg ccaaaggac caccccaagc tgactctga caccttcagc 840  
 cacctgagcc gcctcgaagg cctggtgttg aaagacagtt ctctctacaa cctggacacc 900  
 aggtggttcc gaggcctgga caggctcaa gtgctggacc tgagtgagaa cttcctctac 960  
 gactgcatca ccaagaccac ggcttccag ggctggccc gactgcgcag cctcaacctg 1020  
 tccttcaatt accacaagaa ggtgtcctt gccacctgc acctggcacc ctcctttggg 1080  
 cacctccggt cctgaagga gctggacatg catggcatct tcttcgcctc gctcagttag 1140  
 accacgctcc aacctctggt ccaactgcct atgtccaga ccctgcgcct gcagatgaac 1200  
 ttcattaacc agggccagct cagcatctt ggggccttcc ctggcctgct gtacgtggac 1260  
 ctatcgga accgcatcag cggagctgca aggcagtg ccattactag ggaggtggat 1320  
 ggtagggaga gggctctggct gccttccagg aacctcgctc cactccact ggacactctc 1380  
 cgctcagagg acttcatgcc aaactgcaag gccttcagct tcaccttga cctgtctcgg 1440  
 aacaacctgg tgacaatcca gtcggagatg ttgtctgcc tctcagcct cgagtgcctg 1500

cgctgagcc acaacagcat ctcccaggcg gtcaatggct ctcagtttgt gccgctgacc 1560  
 agcctgctggg tgctggacct gtcccacaac aagctggacc tgtatcacgg gcgctcgttc 1620  
 acggagctgc cgcgcctgga agcactggac ctcagctaca atagccagcc ctttaccatg 1680  
 caggggtgtgg gccacaacct cagcttcgtg gccagctgc ccgccctgcg ctacctcagc 1740  
 ctggcgcaca atgacatcca tagccgagtg tcccagcagc tctgtagcgc ctcactgtgc 1800  
 gccctggact ttagcggcaa cgatctgagc cggatgtggg ctgagggaga cctctatctc 1860  
 cgcttcttcc aaggcctaag aagcctagtc tggctggacc tgtcccagaa ccacctgcac 1920  
 accctctgc cacgtgccct ggacaacctc cccaaaagcc tgaagcatct gcctctccgt 1980  
 gacaataacc tggccttctt caactggagc agcctgacct tcctgccaa gctggaaacc 2040  
 ctggacttgg ctggaaacca gctgaaggcc ctaagcaatg gcagcctgcc atctggcacc 2100  
 cagctgcgga ggctggacct cagtggcaac agcatcggct ttgtgaacct tggcttcttt 2160  
 gccctggcca agcagttaga agagctcaac ctcagcgcca atgccctcaa gacagtggag 2220  
 cctcctgggt ttggctcgat ggtgggcaac ctgaaagtcc tagacgtgag cgccaacct 2280  
 ctgcactgtgc cctgtggggcgaccttcgtg ggcttcctgc tggaggtaca ggctgccgtg 2340  
 cctgggctgc ccagcgcgtc caagtgtggc agtccggggc agctccaggg ccatagcatc 2400  
 tttgcgcaaggacctggcctctctgcctggat gagacctct cgtggaactg ttttggc 2457

<210> 2457

<211> 1029

<212> PRT

<213> Bos taurus

<400> 9

Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala  
 1 5 10 15

Ala Ala Leu Ala Ala Ala Leu Ala Glu Gly Thr Leu Pro Ala Phe Leu  
 20 25 30

Pro Cys Glu Leu Gln Pro His Gly Gln Val Asp Cys Asn Trp Leu Phe  
 35 40 45

Leu Lys Ser Val Pro His Phe Ser Ala Gly Ala Pro Arg Ala Asn Val  
 50 55 60

Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser  
 65 70 75 80

Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn  
85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr  
100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
115 120 125

Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu  
130 135 140

Val Ser Leu Ser Leu Ser His Thr Ser Ile Leu Val Leu Gly Pro Thr  
145 150 155 160

His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn  
165 170 175

Cys Tyr Tyr Met Asn Pro Cys Pro Arg Ala Leu Glu Val Ala Pro Gly  
180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
195 200 205

Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu  
210 215 220

Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu Ala  
225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro  
260 265 270

Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg  
290 295 300

Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr



305	310	315	320
Asp Tyr Ile Thr Lys Thr Thr Ile Phe Asn Asp Leu Thr Gln Leu Arg	325	330	335
Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His	340	345	350
Leu His Leu Ala Ser Ser Phe Gly Ser Leu Val Ser Leu Glu Lys Leu	355	360	365
Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Ile Thr Leu Gln	370	375	380
Ser Leu Thr Arg Leu Pro Lys Leu Gln Ser Leu His Leu Gln Leu Asn	385	390	395
Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu	405	410	415
Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Thr Pro	420	425	430
Ala Ala Ala Leu Gly Glu Val Asp Ser Arg Val Glu Val Trp Arg Leu	435	440	445
Pro Arg Gly Leu Ala Pro Gly Pro Leu Asp Ala Val Ser Ser Lys Asp	450	455	460
Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn	465	470	475
Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu	485	490	495
Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly	500	505	510
Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser His	515	520	525
Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln	530	535	540

Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln  
545 550 555 560

Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg  
565 570 575

Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys  
580 585 590

Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu  
595 600 605

Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly  
610 615 620

Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Glu Asn His Leu His Thr  
625 630 635 640

Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu  
645 650 655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr  
660 665 670

Val Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys  
675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Ile Arg Leu Gln Lys Leu  
690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Ile Pro Gly Phe Phe Val  
705 710 715 720

Arg Ala Thr Arg Leu Ile Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys  
725 730 735

Thr Val Asp Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu Lys Ile  
740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe  
755 760 765

Val Asp Phe Leu Leu Glu Arg Gln Glu Ala Val Pro Gly Leu Ser Arg  
770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe  
785 790 795 800

Thr Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys  
805 810 815

Phe Gly Leu Ser Leu Leu Met Val Ala Leu Gly Leu Ala Val Pro Met  
820 825 830

Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His Leu Cys  
835 840 845

Leu Ala His Leu Pro Arg Arg Arg Arg Gln Arg Gly Glu Asp Thr Leu  
850 855 860

Leu Tyr Asp Ala Val Val Val Phe Asp Lys Val Gln Ser Ala Val Ala  
865 870 875 880

Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu Glu Arg Arg Gly  
885 890 895

~~Arg Arg Ala Leu Arg Leu Cys~~ Leu Glu Glu Arg Asp Trp Leu Pro Gly  
900 905 910

~~Lys Thr Leu Phe Glu Asn Leu~~ Trp Ala Ser Val Tyr Ser Ser Arg Lys  
915 920 925

~~Thr Met Phe~~ Val Leu Asp His Thr Asp Arg Val Ser Gly Leu Leu Arg  
930 935 940

Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg Lys Asp  
945 950 955 960

Val Val Val Leu Val Ile Leu Arg Pro Ala Ala Tyr Arg Ser Arg Tyr  
965 970 975

Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu Trp Pro  
980 985 990

His Gln Pro Ser Gly Gln Gly Ser Phe Trp Ala Asn Leu Gly Ile Ala  
995 1000 1005

Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Arg Asn Phe Cys Arg  
1010 1015 1020

Gly Pro Thr Thr Ala Glu  
1025

<210> 10  
<211> 818  
<212> PRT  
<213> Bos taurus

<400> 10

Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala  
1 5 10 15

Ala Ala Leu Ala Ala Ala Leu Ala Glu Gly Thr Leu Pro Ala Phe Leu  
20 25 30

Pro Cys Glu Leu Gln Pro His Gly Gln Val Asp Cys Asn Trp Leu Phe  
35 40 45

Leu Lys Ser Val Pro His Phe Ser Ala Gly Ala Pro Arg Ala Asn Val  
50 55 60

Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser  
65 70 75 80

Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn  
85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr  
100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
115 120 125

Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu  
130 135 140

Val Ser Leu Ser Leu Ser His Thr Ser Ile Leu Val Leu Gly Pro Thr  
145 150 155 160

His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn  
165 170 175

Cys Tyr Tyr Met Asn Pro Cys Pro Arg Ala Leu Glu Val Ala Pro Gly  
180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
195 200 205

Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu  
210 215 220

Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu Ala  
225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro  
260 265 270

Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg  
290 295 300

Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr  
305 310 315 320

Asp Tyr Ile Thr Lys Thr Thr Ile Phe Asn Asp Leu Thr Gln Leu Arg  
325 330 335

Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
340 345 350

Leu His Leu Ala Ser Ser Phe Gly Ser Leu Val Ser Leu Glu Lys Leu  
355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Ile Thr Leu Gln  
370 375 380

Ser Leu Thr Arg Leu Pro Lys Leu Gln Ser Leu His Leu Gln Leu Asn  
385 390 395 400

Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu  
405 410 415

Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Thr Pro

420	425	430
Ala Ala Ala Leu Gly Glu Val Asp Ser Arg Val Glu Val Trp Arg Leu		
435	440	445
Pro Arg Gly Leu Ala Pro Gly Pro Leu Asp Ala Val Ser Ser Lys Asp		
450	455	460
Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn		
465	470	475
Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu		
485	490	495
Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly		
500	505	510
Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser His		
515	520	525
Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln		
530	535	540
Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln		
545	550	555
Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg		
565	570	575
Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys		
580	585	590
Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu		
595	600	605
Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly		
610	615	620
Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Glu Asn His Leu His Thr		
625	630	635
Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu		
645	650	655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr  
660 665 670

Val Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys  
675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Ile Arg Leu Gln Lys Leu  
690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Ile Pro Gly Phe Phe Val  
705 710 715 720

Arg Ala Thr Arg Leu Ile Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys  
725 730 735

Thr Val Asp Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu Lys Ile  
740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe  
755 760 765

~~Val Asp Phe Leu Leu Glu Arg Gln Glu Ala Val Pro Gly Leu Ser Arg~~  
~~770 775 780~~

~~Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe~~  
~~785 790 795 800~~

~~Thr Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys~~  
~~805 810 815~~

Phe Gly

<210> 11

<211> 3191

<212> DNA

<213> Bos taurus

<400> 11

gggaagtggg cgccaagcat ccttcctgc agctgcctcc caacctgccc gccagaccct 60

ctggagaagc cgcatccct gtcattgggc cctactgtgc cccgcacccc ctttctctcc 120

tggtgcaggc ggcggcactg gcagcggccc tggccgaggg caccctgcct gccttcctgc 180

cctgtgagct ccagcccat ggtaggtgg actgcaactg gctgttcctg aagtctgtgc 240

cgcacttttc ggctggagcc ccccgggcca atgtcaccag cctctcctta atctccaacc 300

gcatccacca cttgcatgac tctgacttcg tccacctgtc caacctgcgg gtcctcaacc 360  
 tcaagtggaa ctgcccgcg gccggcctca gcccctatga cttcccctgc cgtatgacca 420  
 tcgagcccaa caccttcctg gctgtgcccc cctggaggga gctgaacctg agctacaacg 480  
 gcatcacgac cgtgcctgcc ctgcccagtt cctcgtgtc cctgtcgtg agccacacca 540  
 gcatcctggt gctaggcccc acccacttca ccggcctgca cgcctgcgc tttctgtaca 600  
 tggacggcaa ctgctactac atgaacctct gccgcgggc cctggagggt gccccaggcg 660  
 cctcctcgg cctgggcaac ctcacgcacc tgtcgtcaa gtacaacaac ctcacggagg 720  
 tgccccgcg cctgcccccc agcctggaca cctgctgct gtccataaac cacattgtca 780  
 cctggcacc cgaggacctg gccaacctga ctgccctgcg cgtgcttgac gtgggtggga 840  
 actgccgcg ctgcgacctat gccgcgaacc cctgcaggga gtgcccagg aacttcccc 900  
 agctgcaccc tgacaccttc agtcacctga gccgcctcga aggcctggtg ttgaaggaca 960  
 gttctctcta caaactagag aaagattggt tccgcggcct gggcaggctc caagtgtcgt 1020  
 acctgagtga gaacttcctc tatgactaca tcaccaagac caccatcttc aacgacctga 1080  
 cccagctgcg cagactcaac ctgtccttca attaccacaa gaagggtgtc ttcgcccacc 1140  
 tgcacctage gtccctcttt gggagtctgg tgtccctgga gaagctggac atgcacggca 1200  
 tcttcttcg ctccctcacc aacatcacgc tccagtcgt gaccggctg cccaagctcc 1260  
 agagtctga tctgcagctg aacttcacaa accaggccca gctcagcatc tttggggcct 1320  
 tccgagcct gctcttcgtg gacctgtcgg acaaccgcat cagcggagcc gcgacgccag 1380  
 cggccgcct gggggagggt gacagcaggg tggaagtctg gcgattgcc aggggcctcg 1440  
 ctccaggccc gctggacgcc gtcagctcaa aggacttcat gccaagctgc aacctcaact 1500  
 tcaccttgga cctgtcacgg aacaacctgg tgacaatcca gcaagagatg tttaccgcgc 1560  
 tctccgcct ccagtgcctg cgcctgagcc acaacagcat ctgcaggcg gttaatggct 1620  
 cccagttcgt gccgtgacc agcctgcgag tgctcgacct gtcccacaac aagctggacc 1680  
 tgtaccatgg gcgctcatc acggagctgc cgcagctgga ggcaactggac ctcagctaca 1740  
 acagccagcc cttcagcatg cagggcgtgg gccacaacct cagcttcgtg gccagctgc 1800  
 cctccctgcg ctacctcagc cttgcgcaca atggcatcca cagccgcgtg tcacagaagc 1860  
 tcagcagcgc ctctttgcgc gccctggact tcagcggcaa ctccctgagc cagatgtggg 1920  
 ccgagggaga cctctatctc tgctttttca aaggcttgag gaacctggtc cagctggacc 1980  
 tgtccgagaa ccctctgcac accctcctgc ctctcacct ggacaacctg cccaagagcc 2040



tgcggcagct gcgtctccgg gacaataacc tggccttctt caactggagc agcctgaccg 2100  
 tcttgcctcg gctggaagcc ctggatctgg caggaaacca gctgaaggcc ctgagcaacg 2160  
 gcagcctgcc gcctggcatc cggctccaga agctggacgt gagcagcaac agcatcggct 2220  
 tcgtgatccc cggcttcttc gtccgcgcga ctccggctgat agagcttaac ctccagccca 2280  
 atgccctgaa gacagtggat cctcctcgtt tgggttctt agcagggacc ctgaaaatcc 2340  
 tagacgtgag cgccaaccgc ctccactgcg cctgcggggc ggcttttggt gacttctctg 2400  
 tggagagaca ggaggccgtg cccgggctgt ccaggcgcgt cacatgtggc agtccggggc 2460  
 agctccaggg ccgcagcatc ttcacacagg acctgcgcct ctgcctggat gagaccctct 2520  
 ccttggactg ctttggcctc tcaactgctaa tgggtggcgt gggcctggca gtgcccctgc 2580  
 tgcaccacct ctgtggctgg gacctctggt actgcttcca cctgtgtctg gccatttgc 2640  
 cccgacggcg gcggcagcgg ggcgaggaca cctgctcta tgatgccgtc gtggtcttcg 2700  
 acaaggtgca gagtgcagtg gctgattggg tgtacaacga gctccgcgtg cagctggagg 2760  
 agcgcggggg gcgcggggcg ctccgcctct gcctggagga gcgagactgg ctccctggta 2820  
 agacgctctt cgagaacctg tgggcctcgg tctacagcag ccgcaagacc atgttctgtg 2880  
 tgggaccaac ggaccgggtc agcggcctcc tgcgcgccag ctctctgtg gccagcagc 2940  
 gcctgttgga ggaccgcaag gacgtcgtag tctgtgtgat cctgcgccc gccgcctatc 3000  
 tgggtccgctat cgtgaggctg ccgcagcgcc tctgcgcga gagcgtctc ctctggcccc 3060  
 accagcccag tggccagggt agtttctggg ccaacctggg catagccctg accagggaca 3120  
 accgtcactt ctataaccg aacttctgcc ggggccccac gacagccgaa tagcacagag 3180  
 tgactgcccc g 3191

&lt;210&gt; 12

&lt;211&gt; 2454

&lt;212&gt; DNA

&lt;213&gt; Bos taurus

&lt;400&gt; 12

atgggcccct actgtgcccc gcacccccct tctctctctg tgcaggcggc ggactggcca 60  
 ggggccctgg ccgagggcac cctgcctgcc ttctgcct gtgagctcca gcccctggt 120  
 cagggtggact gcaactggct gtctctgaag tctgtgccgc acttttcggc tggagcccc 180  
 cgggccaatg tcaccagcct ctctttaatc tccaaccgca tccaccactt gcatgactct 240  
 gacttcgtcc acctgtccaa cctgcggggt ctcaacctca agtggaaactg cccgccggcc 300  
 ggctcagcc ccctgcactt cccctgccgt atgaccatcg agcccaaac ctctctggct 360

gtgcccaccc	tggaggagct	gaacctgagc	tacaacggca	tcacgaccgt	gcctgcccctg	420
cccagttccc	tcgtgtccct	gtcgtgagc	cacaccagca	tcctggtgct	aggccccacc	480
cacttcaccg	gcctgcacgc	cctgcgcttt	ctgtacatgg	acggcaactg	ctactacatg	540
aacccctgcc	cgcgggccct	ggagggtggc	ccaggcgccc	tcctcggcct	gggcaacctc	600
acgcacctgt	cgctcaagta	caacaacctc	acggagggtgc	cccgcgcct	gccccccagc	660
ctggacaccc	tgctgctgtc	ctacaaccac	attgtcacc	tggcaccgga	ggacctggcc	720
aacctgactg	ccctgcgcgt	gcttgacgtg	gggtgggaact	gccgcgcgtg	cgaccatgcc	780
cgcaaccctt	gcagggagtg	cccaaagaac	ttccccaaagc	tgcaccctga	caccttcagt	840
cacctgagcc	gcctcgaagg	cctggtgttg	aaggacagtt	ctctctacaa	actagagaaa	900
gattggttcc	gcggcctggg	caggctccaa	gtgctcgacc	tgagtgagaa	cttcctctat	960
gactacatca	ccaagaccac	catcttcaac	gacctgaccc	agctgcgcag	actcaacctg	1020
tccttcaatt	accacaagaa	gggtgccttc	gccacctgc	acctagcgtc	ctcctttggg	1080
agtctggtgt	ccctggagaa	gctggacatg	cacggcatct	tcttcgcctc	cctcaccaac	1140
atcacgctcc	agtcgctgac	ccggctgccc	aagctccaga	gtctgcatct	gcagctgaac	1200
ttcatcaacc	aggcccagct	cagcatcttt	ggggccttcc	cgagcctgct	cttcgtggac	1260
ctgtcggaca	accgcatcag	cggagccgcg	acgccagcgg	ccgcctggg	ggagggtggac	1320
agcaggggtg	aagtctggcg	attgeccagg	ggcctcgctc	caggcccgct	ggacgccgtc	1380
agctcaaagg	acttcatgcc	aagctgaac	ctcaacttca	ccttggacct	gtcacggaac	1440
aacctggtga	caatccagca	agagatgttt	acccgcctct	cccgcctcca	gtgcctgctc	1500
ctgagccaca	acagcatctc	gcaggcggtt	aatggctccc	agttcgtgcc	gctgaccagc	1560
ctgcgagtgc	tcgacctgtc	ccacaacaag	ctggacctgt	accatgggcg	ctcattcacg	1620
gagctgccgc	agctggaggc	actggacctc	agctacaaca	gccagccctt	cagcatgcag	1680
ggcgtggggc	acaacctcag	cttcgtggcc	cagctgccct	ccctgcgcta	cctcagcctt	1740
gcgcacaatg	gcatccacag	ccgcgtgtca	cagaagctca	gcagcgctc	gttgcgcgcc	1800
ctggacttca	gcggcaactc	cctgagccag	atgtgggccc	aggagacct	ctatctctgc	1860
tttttcaaag	gcttgaggaa	cctgggtccag	ctggacctgt	ccgagaacca	tctgcacacc	1920
ctcctgcctc	gtcacctgga	caacctgccc	aagagcctgc	ggcagctgcg	tctccgggac	1980
aataacctgg	ccttcttcaa	ctggagcagc	ctgaccgtcc	tgccccggct	ggaagccctg	2040
gatctggcag	gaaaccagct	gaaggccctg	agcaacggca	gcctgccgcc	tggcatccgg	2100
ctccagaagc	tggacgtgag	cagcaacagc	atcggtctcg	tgatccccgg	cttcttcgtc	2160

cgcgcgactc ggctgataga gcttaacctc agcgccaatg ccctgaagac agtggatccc 2220  
 tcctgggttcg gttccttagc agggaccctg aaaatcctag acgtgagcgc caaccgcgtc 2280  
 cactgcgctt gcggggcggc ctttgtggac ttctgctgg agagacagga ggccgtgccc 2340  
 gggctgtcca ggcgcgtcac atgtggcagt cggggccagc tccagggccg cagcatcttc 2400  
 acacaggacc tgcgcctctg cctggatgag accctctcct tggactgctt tggc 2454

<210> 13  
 <211> 1031  
 <212> PRT  
 <213> Equus caballus

<400> 13

Met Gly Pro Cys His Gly Ala Leu Gln Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Met Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Pro Phe  
 20 25 30

~~Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu~~  
 35 40 45

~~Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Asp Asn~~  
 50 55 60

~~Val Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp~~  
 65 70 75 80

~~Ser Asp Phe Ala Gln Leu Ser Asn Leu Gln Lys Leu Asn Leu Lys Trp~~  
 85 90 95

Asn Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met  
 100 105 110

Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser  
 130 135 140

Leu Val Ser Leu Ile Leu Ser Arg Thr Asn Ile Leu Gln Leu Asp Pro  
 145 150 155 160

Thr Ser Leu Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Gly Arg Ala Leu Glu Val Ala Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Thr Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Val Glu Cys Pro His Lys Phe  
 260 265 270

Pro Gln Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Gln Leu Asn Pro Arg Trp Phe  
 290 295 300

Arg Gly Leu Gly Asn Leu Thr Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Ala Gln Leu  
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350

His Leu Thr Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu  
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Gln Lys Thr Leu  
 370 375 380

Gln Pro Leu Ala Arg Leu Pro Met Leu Gln Arg Leu Tyr Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Lys Asp Phe Pro Gly  
 405 410 415  
 Leu Arg Tyr Ile Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Val Glu  
 420 425 430  
 Pro Val Ala Thr Thr Gly Glu Val Asp Gly Gly Lys Lys Val Trp Leu  
 435 440 445  
 Thr Ser Arg Asp Leu Thr Pro Gly Pro Leu Asp Thr Pro Ser Ser Glu  
 450 455 460  
 Asp Phe Met Pro Ser Cys Lys Asn Leu Ser Phe Thr Leu Asp Leu Ser  
 465 470 475 480  
 Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser  
 485 490 495  
 Arg Leu Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val  
 500 505 510  
~~Asn Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Gln Val Leu Asp Leu~~  
~~515 520 525~~  
~~Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu~~  
~~530 535 540~~  
~~Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser~~  
~~545 550 555 560~~  
 Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Thr  
 565 570 575  
 Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser  
 580 585 590  
 Gln Gln Leu Cys Ser Thr Ser Leu Trp Ala Leu Asp Phe Ser Gly Asn  
 595 600 605  
 Ser Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe  
 610 615 620  
 Gln Gly Leu Arg Ser Leu Ile Arg Leu Asp Leu Ser Gln Asn Arg Leu  
 625 630 635 640

His Thr Leu Leu Pro Cys Thr Leu Gly Asn Leu Pro Lys Ser Leu Gln  
645 650 655

Leu Leu Arg Leu Arg Asn Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser  
660 665 670

Leu Thr Leu Leu Pro Asn Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln  
675 680 685

Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Gln  
690 695 700

Arg Leu Asp Val Ser Arg Asn Ser Ile Ile Phe Val Val Pro Gly Phe  
705 710 715 720

Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala  
725 730 735

Leu Arg Thr Glu Glu Pro Ser Trp Phe Gly Phe Leu Ala Gly Ser Leu  
740 745 750

Glu Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala  
755 760 765

Ala Phe Val Asp Phe Leu Leu Gln Val Gln Ala Ala Val Pro Gly Leu  
770 775 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser  
785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Lys Ser Leu Ser Trp  
805 810 815

Asp Cys Phe Gly Leu Ser Leu Leu Val Val Ala Leu Gly Leu Ala Met  
820 825 830

Pro Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His  
835 840 845

Leu Gly Leu Ala Trp Leu Pro Arg Arg Gly Trp Gln Arg Gly Ala Asp  
850 855 860

Ala Leu Ser Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala

865                                      870                                      875                                      880  
 Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu Glu Arg  
    885                                      890                                      895  
 Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu  
    900                                      905                                      910  
 Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser  
    915                                      920                                      925  
 Arg Lys Met Leu Phe Val Leu Ala His Thr Asp Gln Val Ser Gly Leu  
    930                                      935                                      940  
 Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg  
    945                                      950                                      955                                      960  
 Lys Asp Val Val Val Leu Val Ile Leu Ser Pro Asp Ala Arg Arg Ser  
    965                                      970                                      975  
 Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Phe  
    980                                      985                                      990  
 Tyr Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln Leu Gly  
    995                                      1000                                      1005  
 Met Ala Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Gln Asn Phe  
    1010                                      1015                                      1020  
 Cys Arg Gly Pro Thr Met Ala Glu  
    1025                                      1030  
  
 <210> 14  
 <211> 820  
 <212> PRT  
 <213> Equus caballus  
  
 <400> 14  
 Met Gly Pro Cys His Gly Ala Leu Gln Pro Leu Ser Leu Leu Val Gln  
 1                                      5                                      10                                      15  
 Ala Ala Met Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Pro Phe  
    20                                      25                                      30  
 Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu

35	40	45
Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Asp Asn		
50	55	60
Val Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp		
65	70	75
Ser Asp Phe Ala Gln Leu Ser Asn Leu Gln Lys Leu Asn Leu Lys Trp		
85	90	95
Asn Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met		
100	105	110
Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu		
115	120	125
Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser		
130	135	140
Leu Val Ser Leu Ile Leu Ser Arg Thr Asn Ile Leu Gln Leu Asp Pro		
145	150	155
Thr Ser Leu Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly		
165	170	175
Asn Cys Tyr Tyr Lys Asn Pro Cys Gly Arg Ala Leu Glu Val Ala Pro		
180	185	190
Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr		
195	200	205
Asn Asn Leu Thr Thr Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Tyr		
210	215	220
Leu Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu		
225	230	235
Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg		
245	250	255
Arg Cys Asp His Ala Arg Asn Pro Cys Val Glu Cys Pro His Lys Phe		
260	265	270



Pro Gln Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Gln Leu Asn Pro Arg Trp Phe  
 290 295 300

Arg Gly Leu Gly Asn Leu Thr Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Ala Gln Leu  
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350

His Leu Thr Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu  
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Gln Lys Thr Leu  
 370 375 380

Gln Pro Leu Ala Arg Leu Pro Met Leu Gln Arg Leu Tyr Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Lys Asp Phe Pro Gly  
 405 410 415

Leu Arg Tyr Ile Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Val Glu  
 420 425 430

Pro Val Ala Thr Thr Gly Glu Val Asp Gly Gly Lys Lys Val Trp Leu  
 435 440 445

Thr Ser Arg Asp Leu Thr Pro Gly Pro Leu Asp Thr Pro Ser Ser Glu  
 450 455 460

Asp Phe Met Pro Ser Cys Lys Asn Leu Ser Phe Thr Leu Asp Leu Ser  
 465 470 475 480

Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser  
 485 490 495

Arg Leu Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val  
 500 505 510

Asn Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Gln Val Leu Asp Leu  
515 520 525

Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu  
530 535 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser  
545 550 555 560

Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Thr  
565 570 575

Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser  
580 585 590

Gln Gln Leu Cys Ser Thr Ser Leu Trp Ala Leu Asp Phe Ser Gly Asn  
595 600 605

Ser Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe  
610 615 620

Gln Gly Leu Arg Ser Leu Ile Arg Leu Asp Leu Ser Gln Asn Arg Leu  
625 630 635 640

His Thr Leu Leu Pro Cys Thr Leu Gly Asn Leu Pro Lys Ser Leu Gln  
645 650 655

Leu Leu Arg Leu Arg Asn Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser  
660 665 670

Leu Thr Leu Leu Pro Asn Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln  
675 680 685

Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Gln  
690 695 700

Arg Leu Asp Val Ser Arg Asn Ser Ile Ile Phe Val Val Pro Gly Phe  
705 710 715 720

Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala  
725 730 735

Leu Arg Thr Glu Glu Pro Ser Trp Phe Gly Phe Leu Ala Gly Ser Leu  
740 745 750

Glu Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala  
755 760 765

Ala Phe Val Asp Phe Leu Leu Gln Val Gln Ala Ala Val Pro Gly Leu  
770 775 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser  
785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Lys Ser Leu Ser Trp  
805 810 815

Asp Cys Phe Gly  
820

<210> 15  
<211> 3391  
<212> DNA  
<213> Equus caballus

<400> 15  
ctctgttctctatgagetgttg ccgcgtgaag ggactgcgag cacaagcat cctcctctgc 60  
agctgctgccagtggtgcca gctggaccct ctggatcatc tccactccc tgtcatgggc 120  
ccttgccatgagtgccctgcagccctgtct ctctgggtgc aggcggccat gctggccgtg 180  
gctctgggccaaaggeacctgctctcccttc ctgcccctgtg agctccagcc ccacggcctg 240  
gtgaactgcaactggctggt cctgaagtcc gtgccccact tctcagcagc agcaccgccg 300  
gacaatgtca ccagccttcc cttgctctcc aaccgcaccc accacctcca cgactccgac 360  
tttgcccaac tgtccaacct gcagaaactc aacctcaaat ggaactgccc gccagccggc 420  
ctcagcccca tgcacttccc ctgccacatg accatcgagc ccaacacttt cctggctgta 480  
cccacctgg aggagctgaa cctgagctac aacggcatca cgactgtgcc tgcctgccc 540  
agctccctcg tgtccctgat cctgagccgc accaacatcc tgcagctaga cccaccagc 600  
ctcacggggc tgcattgccct gcgcttccca tacatggatg gcaactgcta ctacaagaac 660  
ccctgcgggc gggccctgga ggtggcccca ggcgcctcc ttggcctggg caacctcacc 720  
cacctgtcac tcaagtacaa caacctcaca acggtgcccc gcagcctgcc ccctagcctg 780  
gagtacctgc tgttgctcta caaccacatt gtcaccctgg cacctgagga cctggccaat 840  
ctgactgccc tgcgtgtgct cgatgtgggt ggaaactgcc gccgctgtga ccatgcacgc 900  
aaccctgcg tggagtgccc acataaatcc cccagctgc actccgacac cttcagccac 960

ctaagccgcc tagaaggcct cgtgttgaag gatagttctc tctaccagct gaaccccaga	1020
tggttccttg gcctgggcaa cctcacagtg ctgcacctga gtgagaactt cctctacgac	1080
tgcataacca aaaccaaggc attccagggc ctggcccagc tgcgaagact caacttgtcc	1140
ttcaattacc ataagaaggt gtccttcgcc cacctgacgc tggcaccctc cttcgggagc	1200
ctgctctccc tgcaggaact ggacatgcat ggcatcttct tccgctcact cagccagaag	1260
acgctccagc cactggcccc cctgcccattg ctccagcgtc tgtatctgca gatgaacttc	1320
atcaaccagg ccagctcgg catcttcaag gacttccctg gtctgcgcta catagacctg	1380
tcagacaacc gcatcagtgg agctgtggag cgggtggcca ccacagggga ggtggatggt	1440
gggaagaagg tctggctgac atccagggac ctactccag gccactgga cccccagc	1500
tctgaggact tcatgccaaag ctgcaagaac ctgagcttca ccttggacct gtcacggaac	1560
aacctggtaa cagtccagcc agagatgttt gccagctct cgcgcctcca gtgcctgcgc	1620
ctgagccaca acagcatctc gcaggcggtc aatggctcac agttcgtgcc actgaccagc	1680
ctgcagggtc tggacctgtc ccataacaaa ctggacctgt accatgggag ctcgtttacg	1740
gagctgcgc gactggaggc cctggacctc agctacaaca gccagccctt cagcatgcgg	1800
ggtgtgggccc acaacctcag ctttgtggcc cagctgccca ccttgcgcta cctcagcctg	1860
gcacacaatg gcatccacag ccgtgtgtcc cagcagctct gcagcacctc gctgtgggccc	1920
ctggacttca gcggcaattc cctgagccag atgtgggctg agggagacct ctatctccgc	1980
ttcttccaag gcctgagaag cctaattccg ctagacctgt ccagaaatcg tctgcatacc	2040
ctcttgccat gcacctggg caacctcccc aagagcttgc agctgctgcg tctccgtaac	2100
aattacctgg ccttcttcaa ttggagcagc ctgacctcc tgcaccaacct ggaaacctg	2160
gacctggctg gaaaccagct gaaggctctg agcaatggca gcctgccttc tggcaccag	2220
ctccagaggc tggacgtcag caggaacagc atcatcttcg tggcccttg cttctttgct	2280
ctggccaaga ggctgcgaga gctcaacctc agtgccaacg ccctcaggac agaggagccc	2340
tcctggtttg gtttcctagc aggtccctt gaagtccatg atgtgagcgc caacctctg	2400
cactgcgcct gtggggcagc ctttgtggac ttctgctgc aggttcaggc tgccgtgcct	2460
ggtctgcca gccgcgtcaa gtgtggcagt cggggccagc tccagggccg cagcatcttc	2520
gcacaagacc tgcgcctctg cctggacaag tccctctcct gggactgttt tggctctctca	2580
ttgctggttg tggccctggg cctggccatg cctatgttgc accacctctg cggctgggac	2640
ctctggtact gcttccacct gggcctggcc tggctgcccc ggcgggggtg gcagcggggc	2700

gcggatgccc tgagctatga tgcctttgtg gtcttcgaca aggcacagag cgcagtggcc 2760  
gactgggtgt acaatgaact gcgggtgcgg cttagaggagc gccgtgggcg ccgggcgctc 2820  
cgctgtgtc tggaggagcg tgactggcta cctggcaaga cgctgttcga aaacctgtgg 2880  
gcctcagtct acagcagccg caagatgctg tttgtgctgg cccacacgga ccaggtcagt 2940  
ggcctcttgc gtgccagctt cctgctggcc cagcagcgtc tgctggagga ccgcaaggac 3000  
gttgtggtgc tgtaatcct gagccctgac gccgcgctt cccgttacgt gcggctgctc 3060  
cagcgcctct gccgcagag tgcctcttc tggccccacc agcctagtgg ccagcgcagc 3120  
ttctgggccc agctaggcat ggccctgacc agggacaacc gccacttcta taaccagaac 3180  
ttctgccggg gccgcagat ggctgagtag cacagagtga cagcctggca tgtacaaccc 3240  
ccagccctga ccttgccctct ctgcctatga tgcccagtct gcctcactct gtgacgcccc 3300  
tgctctgcct ccgccacct caccctggc atacagcagg cactcaataa atgccactgg 3360  
caggccaaac agccaaaaa aaaaaaaaaa a 3391

<210> 16

<211> 2460

<212> DNA

<213> Equus caballus

<400> 16

atggggcccttgccatgggtgc cctgcagccc ctgtctctcc tgggtgcaggc ggccatgctg 60  
gccgtggctcctgggccaagg caccctgcct cccttcctgc cctgtgagct ccagccccac 120  
ggcctgggtgaaactgcaactg gctgttcctg aagtcctgct cccacttctc agcagcagca 180  
ccccgggacaatgtcaccag cctttccttg ctctccaacc gcattccacca cctccacgac 240  
tcgactttg cccaactgtc caacctgcag aaactcaacc tcaaattggaa ctgcccgcga 300  
gccggcctca gccccatgca cttcccctgc cacatgacca tcgagcccaa cactttcctg 360  
gctgtaccca ccctggagga gctgaacctg agctacaacg gcattcacgac tgtgcctgcc 420  
ctgcccagct ccctcgtgtc cctgatcctg agcgcacca acatcctgca gctagacccc 480  
accagcctca cgggcctgca tgccctgctc ttctataca tggatggcaa ctgctactac 540  
aagaaccctt gcgggcgggc cctggagggt gccccaggcg ccctccttgg cctgggcaac 600  
ctcaccaccc tgctactcaa gtacaacaac ctcaaacgg tgccccgcag cctgccccct 660  
agcctggagt acctgctgtt gtcctacaac cacattgtca ccctggcacc tgaggacctg 720  
gccaatctga ctgccctgcg tgtgctcgat gtgggtggaa actgccgcg ctgtgaccat 780  
gcacgcaacc cctgcgtgga gtgccacat aaattcccc agctgcactc cgacaccttc 840

agccacctaa gccgcctaga aggcctcgtg ttgaaggata gttctctcta ccagctgaac 900  
 cccagatggg tccgtggcct gggcaaccctc acagtgctcg acctgagtga gaacttcctc 960  
 tacgactgca tcacaaaaac caaggcatte cagggcctgg cccagctgcg aagactcaac 1020  
 ttgtccttca attaccataa gaaggtgtcc ttcgcccacc tgacgctggc accctccttc 1080  
 gggagcctgc tctccctgca ggaactggac atgcatggca tcttcttccg ctcaactcagc 1140  
 cagaagagcg tccagccact ggcccgctg cccatgtctc agcgtctgta tctgcagatg 1200  
 aacttcatca accaggccca gctcggcatc ttcaaggact tccctgggtct gcgctacata 1260  
 gacctgtcag acaaccgcat cagtggagct gtggagccgg tggccaccac aggggaggtg 1320  
 gatggtggga agaaggtctg gctgacatcc agggacctca ctccaggccc actggacacc 1380  
 cccagctctg aggacttcat gccaagctgc aagaacctca gcttcacctt ggacctgtca 1440  
 cggaacaacc tggtaacagt ccagccagag atgtttgccc agctctcggc cctccagtgc 1500  
 ctgcgcctga gccacaacag catctcgag gcggtcaatg gctcacagtt cgtgccactg 1560  
 accagcctgc aggtgctgga cctgtcccat acaaaactgg acctgtacca tgggcgctcg 1620  
 ttacggagc tgccgcgact ggaggccctg gacctcagct acaacagcca gcccttcagc 1680  
 atgcggggtg tgggccacaa cctcagcttt gtggcccagc tgcccaccct gcgctacctc 1740  
 agcctggcac acaatggcat ccacagccgt gtgtcccagc agctctgcag cacctcgctg 1800  
 tgggccctgg acttcagcgg caattccctg agccagatgt gggtgaggg agacctctat 1860  
 ctccgcttct tccaaggcct gagaagccta atccggctag acctgtccca gaatcgtctg 1920  
 cataccctcc tggcatgcac cctgggcaac ctcccgaaga gcttgcagct gctgcgtctc 1980  
 cgtaacaatt acctggcctt cttcaattgg agcagcctga ccctcctgcc caacctggaa 2040  
 acctggacc tggctggaaa ccagctgaag gctctgagca atggcagcct gccttctggc 2100  
 accagctcc agaggctgga cgtcagcagg aacagcatca tcttcgtggg ccctggcttc 2160  
 tttgctctgg ccacgaggct gcgagagctc aacctcagtg ccaacgccct caggacagag 2220  
 gagccctcct ggtttggttt cctagcaggc tcccttgaag tcctagatgt gagcgccaac 2280  
 cctctgcact gcgcctgtgg ggcagccttt gtggacttcc tgctgcaggt tcaggctgcc 2340  
 gtgcctggtc tgcccagccg cgtcaagtgt ggcagtccgg gccagctcca gggccgcagc 2400  
 atcttcgcac aagacctgcg cctctgcctg gacaagtccc tctcctggga ctgttttggg 2460

&lt;210&gt; 17

&lt;211&gt; 1029

&lt;212&gt; PRT

<213> *Ovis aries*

&lt;400&gt; 17

Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala  
 1 5 10 15

Ala Ala Leu Ala Ala Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe Leu  
 20 25 30

Pro Cys Glu Leu Gln Pro Arg Gly Lys Val Asn Cys Asn Trp Leu Phe  
 35 40 45

Leu Lys Ser Val Pro Arg Phe Ser Ala Gly Ala Pro Arg Ala Asn Val  
 50 55 60

Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser  
 65 70 75 80

Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn  
 85 90 95

~~Met Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr~~  
~~100 105 110~~

~~Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn~~  
~~115 120 125~~

~~Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu~~  
~~130 135 140~~

Val Ser Leu Ser Leu Ser Arg Thr Ser Ile Leu Val Leu Gly Pro Thr  
 145 150 155 160

His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn  
 165 170 175

Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Val Glu Val Ala Pro Gly  
 180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
 195 200 205

Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu  
 210 215 220

Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu Ala  
225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro  
260 265 270

Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg  
290 295 300

Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr  
305 310 315 320

Asp Tyr Ile Thr Lys Thr Thr Ile Phe Arg Asn Leu Thr Gln Leu Arg  
325 330 335

Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
340 345 350

Leu Gln Leu Ala Pro Ser Phe Gly Gly Leu Val Ser Leu Glu Lys Leu  
355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Thr Thr Leu Arg  
370 375 380

Pro Leu Thr Gln Leu Pro Lys Leu Gln Ser Leu Ser Leu Gln Leu Asn  
385 390 395 400

Phe Ile Asn Gln Ala Glu Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu  
405 410 415

Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro  
420 425 430

Val Ala Ala Leu Gly Glu Val Asp Ser Gly Val Glu Val Trp Arg Trp  
435 440 445

Pro Arg Gly Leu Ala Pro Gly Pro Leu Ala Ala Val Ser Ala Lys Asp  
450 455 460



Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn  
465 470 475 480

Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu  
485 490 495

Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly  
500 505 510

Ser Gln Phe Val Pro Leu Thr Arg Leu Arg Val Leu Asp Leu Ser Tyr  
515 520 525

Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln  
530 535 540

Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln  
545 550 555 560

Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg  
565 570 575

Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys  
580 585 590

Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu  
595 600 605

Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly  
610 615 620

Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Lys Asn His Leu His Thr  
625 630 635 640

Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu  
645 650 655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr  
660 665 670

Val Leu Pro Gln Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys  
675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Thr Arg Leu Gln Lys Leu  
690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Thr Pro Gly Phe Phe Val  
705 710 715 720

Leu Ala Asn Arg Leu Lys Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys  
725 730 735

Thr Val Asp Pro Phe Trp Phe Gly Arg Leu Thr Glu Thr Leu Asn Ile  
740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe  
755 760 765

Val Asp Phe Leu Leu Glu Met Gln Ala Ala Val Pro Gly Leu Ser Arg  
770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe  
785 790 795 800

Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys  
805 810 815

Phe Gly Phe Ser Leu Leu Met Val Ala Leu Gly Leu Ala Val Pro Met  
820 825 830

Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His Leu Cys  
835 840 845

Leu Ala His Leu Pro Arg Arg Arg Arg Gln Arg Gly Glu Asp Thr Leu  
850 855 860

Leu Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala Val Ala  
865 870 875 880

Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu Glu Arg Arg Gly  
885 890 895

Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu Pro Gly  
900 905 910

Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser Arg Lys  
915 920 925

Thr Met Phe Val Leu Asp His Thr Asp Arg Val Ser Gly Leu Leu Arg

930

935

940

Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg Lys Asp  
 945 950 955 960

Val Val Val Leu Val Ile Leu Arg Pro Ala Ala Tyr Arg Ser Arg Tyr  
 965 970 975

Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu Trp Pro  
 980 985 990

His Gln Pro Ser Gly Gln Gly Ser Phe Trp Ala Asn Leu Gly Met Ala  
 995 1000 1005

Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Arg Asn Phe Cys Arg  
 1010 1015 1020

Gly Pro Thr Thr Ala Glu  
 1025

<210> 18

<211> 18

<212> PRT

<213> Ovis aries

<400> 18

Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala  
 1 5 10 15

Ala Ala Leu Ala Ala Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe Leu  
 20 25 30

Pro Cys Glu Leu Gln Pro Arg Gly Lys Val Asn Cys Asn Trp Leu Phe  
 35 40 45

Leu Lys Ser Val Pro Arg Phe Ser Ala Gly Ala Pro Arg Ala Asn Val  
 50 55 60

Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser  
 65 70 75 80

Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn  
 85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr

100	105	110
Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn		
115	120	125
Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu		
130	135	140
Val Ser Leu Ser Leu Ser Arg Thr Ser Ile Leu Val Leu Gly Pro Thr		
145	150	155
His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn		
165	170	175
Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Val Glu Val Ala Pro Gly		
180	185	190
Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn		
195	200	205
Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu		
210	215	220
Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu Ala		
225	230	235
Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg		
245	250	255
Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro		
260	265	270
Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu		
275	280	285
Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg		
290	295	300
Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr		
305	310	315
Asp Tyr Ile Thr Lys Thr Thr Ile Phe Arg Asn Leu Thr Gln Leu Arg		
325	330	335

Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
 340 345 350

Leu Gln Leu Ala Pro Ser Phe Gly Gly Leu Val Ser Leu Glu Lys Leu  
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Thr Thr Leu Arg  
 370 375 380

Pro Leu Thr Gln Leu Pro Lys Leu Gln Ser Leu Ser Leu Gln Leu Asn  
 385 390 395 400

Phe Ile Asn Gln Ala Glu Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu  
 405 410 415

Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro  
 420 425 430

Val Ala Ala Leu Gly Glu Val Asp Ser Gly Val Glu Val Trp Arg Trp  
 435 440 445

~~Pro Arg Gly Leu Ala Pro Gly~~ Pro Leu Ala Ala Val Ser Ala Lys Asp  
 450 455 460

~~Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn~~  
 465 470 475 480

~~Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu~~  
 485 490 495

Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly  
 500 505 510

Ser Gln Phe Val Pro Leu Thr Arg Leu Arg Val Leu Asp Leu Ser Tyr  
 515 520 525

Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln  
 530 535 540

Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln  
 545 550 555 560

Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg  
 565 570 575

Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys  
 580 585 590

Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu  
 595 600 605

Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly  
 610 615 620

Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Lys Asn His Leu His Thr  
 625 630 635 640

Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu  
 645 650 655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr  
 660 665 670

Val Leu Pro Gln Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys  
 675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Thr Arg Leu Gln Lys Leu  
 690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Thr Pro Gly Phe Phe Val  
 705 710 715 720

Leu Ala Asn Arg Leu Lys Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys  
 725 730 735

Thr Val Asp Pro Phe Trp Phe Gly Arg Leu Thr Glu Thr Leu Asn Ile  
 740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe  
 755 760 765

Val Asp Phe Leu Leu Glu Met Gln Ala Ala Val Pro Gly Leu Ser Arg  
 770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe  
 785 790 795 800

Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys  
 805 810 815

Phe Gly

<210> 19  
 <211> 3199  
 <212> DNA  
 <213> *Ovis aries*

<400> 19  
 gtgcggcacgg gaagtgagcg ccaagcatcc ttccctgcag ctgccgcca acttgcccgc 60  
 cagaccctct ggagaagccg cattccctgc catgggcccc tactgtgcc cgcaccccct 120  
 ttctctcctg gtgcaggcgg cggcctggc agcagccctg gccaggggca ccctgcctgc 180  
 cttcctgccc tgtgagctcc agccccggg taaggtgaac tgcaactggc tgttcctgaa 240  
 gtctgtgccg cgtttttcgg cggagcccc cggggccaat gtcaccagcc tctccttaat 300  
 ctccaaccgc atccaccact tgcacgactc tgacttcgtc cacctgtcca acctgcgggt 360  
 cctcaacctc aagtggaaact gcccgccggc cggcctcagc cccatgcact tcccctgccg 420  
 catgaccatc gagcccaaca ccttcctggc tgtgccacc ctggaggagc tgaacctgag 480  
 tctacaatggc atcagcagcg tgcctgccct gccagttct ctcgatccc tgcgctgag 540  
 cgcaccagc atcctggtgc taggcccac ccacttcacc ggctgcagc ccctgcgctt 600  
 ctctgtacatg gacggcaact gctactataa gaacccctgc cagcaggccg tggagggtggc 660  
 cccagggcgcc cctccttggcc tggggaacct cagcgacctg tcgctcaagt acaacaacct 720  
 cacggagggtg ccccgccgcc tgccccccag cctggacacc ctgctgctgt cctacaacca 780  
 catcatcacc ctggcaccog aggacctggc caatctgact gccctgcgtg tgcctgatgt 840  
 gggcggggaa tgccgcccgt ggcaccagc ccgaacccc tgcagggagt gcccagaaga 900  
 cttccccaag ctgcaccctg acaccttcag ccacctgagc cgcctcgaag gcctgggtgtt 960  
 gaaggacagt tctctctaca aactagagaa agactggttc cgcggcctgg gcaggctcca 1020  
 agtgcctgac ctgagtgaga acttcctcta tgactacatc accaagacca ccctcttcag 1080  
 gaacctgacc cagctgcgca gactcaacct gtccttcaat taccacaaga aggtgtcctt 1140  
 cgccacctg caactggcac cctccttttg gggcctgggt tccctggaga agctggacat 1200  
 gcacggcatc ttcttccgct ccctcaccaa caccacgctc cggccgctga ccagctgcc 1260  
 caagctccag agtctgagtc tgcagctgaa cttcatcaac caggccgagc tcagcatctt 1320  
 tggggccttc ccgagcctgc tcttcgtgga cctgtcggac aaccgcatca gcggagctgc 1380  
 gaggccggtg gccgcccctg gggagggtgga cagcggggtg gaagtctggc ggtggcccag 1440

gggcctcgct ccaggccccgc tggccgcccgt cagcgcaaag gacttcatgc caagctgcaa 1500  
 cctcaacttc accttggaacc tgtcacggaa caacctggtg acgatccagc aggagatggt 1560  
 taccgccttc tcccgcctcc agtgccctgcg cctgagccac aacagcatct cgcaggcggt 1620  
 taatggctcg cagttcgtgc cgctgacccg cctgcgagtg ctcgacctgt cctacaacaa 1680  
 gctggacctg taccatgggc gctcggtcac ggagctgccg cagctggagg cactggacct 1740  
 cagctacaac agccagccct tcagcatgca gggcgtgggc cacaacctca gcttcgtggc 1800  
 ccagctgccg tccctgcgct acctcagcct tgcgcacaac ggcatccaca gccgcgtgtc 1860  
 acagaagctc agcagcgctc cgctgcgcgc cctggacttc agcggcaact ccctgagcca 1920  
 gatgtgggccc gagggagacc tctatctctg cttcttcaaa ggcttgagga acctggtcca 1980  
 gctggacctg tccaagaacc acctgcacac cctcctgcct cgtcacctgg ataacctgcc 2040  
 caagagcctg cggcagctgc gtctccggga caataacctg gccttcttca actggagcag 2100  
 cctgactgtt ctgccccagc tgggaagccct ggatctggcg ggaaccagc tgaaggccct 2160  
 gagcaacggc agcctgccac ctggcaccgc gctccagaag ctggacgtga gcagcaacag 2220  
 catcggcttt gtgacccttg gcttctttgt ccttgccaac cggctgaaag agcttaacct 2280  
 cagcgccaac gccctgaaga cagtggatcc cttctgggtc ggtcgcttaa cagagacct 2340  
 gaatatecta gacgtgagcg ccaaccgcct ccactgtgcc tgcggggcgg cctttgtgga 2400  
 cttcctgctg gagatgcagg cgcccggtcc tgggctgtcc aggcgcgtca cgtgtggcag 2460  
 tccgggccag ctccagggcc gcagcatctt cgcacaggac ctgcgcctct gcctggatga 2520  
 gaccctctcc ttggactgct ttggcttctc gctgctaata gtggcgctgg gcctggcggt 2580  
 gcccatgctg caccacctct gtggctggga cctgtggtac tgcttccacc tgtgtctggc 2640  
 ccatttgccc cgacggcggc ggcagcgggg cgaggacacc ctgctctacg atgccttcgt 2700  
 ggtcttcgac aaggcgcaga gtgcagtggc cgactgggtg tacaacgagc tccgcgtgca 2760  
 gctggaggag cgccgcgggc gccgggcgct ccgcctctgc ctggaggagc gagactggct 2820  
 ccctggcaag acgctcttcg agaacctgtg ggctcggtc tacagcagcc gtaagaccat 2880  
 gttcgtgctg gaccacacgg accgggtcag tggcctcctg cgcgccagct tctgctggc 2940  
 ccagcagcgc ctgttgagg accgcaagga tgtcgtggtg ctggtgatcc tgcgccccgc 3000  
 cgctaccgg tcccgtacg tgcggctgcg ccagcgctc tgccgccaga gcgtcctcct 3060  
 ctggccccac cagcccagtg gccagggtag cttctgggcc aacctgggca tggcctgac 3120  
 cagggaac cgccacttct ataaccggaa cttctgccgg ggccccacga cagccgaata 3180



gcacagagtg actgcccag

3199

&lt;210&gt; 20

&lt;211&gt; 2454

&lt;212&gt; DNA

<213> *Ovis aries*

&lt;400&gt; 20

atggggccct actgtgcccc gcacccccctt tctctcctgg tgcaggcggc ggcgctggca 60  
 gcagccctgg cccagggcac cctgcctgcc ttcctgccct gtgagctcca gcccgggggt 120  
 aagggtgaact gcaactggct gttcctgaag tctgtgccgc gcttttcggc cggagcccc 180  
 cgggccaatg tcaccagcct ctcttaatac tccaaccgca tccaccactt gcacgactct 240  
 gacttcgtcc acctgtccaa cctgcgggtc ctcaacctca agtgggaactg cccgccggcc 300  
 ggctcagcc ccatgcactt cccctgccgc atgaccatcg agcccaacac ctctctggct 360  
 gtgcccaccc tggaggagct gaacctgagc tacaatggca tcacgaccgt gcctgccttg 420  
 cccagttctc tcgtatccct gtcgctgagc cgcaccagca tctgggtgct agggccacc 480  
 cacttcaecg gcctgcacgc cctgcgcttt ctgtacatgg acggcaactg ctactataag 540  
 aaacccctggc agcaggcctg ggaggtggcc ccaggcgccc tcttggcct gggcaacctc 600  
 acgcaacctg tgcgtcaagta caacaacctc acggaggtgc cccgcgcct gccccccagc 660  
 ctggacaccc tgcgtgctgtc ctacaaccac atcatcacc tggcaccgga ggacctggcc 720  
 aatctgactg acctgcgtgt gcttgatgtg ggccgggaact gccgcgctg cgaccacgcc 780  
 acgcaacccct gcaggagtg cccaaagaac ttcccccaagc tgcacctga caccttcagc 840  
 cacctgagcc gcctcgaagg cctgggtgtg aaggacagtt ctctctacaa actagagaaa 900  
 gactgggttc gccgcctggg caggctccaa gtgctcgacc tgagtgagaa ctctctctat 960  
 gactacatca ccaagaccac catcttcagg aacctgaccc agctgcgcag actcaacctg 1020  
 tccttcaatt accacaagaa ggtgtccttc gccacctgc aactggcacc ctcttttggg 1080  
 ggctggtgt ccctggagaa gctggacatg cacggcatct tcttcgcctc cctaccaaac 1140  
 accacgtccc ggccgctgac ccagctgccc aagctccaga gtctgagtct gcagctgaac 1200  
 ttcatcaacc aggcgagct cagcatcttt ggggccttcc cgagcctgct ctctgtggac 1260  
 ctgtcggaca accgcatcag cggagctgcg aggcgggtgg ccgccctcgg ggaggtggac 1320  
 agcggggtgg aagtctggcg gtggcccagg ggctcgcctc caggcccgtt ggccgcccgc 1380  
 agcgcaaagg acttcatgcc aagctgcaac ctcaacttca ccttggacct gtcacggaac 1440  
 aacctggtga cgatccagca ggagatgttt accgcctct cccgcctcca gtgcctgcgc 1500

ctgagccaca acagcatctc gcaggcggtt aatggctcgc agttcgtgcc gctgaccgcg 1560  
 ctgcgagtgc tcgacctgtc ctacaacaag ctggacctgt accatgggcg ctcgttcacg 1620  
 gagctgccgc agctggaggc actggacctc agctacaaca gccagccctt cagcatgcag 1680  
 ggcgtggggc acaacctcag cttcgtggcc cagctgccgt cctgcgcta cctcagcctt 1740  
 gcgcacaacg gcatccacag ccgcgtgtca cagaagctca gcagcgctc gctgcgcgcc 1800  
 ctggacttca gcggcaactc cctgagccag atgtggggcg agggagacct ctatctctgc 1860  
 ttcttcaaag gcttgaggaa cctgggtccag ctggacctgt ccaagaacca cctgcacacc 1920  
 ctctgcctc gtcacctgga taacctgcc aagagcctgc ggcagctgcg tctccgggac 1980  
 aataacctgg ctttcttcaa ctggagcagc ctgactgttc tgcccagct ggaagccctg 2040  
 gatctggcgg gaaaccagct gaaggccctg agcaacggca gctgccacc tggcaccgcg 2100  
 ctccagaagc tggacgtgag cagcaacagc atcggctttg tgaccctgg cttctttgtc 2160  
 cttgccaaac ggctgaaaga gcttaacctc agcgccaacg ccctgaagac agtggatccc 2220  
 ttctggttcg gtcgcttaac agagaccctg aatatactag acgtgagcgc caaccgctc 2280  
 cactgtgcct gcggggcgcc ctttgtggac ttctgtctgg agatgcaggc ggccgtgcct 2340  
 gggctgtcca ggcgcgtaac gtgtggcagt cggggccagc tccagggccg cagcatcttc 2400  
 gcacaggacc tgcgcctctg cctggatgag acctctcct tggactgctt tggc 2454

<210> 21

<211> 1032

<212> PRT

<213> Canis familiaris

<400> 21

Met Gly Pro Cys Arg Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Ala Leu Ala Leu Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Pro Arg Gly Asn  
 50 55 60

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp  
 65 70 75 80

Tyr Asp Phe Val His Phe Val His Leu Arg Arg Leu Asn Leu Lys Trp  
85 90 95

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met  
100 105 110

Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Asp Leu  
115 120 125

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser  
130 135 140

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro  
145 150 155 160

Ala Thr Leu Ala Gly Leu Tyr Ala Leu Arg Phe Leu Phe Leu Asp Gly  
165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Leu Gln Val Ala Pro  
180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
195 200 205

Asn Asn Leu Thr Val Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr  
210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu  
225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Gly Phe  
260 265 270

Pro Gln Leu His Pro Asn Thr Phe Gly His Leu Ser His Leu Glu Gly  
275 280 285

Leu Val Leu Arg Asp Ser Ser Leu Tyr Ser Leu Asp Pro Arg Trp Phe  
290 295 300

His Gly Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu  
305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Tyr Gly Leu Ala Arg Leu  
325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
340 345 350

His Leu His Leu Ala Ser Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu  
355 360 365

Leu Asp Ile His Gly Ile Phe Phe Arg Ser Leu Ser Lys Thr Thr Leu  
370 375 380

Gln Ser Leu Ala His Leu Pro Met Leu Gln Arg Leu His Leu Gln Leu  
385 390 395 400

Asn Phe Ile Ser Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly  
405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Glu  
420 425 430

Pro Ala Ala Ala Thr Gly Glu Val Glu Ala Asp Cys Gly Glu Arg Val  
435 440 445

Trp Pro Gln Ser Arg Asp Leu Ala Leu Gly Pro Leu Gly Thr Pro Gly  
450 455 460

Ser Glu Ala Phe Met Pro Ser Cys Arg Thr Leu Asn Phe Thr Leu Asp  
465 470 475 480

Leu Ser Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Val Arg  
485 490 495

Leu Ala Arg Leu Gln Cys Leu Gly Leu Ser His Asn Ser Ile Ser Gln  
500 505 510

Ala Val Asn Gly Ser Gln Phe Val Pro Leu Ser Asn Leu Arg Val Leu  
515 520 525

Asp Leu Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr  
530 535 540

Glu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro

545	550	555	560
Phe Ser Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu	565	570	575
Pro Ala Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg	580	585	590
Val Ser Gln Gln Leu Arg Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser	595	600	605
Gly Asn Thr Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg	610	615	620
Phe Phe Gln Gly Leu Arg Ser Leu Val Gln Leu Asp Leu Ser Gln Asn	625	630	635
Arg Leu His Thr Leu Leu Pro Arg Asn Leu Asp Asn Leu Pro Lys Ser	645	650	655
<del>Leu Arg Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp</del>	<del>660</del>	<del>665</del>	<del>670</del>
<del>Ser Ser Leu Ala Leu Leu Pro Lys Leu Glu Ala Leu Asp Leu Ala Gly</del>	<del>675</del>	<del>680</del>	<del>685</del>
<del>Asn Gln Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln</del>	<del>690</del>	<del>695</del>	<del>700</del>
Leu Gln Arg Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Val Pro	705	710	715
Ser Phe Phe Ala Leu Ala Val Arg Leu Arg Glu Leu Asn Leu Ser Ala	725	730	735
Asn Ala Leu Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Leu Ala Gly	740	745	750
Ala Leu Lys Val Leu Asp Val Thr Ala Asn Pro Leu His Cys Ala Cys	755	760	765
Gly Ala Thr Phe Val Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro	770	775	780

Gly Leu Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly  
785 790 795 800

Arg Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu  
805 810 815

Ser Trp Val Cys Phe Ser Leu Ser Leu Leu Ala Val Ala Leu Ser Leu  
820 825 830

Ala Val Pro Met Leu His Gln Leu Cys Gly Trp Asp Leu Trp Tyr Cys  
835 840 845

Phe His Leu Cys Leu Ala Trp Leu Pro Arg Arg Gly Arg Arg Arg Gly  
850 855 860

Val Asp Ala Leu Ala Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln  
865 870 875 880

Ser Ser Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu  
885 890 895

Glu Arg Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp  
900 905 910

Trp Val Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr  
915 920 925

Ser Ser Arg Lys Thr Leu Phe Val Leu Ala Arg Thr Asp Arg Val Ser  
930 935 940

Gly Leu Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu  
945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Cys Pro Asp Ala His  
965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val  
980 985 990

Leu Leu Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln  
995 1000 1005

Leu Gly Thr Ala Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Gln  
1010 1015 1020

Asn Phe Cys Arg Gly Pro Thr Thr Ala  
1025 1030

<210> 22  
<211> 822  
<212> PRT  
<213> Canis familiaris

<400> 22

Met Gly Pro Cys Arg Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln  
1 5 10 15

Ala Ala Ala Leu Ala Leu Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe  
20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu  
35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Pro Arg Gly Asn  
50 55 60

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp  
65 70 75 80

Tyr Asp Phe Val His Phe Val His Leu Arg Arg Leu Asn Leu Lys Trp  
85 90 95

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met  
100 105 110

Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Asp Leu  
115 120 125

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser  
130 135 140

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro  
145 150 155 160

Ala Thr Leu Ala Gly Leu Tyr Ala Leu Arg Phe Leu Phe Leu Asp Gly  
165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Leu Gln Val Ala Pro  
180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Val Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Gly Phe  
 260 265 270

Pro Gln Leu His Pro Asn Thr Phe Gly His Leu Ser His Leu Glu Gly  
 275 280 285

Leu Val Leu Arg Asp Ser Ser Leu Tyr Ser Leu Asp Pro Arg Trp Phe  
 290 295 300

His Gly Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Tyr Gly Leu Ala Arg Leu  
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350

His Leu His Leu Ala Ser Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu  
 355 360 365

Leu Asp Ile His Gly Ile Phe Phe Arg Ser Leu Ser Lys Thr Thr Leu  
 370 375 380

Gln Ser Leu Ala His Leu Pro Met Leu Gln Arg Leu His Leu Gln Leu  
 385 390 395 400

Asn Phe Ile Ser Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly  
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Glu  
 420 425 430



Pro Ala Ala Ala Thr Gly Glu Val Glu Ala Asp Cys Gly Glu Arg Val  
435 440 445

Trp Pro Gln Ser Arg Asp Leu Ala Leu Gly Pro Leu Gly Thr Pro Gly  
450 455 460

Ser Glu Ala Phe Met Pro Ser Cys Arg Thr Leu Asn Phe Thr Leu Asp  
465 470 475 480

Leu Ser Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Val Arg  
485 490 495

Leu Ala Arg Leu Gln Cys Leu Gly Leu Ser His Asn Ser Ile Ser Gln  
500 505 510

Ala Val Asn Gly Ser Gln Phe Val Pro Leu Ser Asn Leu Arg Val Leu  
515 520 525

Asp Leu Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr  
530 535 540

Glu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro  
545 550 555 560

Phe Ser Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu  
565 570 575

Pro Ala Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg  
580 585 590

Val Ser Gln Gln Leu Arg Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser  
595 600 605

Gly Asn Thr Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg  
610 615 620

Phe Phe Gln Gly Leu Arg Ser Leu Val Gln Leu Asp Leu Ser Gln Asn  
625 630 635 640

Arg Leu His Thr Leu Leu Pro Arg Asn Leu Asp Asn Leu Pro Lys Ser  
645 650 655

Leu Arg Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp

660                                      665                                      670  
 Ser Ser Leu Ala Leu Leu Pro Lys Leu Glu Ala Leu Asp Leu Ala Gly  
       675                                      680                                      685  
 Asn Gln Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln  
       690                                      695                                      700  
 Leu Gln Arg Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Val Pro  
       705                                      710                                      715                                      720  
 Ser Phe Phe Ala Leu Ala Val Arg Leu Arg Glu Leu Asn Leu Ser Ala  
                                     725                                      730                                      735  
 Asn Ala Leu Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Leu Ala Gly  
                                     740                                      745                                      750  
 Ala Leu Lys Val Leu Asp Val Thr Ala Asn Pro Leu His Cys Ala Cys  
                                     755                                      760                                      765  
 Gly Ala Thr Phe Val Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro  
       770                                      775                                      780  
 Gly Leu Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly  
       785                                      790                                      795                                      800  
 Arg Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu  
                                     805                                      810                                      815  
 Ser Trp Val Cys Phe Ser  
                                     820

<210> 23  
 <211> 3334  
 <212> DNA  
 <213> Canis familiaris

<400> 23  
 aggaaggggc tgtgagctcc aagcaccctt tctgcagct gctgccagc ctgccagcca 60  
 gaccctctgg agaagcccc gctccctgtc atgggcccct gccgtggcgc cctgcacccc 120  
 ctgtctctcc tgggtcaggc tgccgcgcta gccctggccc tggcccaggg caccctgcct 180  
 gccttctgc cctgtgagct ccagcccat ggccgtgga actgcaactg gctgttctc 240  
 aagtcctgc cccgttctc ggcagctgca cccgcggta acgtcaccag cctttcctg 300

tactccaacc gcatccacca cctccatgac tatgaactttg tccacttcgt ccacctgcgg 360  
 cgtctcaatc tcaagtggaa ctgcccgcgc gccagcctca gcccacatgca ctttcctgt 420  
 cacatgacca ttgagcccaa caccttcctg gctgtgcccc ccttagagga cctgaatctg 480  
 agctataaca gcatcacgac tgtgcccgcg ctgcccagtt cgcttggtgc cctgtccctg 540  
 agccgcacca acatcctggt gctggacctt gccaccctgg caggccttta tgcctgcgc 600  
 ttctgtttcc tggatggcaa ctgctactac aagaaccctt gccagcaggc cctgcagggtg 660  
 gcccagggtg cctcctggg cctgggcaac ctcacacacc tgtcactcaa gtacaacaac 720  
 ctcaccgtgg tgccgcgggg cctgcccccc agcctggagt acctgctctt gtctacaac 780  
 cacatcatca cctggcacc tgaggacctg gccaatctga ctgccctgcg tgtcctcgat 840  
 gtgggtggga actgtcgccg ctgtgacctt gcccgtaacc cctgcaggga gtgcccgaag 900  
 ggcttcccc agctgcacc caacaccttc ggccacctga gccacctcga aggcctggtg 960  
 ttgagggaca gctctctcta cagcctggac ccaggtggt tccatggcct gggcaacctc 1020  
 atggtgctgg acctgagtga gaacttcctg tatgactgca tcacaaaaac caagccttc 1080  
 tacggcctgg cccggtgcg cagactcaac ctgtccttca attatcataa gaagggtgtc 1140  
 atttggccacc tgcactctggc atcctccttc gggagcctac tgtccctgca ggagctggac 1200  
 atacatggca tcttcttccg ctogetcagc aagaccagc tccagtcgct ggccacctg 1260  
 tcccatgctcc agcgtctgca tctgcagttg aactttatca gccaggccca gctcagcatc 1320  
 tctggggcctt tccctggact ggggtacgtg gacttgtcag acaaccgcat cagtggagct 1380  
 tgcagagcccg cggctgccac aggggaggtg gaggcagact gtggggagag agtctggcca 1440  
 cagtcccggt accttgctct gggcccaactg ggcacccccg gctcagaggc cttcatgccg 1500  
 agctgcagga cctcaactt caccttggac ctgtctcgga acaacctagt gactgttcag 1560  
 ccggagatgt ttgtccggtt ggcgcgctc cagtgcctgg gctgagcca caacagcatc 1620  
 tcgcaggcgg tcaatggctc gcagttcgtg cctctgagca acctgcgggt gctggacctg 1680  
 tcccataaca agctggacct gtaccacggg cgctcgttca cggagctgcc gcggtggag 1740  
 gccttggacc tcagctacaa cagccagccc ttcagcatgc ggggcgtggg ccacaatctc 1800  
 agctttgtgg cacagctgcc agcctgcgc tacctcagcc tggcgacaaa tggcatccac 1860  
 agccgcgtgt cccagcagct ccgcagcgcc tcgctccggg ccttggactt cagtggcaat 1920  
 acctgagcc agatgtgggc cgaggagac ctctatctcc gcttcttcca aggcctgaga 1980  
 agcctgggtc agctggacct gtcccagaat cgctgcata cctcctgcc acgcaacctg 2040  
 gacaacctcc ccaagagcct ggggtcctg cggtccgtg acaattacct ggctttcttc 2100

aactggagca gcctggccct cctaccaag ctggaagccc tggacctggc gggaaaccag 2160  
ctgaaggccc tgagcaatgg cagcttgccc aacggcaccc agctccagag gctggacctc 2220  
agcggcaaca gcatcggtt cgtggtcccc agcttttttg ccctggccgt gaggcttcga 2280  
gagctcaacc tcagcgcaa cgccctcaag acggtggagc cctcctggtt tggttccctg 2340  
gcgggtgccc tgaaagtct agacgtgacc gccaacccct tgcatcgcc ttgcggcgca 2400  
accttcgtgg acttcttgct ggaggtgcag gctgcggtgc ccggcctgcc tagccgtgtc 2460  
aagtgcggca gcccgggcca gctccagggc cgcagcatct tcgcacagga cctgcgcctc 2520  
tgcttgagc aagcgtctc ctgggtctgt ttcagcctct cgtcgtggc tgtggccctg 2580  
agcctggctg tgcccatgct gcaccagctc tgtggctggg acctctggta ctgcttcac 2640  
ctgtgcctgg cctggctgcc ccggcggggg cgggcgggg gtgtggatgc cctggcctat 2700  
gacgccttcg tggctctcga caaggcgag agctcgggtg cggactgggt gtacaatgag 2760  
ctgcgggtac agctagagga gcgccgtggg cgccggggcg tacgcctgtg tctggaggaa 2820  
cgtgactggg taccggcaa aacctcttc gagaacctct gggcctcagt ttacagcagc 2880  
cgcaagacgc tgtttgtgct ggccgcagc gacagagtca gcggcctcct gcgtgccagc 2940  
ttcctgetgg cccaacagcg cctgctggag gaccgcaagg acgtcgtggg gctggtgatc 3000  
ctgtgccccg acgccaccg ctcccgctat gtgcggtgc gccagcgct ctgcgccag 3060  
agtgtcctcc tctggcccca ccagccagt gccagcgca gcttctgggc ccagctgggc 3120  
acggccctga ccagggacaa ccgccacttc tacaaccaga acttctgccg gggccccacg 3180  
acagcctgat aggcagacag ccagcacct tcgcgccct acacctgcc tgtctgtctg 3240  
ggatgccga cctgctggct ctacaccgcc gctctgtctc ccctacacc agccctggca 3300  
taaagcgacc gctcaataaa tgctgctggg agac 3334

&lt;210&gt; 24

&lt;211&gt; 2466

&lt;212&gt; DNA

&lt;213&gt; Canis familiaris

&lt;400&gt; 24

atgggcccct gccgtggcgc cctgcacccc ctgtctctcc tgggtcaggc tgccgcgcta 60  
gccctggccc tggcccaggg caccctgcct gccttctgc cctgtgagct ccagcccat 120  
ggcctggtga actgcaactg gctgttctc aagtccgtgc ccgcttctc ggcagctgca 180  
ccccgggta acgtcaccag ccttctcttg tactccaacc gcatccacca cctccatgac 240  
tatgactttg tccacttcgt ccacctgcgg cgtctcaatc tcaagtggaa ctgccccccc 300

gccagcctca gccccatgca ctttcctgt cacatgacca ttgagcccaa caccttcctg 360  
 gctgtgccca ccctagagga cctgaatctg agctataaca gcatcacgac tgtgcccgcc 420  
 ctgcccagtt cgcttgtgtc cctgtccctg agccgcacca acatcctggt gctggaccct 480  
 gccaccctgg caggccttta tgccctgccc ttctgttcc tggatggcaa ctgctactac 540  
 aagaaccct gccagcaggc cctgcaggtg gcccaggtg ccctcctggg cctgggcaac 600  
 ctcacacacc tgtcactcaa gtacaacaac ctcaccgtgg tgccgcgggg cctgcccccc 660  
 agcctggagt acctgctctt gtccataaac cacatcatca ccctggcacc tgaggacctg 720  
 gccaatctga ctgcccctgc tgctctgat gtgggtggga actgtcgcgc ctgtgaccat 780  
 gcccgtaac cctgcaggga gtgccccaa ggcttcccc agctgcaccc caacaccttc 840  
 ggccacctga gccacctga aggcctggtg ttgagggaca gctctctcta cagcctggac 900  
 cccaggtggt tccatggcct gggcaacctc atggtgctgg acctgagtga gaacttcctg 960  
 tatgactgca tcacaaaaac caaagccttc tacggcctgg cccggctgcg cagactcaac 1020  
 ctgtctctca attatcataa gaaggtgtcc ttgcccacc tgcactggc atcctccttc 1080  
 ggggagcctac tgtccctgca ggagctggac atacatggca tcttcttcgc ctgctcagc 1140  
 aagaccagc tccagctgct ggcccacctg cccatgctcc agcgtctgca tctgcagttg 1200  
 aacttctatca gccaggecca gctcagcatc ttccgcctc tccctggact gcggtacgtg 1260  
 gacttgacagwacaaccgcat cagtggagct gcagagcccg cggctgccac aggggaggtg 1320  
 gaggcagact gtggggagag agtctggcca cagtcccggt acctgtctct gggccactg 1380  
 gggaaccccg gctcagaggc cttcatgccg agctgcagga ccctcaactt caccttggac 1440  
 ctgtctcgga acaacctagt gactgttcag ccggagatgt ttgtccggt ggcgcgcctc 1500  
 cagtgcctgg gcctgagcca caacagcatc tcgcaggcgg tcaatggctc gcagttcgtg 1560  
 cctctgagca acctgcgggt gctggacctg tcccataaca agctggacct gtaccacggg 1620  
 cgctcgttca cggagctgcc gggctggag gccttgacc tcagctaaa cagccagccc 1680  
 ttcagcatgc gggcgctggg ccacaatctc agctttgtgg cacagctgcc agccctgcgc 1740  
 tacctcagcc tggcgacaaa tggcatccac agccgcgtgt cccagcagct ccgcagcgcc 1800  
 tcgtccggg ccctggactt cagtggcaat accctgagcc agatgtgggc cgaggagac 1860  
 ctctatctcc gcttcttcca aggcctgaga agcctgggtc agctggacct gtcccagaat 1920  
 cgctgcata ccctcctgcc acgcaacctg gacaacctcc ccaagagcct gcggtcctg 1980  
 cggtccgtg acaattacct ggctttcttc aactggagca gcctggcct cctaccaag 2040

ctggaagccc tggacctggc gggaaaccag ctgaagggcc tgagcaatgg cagcttgccc 2100  
 aacggcaccc agctccagag gctggacctc agcggcaaca gcatcggctt cgtgggtcccc 2160  
 agcttttttg ccttgggcgt gaggttcoga gagctcaacc tcagcgccaa cgccctcaag 2220  
 acggtggagc cctcctgggt tggttccctg gcgggtgccc tgaaagtcct agacgtgacc 2280  
 gccaacccct tgcattgcgc ttgcggcgca accttcgtgg acttcttget ggaggtgcag 2340  
 gctgcgggtgc cgggctgcc tagccgtgtc aagtgcggca gcccgggcca gctccagggc 2400  
 cgcagcatct tcgcacagga cctgcgcctc tgcttggacg aagcgtcttc ctgggtctgt 2460  
 ttcagc 2466

<210> 25  
 <211> 1031  
 <212> PRT  
 <213> Felis catus

<400> 25

Met Gly Pro Cys His Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Ala Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Gln Arg His Gly Leu Val Asn Cys Asp Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Pro Arg Gly Asn  
 50 55 60

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp  
 65 70 75 80

Ser Asp Phe Val His Leu Ser Ser Leu Arg Arg Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met  
 100 105 110

Thr Ile Glu Pro His Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser  
 130 135 140

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro  
 145 150 155 160

Ala Asn Leu Ala Gly Leu His Ser Leu Arg Phe Leu Phe Leu Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Pro Gln Ala Leu Gln Val Ala Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Ala Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

~~Arg~~ Cys ~~Asp~~ His ~~Ala~~ Arg Asn Pro Cys Met Glu Cys Pro Lys Gly Phe  
 260 265 270

~~Pro~~ His ~~Leu~~ His ~~Pro~~ Asp Thr Phe Ser His Leu Asn His Leu Glu Gly  
 275 280 285

~~Leu~~ Val ~~Leu~~ Lys Asp Ser Ser Leu Tyr Asn Leu Asn Pro Arg Trp Phe  
 290 295 300

His Ala Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Gln Leu  
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350

His Leu His Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Gln  
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu  
 370 375 380

Arg Ser Leu Val His Leu Pro Met Leu Gln Ser Leu His Leu Gln Met  
385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly  
405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Met Glu  
420 425 430

Leu Ala Ala Ala Thr Gly Glu Val Asp Gly Gly Glu Arg Val Arg Leu  
435 440 445

Pro Ser Gly Asp Leu Ala Leu Gly Pro Pro Gly Thr Pro Ser Ser Glu  
450 455 460

Gly Phe Met Pro Gly Cys Lys Thr Leu Asn Phe Thr Leu Asp Leu Ser  
465 470 475 480

Arg Asn Asn Leu Val Thr Ile Gln Pro Glu Met Phe Ala Arg Leu Ser  
485 490 495

Arg Leu Gln Cys Leu Leu Leu Ser Arg Asn Ser Ile Ser Gln Ala Val  
500 505 510

Asn Gly Ser Gln Phe Met Pro Leu Thr Ser Leu Gln Val Leu Asp Leu  
515 520 525

Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu  
530 535 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser  
545 550 555 560

Met Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala  
565 570 575

Leu Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser  
580 585 590

Gln Gln Leu Cys Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn  
595 600 605

Ala Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe



- 74 -

Leu Cys Leu Ala Trp Leu Pro Arg Arg Gly Arg Arg Arg Gly Ala Asp  
 850 855 860

Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala  
 865 870 875 880

Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu Glu Arg  
 885 890 895

Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu  
 900 905 910

Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser  
 915 920 925

Arg Lys Met Leu Phe Val Leu Ala His Thr Asp Arg Val Ser Gly Leu  
 930 935 940

Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg  
 945 950 955 960

Lys Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala His Arg Ser  
 965 970 975

Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu  
 980 985 990

Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln Leu Gly  
 995 1000 1005

Thr Ala Leu Thr Arg Asp Asn Gln His Phe Tyr Asn Gln Asn Phe  
 1010 1015 1020

Cys Arg Gly Pro Thr Thr Ala Glu  
 1025 1030

<210> 26  
 <211> 820  
 <212> PRT  
 <213> Felis catus

<400> 26

Met Gly Pro Cys His Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Ala Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Gln Arg His Gly Leu Val Asn Cys Asp Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Gly Asn  
 50 55 60

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp  
 65 70 75 80

Ser Asp Phe Val His Leu Ser Ser Leu Arg Arg Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met  
 100 105 110

Thr Ile Glu Pro His Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
 115 120 125

~~Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser~~  
~~130 135 140~~

~~Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro~~  
~~145 150 155 160~~

~~Ala Asn Leu Ala Gly Leu His Ser Leu Arg Phe Leu Phe Leu Asp Gly~~  
~~165 170 175~~

~~Asn Cys Tyr Tyr Lys Asn Pro Cys Pro Gln Ala Leu Gln Val Ala Pro~~  
~~180 185 190~~

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Ala Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Met Glu Cys Pro Lys Gly Phe  
260 265 270

Pro His Leu His Pro Asp Thr Phe Ser His Leu Asn His Leu Glu Gly  
275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asn Pro Arg Trp Phe  
290 295 300

His Ala Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu  
305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Gln Leu  
325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
340 345 350

His Leu His Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Gln  
355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu  
370 375 380

Arg Ser Leu Val His Leu Pro Met Leu Gln Ser Leu His Leu Gln Met  
385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly  
405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Met Glu  
420 425 430

Leu Ala Ala Ala Thr Gly Glu Val Asp Gly Gly Glu Arg Val Arg Leu  
435 440 445

Pro Ser Gly Asp Leu Ala Leu Gly Pro Pro Gly Thr Pro Ser Ser Glu  
450 455 460

Gly Phe Met Pro Gly Cys Lys Thr Leu Asn Phe Thr Leu Asp Leu Ser  
465 470 475 480

Arg Asn Asn Leu Val Thr Ile Gln Pro Glu Met Phe Ala Arg Leu Ser  
485 490 495

Arg Leu Gln Cys Leu Leu Leu Ser Arg Asn Ser Ile Ser Gln Ala Val  
500 505 510

Asn Gly Ser Gln Phe Met Pro Leu Thr Ser Leu Gln Val Leu Asp Leu  
515 520 525

Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu  
530 535 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser  
545 550 555 560

Met Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala  
565 570 575

Leu Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser  
580 585 590

Gln Gln Leu Cys Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn  
595 600 605

Ala Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe  
610 615 620

Arg Gly Leu Arg Ser Leu Val Arg Leu Asp Leu Ser Gln Asn Arg Leu  
625 630 635 640

His Thr Leu Leu Pro Arg Thr Leu Asp Asn Leu Pro Lys Ser Leu Arg  
645 650 655

Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser  
660 665 670

Leu Val Leu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln  
675 680 685

Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln Leu Gln  
690 695 700

Arg Leu Asp Leu Ser Ser Asn Ser Ile Ser Phe Val Ala Ser Ser Phe  
705 710 715 720

Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala

725

730

735

Leu Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu  
 740 745 750

Lys Val Leu Asp Val Thr Gly Asn Pro Leu His Cys Ala Cys Gly Ala  
 755 760 765

Ala Phe Val Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu  
 770 775 780

Pro Gly His Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser  
 785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp  
 805 810 815

Asp Cys Phe Gly  
 820

&lt;210&gt; 27

&lt;211&gt; 3235

&lt;212&gt; DNA

&lt;213&gt; Felis catus

&lt;400&gt; 27

agggtctgcg agctccaggc attcttctct gccatcgctg ccagtcctgc catccagacc 60  
 ctctggagaa gccccactc cctgtcatgg gccctgccca tggcgccctg caccctctgt 120  
 ctctcctggt gcaggtgcc gcgctggccg tggccctggc ccagggcacc ctgcctgcct 180  
 ttctgccctg tgagctccag cgccacggcc tggatgaattg cgactggctg ttctcaagt 240  
 ccgtgccccca cttctcgggc gcagcgcccc gtggtaacgt caccagcctt tcctgtact 300  
 ccaaccgcat ccaccacctc cactgactccg actttgtcca cctgtccagc ctgcggcgtc 360  
 tcaacctcaa atggaactgc ccaccgcca gcctcagccc catgcacttc ccctgtcaca 420  
 tgaccattga gccccacacc ttctggccg tgcccaccct ggaggagctg aacctgagct 480  
 acaacagcat cagcacagta ccgcccctgc ccagttccct cgtgtccctg tccttgagcc 540  
 gtaccaacat cctggtgctg gacctgccca acctcgagg gctgcactcc ctgcgctttc 600  
 tgttcctgga tggcaactgc tactacaaga acccctgccc gcaggccctg caggtggccc 660  
 cgggcgcctt ccttggcctg ggcaacctta cgcacctgtc actcaagtac aacaacctca 720  
 ctgcggtgcc ccgcgccctg cccccagcc tggagtacct gctattgtcc tacaaccaca 780

tcacaccct ggcacctgag gacctggcca acctgaccgc cctgcgtgtg ctcatgttg	840
gtgggaactg ccgtcgctgt gaccacgccc gcaacccctg tatggagtgc cccaagggct	900
tcccgacact gcaccctgac accttcagcc acctgaacca cctcgaaggc ctggtgttga	960
aggacagctc tctctacaac ctgaacccca gatgggtcca tgccctgggc aacctcatgg	1020
tgctggacct gagtgagaac ttctatatg actgcatcac caaaaccaca gccttcagg	1080
gcctggccca gctgcgcaga ctcaacttgt ctttcaatta ccacaagaag gtgtcctttg	1140
cccacctgca tctggcgccc tcttcggga gcctgctctc cctgcagcag ctggacatgc	1200
atggcatctt cttccgctcg ctgagcgaga ccacgctccg gtcgctggtc cacctgcca	1260
tgctccagag tctgcacctg cagatgaact tcacaaatca ggcccagctc agcatcttcg	1320
gggccttccc tggcctgcga tacgtggacc tgtcagacaa ccgcataagt ggagccatgg	1380
agctggcggc tgccacgggg gaggtggatg gtggggagag agtccggctg ccatctgggg	1440
acctagctct gggcccaccg ggcaccccta gctccgaggg cttcatgcca ggctgcaaga	1500
ccctcaactt caccttggac ctgtcacgga acaacctagt gacaatccag ccagagatgt	1560
ttgcccggct ctgcgcctc cagtgcctgc tctgagccg caacagcatc tcgcaggcag	1620
tcaacggctc acaatttatg ccgctgacca gcctgcaggg gctggacctg tcccataaca	1680
agctggacct gtaaccatggg cgtcttttca cggagctgcc gcggctggag gccctggacc	1740
tcagctacaa cagccagccc ctccagcatgc agggcggtggg tcacaacctc agctttgtgg	1800
ccacagctgc aggeectgggc tatctcagcc tggcgacaaa cgacatccac agccgtgtgt	1860
cccagcagct ctgcagcgcc tcgctgcggg ccttggactt cagcggcaat gccttgagcc	1920
ggatgtgggc cgagggagac ctgtatctcc acttcttcg aggcctgagg agcctggtcc	1980
ggttggatct gtcccagaat cgcctgcata cctctttgcc acgcacctg gacaacctcc	2040
ccaagagcct gcggtgctg cgtctcgtg acaattatct ggctttcttc aactggagca	2100
gcctggtcct cctccccagg ctggaagccc tggacctggc gggaaaccag ctgaaggccc	2160
tgagcaacgg cagcttgctt aatggaaccc agctccagag gctggacctc agcagcaaca	2220
gtatcagctt cgtggcctcc agcttttttg ctctggccac caggctgcga gagctcaacc	2280
tcagtgccaa cgcctcaag acggtggagc cctcctggtt cggttctcta gcgggcaccc	2340
tgaaagtcct agatgtgact ggcaaccccc tgactgcgc ctgtggggcg gccttcgtgg	2400
acttcttgct ggaggtgcag gctgcagtgc ccggcctgcc aggccacgtc aagtgtggca	2460
gtccaggcca gctccagggc cgcagcatct ttgcgcagga tctgcgcctc tgctggatg	2520
aggccctctc ctgggactgt tttggcctct cgctgctgac cgtggccctg ggctggccg	2580

tgcccatgct gcaccacctc tgtggctggg acctctggta ctgcttccac ctgtgcctgg 2640  
 cctggctgcc ccggcggggg cgggcggggg gcgcggatgc cctgccctac gatgcctttg 2700  
 tggctcttca caaggcacag agcgcggtgg ccgactgggt gtacaacgag ctgcgggtag 2760  
 ggctagagga gcgccgtgga cgccgagcgc tccgcctgtg cctggaggaa cgtgactggc 2820  
 taccgggtaa aacgctcttt gagaacctgt gggcctcagt ttacagcagc cgcaagatgc 2880  
 tgtttgtgct ggccacaca gacagggta gggcctctt gcgcgccagc tttctgctgg 2940  
 cccagcagcg cctgctggag gaccgcaagg acgttgtgggt gctggatgac ctgcgccccg 3000  
 acgcccaccg ctcccgtat gtgcggctgc gccagcgcct ctgccgccag agcgtcctcc 3060  
 tctggcccca ccagcccagt ggccagcgca gcttctgggc ccagctgggc acggccctga 3120  
 ccagggacaa ccagcacttc tataaccaga acttctgccg gggcccccac acggcagagt 3180  
 gaccgcccag caccccaagc ctctacacc ttgcctgtct gcctgggatg ccggg 3235

<210> 28  
 <211> 2460  
 <212> DNA  
 <213> Felis catus

<400> 28  
 atggggccct gccatggcgc cctgcacccc ctgtctctcc tgggtgcaggc tgccgcgctg 60  
 gccgtggccc tggcccaggg caccctgcct gcctttctgc cctgtgagct ccagcgccac 120  
 ggcctggtga attgcgactg gctgttcttc aagtcctgac ccacttctc ggcggcagcg 180  
 ccccgctggtg acgtcaccag cctttccctg tactccaacc gcattccacca cctccacgac 240  
 tccgactttg tccacctgtc cagcctgcgg cgtctcaacc tcaaattggaa ctgcccaccc 300  
 gccagcctca gcccctatgca ctccctctgt cacatgacca ttgagcccca caccttctctg 360  
 gccgtgcccc cctggaggga gctgaacctg agctacaaca gcattcacgac agtaccgcgc 420  
 ctgcccagtt ccctcgtgtc cctgtccttg agcgtacca acatcctggg gctggaccct 480  
 gccaacctcg cagggtgca ctccctgcgc tttctgttcc tggatggcaa ctgctactac 540  
 aagaacctct gcccgcaggc cctgcagggt gcccggggcg ccctccttgg cctgggcaac 600  
 cttacgcacc tgtcactcaa gtacaacaac ctactgcgg tgccccgcgg cctgcccccc 660  
 agcctggagt acctgctatt gtctacaac cacatcatca ccctggcacc tgaggacctg 720  
 gccaacctga ccgcctgcg tgtgctcgat gtgggtggga actgccgtcg ctgtgaccac 780  
 gcccgaacc cctgtatgga gtgcccgaag ggcttccgc acctgcaccc tgacaccttc 840  
 agccacctga accacctga aggcctgggt ttgaaggaca gctctctcta caacctgaac 900



cccagatggt tccatgccct gggcaacctc atgggtgctgg acctgagtga gaacttccta 960  
 tatgactgca tcacaaaaac cacagccttc cagggcctgg cccagctgcg cagactcaac 1020  
 ttgtctttca attaccacaa gaaggtgtcc tttgccacc tgcactctggc gccctccttc 1080  
 gggagcctgc tctccctgca gcagctggac atgcatggca tcttcttccg ctgctcagc 1140  
 gagaccacgc tccggctgct ggtccacctg cccatgctcc agagtctgca cctgcagatg 1200  
 aacttcatca atcaggecca gctcagcatc ttcggggcct tcctggcct gcgatacgtg 1260  
 gacctgtcag acaaccgcat aagtggagcc atggagctgg cggctgccac gggggaggtg 1320  
 gatggtgggg agagagtccg gctgccatct ggggacctag ctctggggcc accgggcacc 1380  
 cctagctccg agggcttcat gccaggtgc aagacctca acttcacctt ggacctgtca 1440  
 cggaacaacc tagtgacaat ccagccagag atgtttgcc ggctctcgcg cctccagtgc 1500  
 ctgctcctga gccgcaacag catctcgag gcagtcaacg gtcacaatt tatgccgtg 1560  
 accagcctgc aggtgctgga cctgtcccat aacaagctgg acctgtacca tgggcgtct 1620  
 ttcacggagc tgccgggct ggaggccctg gacctcagct acaacagcca gcccttcagc 1680  
 atgcagggcg tgggtcacia cctcagcttt gtggcacagc tgccggccct gcgctatctc 1740  
 agcctggcgc acaacgacat ccacagcctg gtgtcccagc agctctgcag cgcctcgctg 1800  
 cggggccttg acttcagcgg caatgccttg agccgatgt gggccgagg agacctgtat 1860  
 ctccactctc tcgaggcct gagagcctg gtccggttg atctgtccca gaatgcctg 1920  
 cataccctct tgcacgcac cctggacaac ctcccaaga gcctgcggct gctgcgtctc 1980  
 cgtgacaatt atctggcttt cttcaactgg agcagcctgg tcctcctccc caggctggaa 2040  
 gccctggacc tggcgggaaa ccagctgaag gccctgagca acggcagctt gcctaattga 2100  
 acccagctcc agaggctgga cctcagcagc aacagtatca gcttcgtggc ctccagcttt 2160  
 tttgctctgg ccaccaggct gcgagagctc aacctcagt ccaacgccct caagacgggtg 2220  
 gagccctcct ggttcggttc tctagcgggc accctgaaag tcctagatgt gactggcaac 2280  
 cccctgcact gcgctgtgg ggcggccttc gtggacttct tgctggaggt gcaggctgca 2340  
 gtgcccgcc tgccaggcca cgtcaagtgt ggcagtccag gtcagctcca gggccgcagc 2400  
 atctttgcgc aggatctgcg cctctgcctg gatgaggccc tctcctggga ctgttttggc 2460

&lt;210&gt; 29

&lt;211&gt; 1032

&lt;212&gt; PRT

&lt;213&gt; Mus musculus

&lt;400&gt; 29

Met Val Leu Arg Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Val Leu Ala Glu Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Ser Cys Ser Asn  
 50 55 60

Ile Thr Arg Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asn  
 65 70 75 80

Ser Asp Phe Val His Leu Ser Asn Leu Arg Gln Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Thr Gly Leu Ser Pro Leu His Phe Ser Cys His Met  
 100 105 110

Thr Ile Glu Pro Arg Thr Phe Leu Ala Met Arg Thr Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser  
 130 135 140

Leu Val Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala  
 145 150 155 160

Asn Ser Leu Ala Gly Leu Tyr Ser Leu Arg Val Leu Phe Met Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Thr Gly Ala Val Lys Val Thr Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Lys Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Val Ser Tyr Asn Leu Ile Val Lys Leu Gly Pro Glu Asp Leu

225                      230                      235                      240  
 Ala Asn Leu Thr Ser Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
                                  245                      250                      255  
 Arg Cys Asp His Ala Pro Asn Pro Cys Ile Glu Cys Gly Gln Lys Ser  
                                  260                      265                      270  
 Leu His Leu His Pro Glu Thr Phe His His Leu Ser His Leu Glu Gly  
                                  275                      280                      285  
 Leu Val Leu Lys Asp Ser Ser Leu His Thr Leu Asn Ser Ser Trp Phe  
                                  290                      295                      300  
 Gln Gly Leu Val Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305                      310                      315                      320  
 Tyr Glu Ser Ile Asn His Thr Asn Ala Phe Gln Asn Leu Thr Arg Leu  
                                  325                      330                      335  
 Arg Lys Leu Asn Leu Ser Phe Asn Tyr Arg Lys Lys Val Ser Phe Ala  
                                  340                      345                      350  
 Arg Leu His Leu Ala Ser Ser Phe Lys Asn Leu Val Ser Leu Gln Glu  
                                  355                      360                      365  
 Leu Asn Met Asn Gly Ile Phe Phe Arg Ser Leu Asn Lys Tyr Thr Leu  
                                  370                      375                      380  
 Arg Trp Leu Ala Asp Leu Pro Lys Leu His Thr Leu His Leu Gln Met  
 385                      390                      395                      400  
 Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Thr Phe Arg Ala  
                                  405                      410                      415  
 Leu Arg Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Pro Ser Thr  
                                  420                      425                      430  
 Leu Ser Glu Ala Thr Pro Glu Glu Ala Asp Asp Ala Glu Gln Glu Glu  
                                  435                      440                      445  
 Leu Leu Ser Ala Asp Pro His Pro Ala Pro Leu Ser Thr Pro Ala Ser  
                                  450                      455                      460

Lys Asn Phe Met Asp Arg Cys Lys Asn Phe Lys Phe Thr Met Asp Leu  
 465 470 475 480

Ser Arg Asn Asn Leu Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu  
 485 490 495

Ser Arg Leu Gln Cys Leu Ser Leu Ser His Asn Ser Ile Ala Gln Ala  
 500 505 510

Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Gln Val Leu Asp  
 515 520 525

Leu Ser His Asn Lys Leu Asp Leu Tyr His Trp Lys Ser Phe Ser Glu  
 530 535 540

Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe  
 545 550 555 560

Ser Met Lys Gly Ile Gly His Asn Phe Ser Phe Val Ala His Leu Ser  
 565 570 575

Met Leu His Ser Leu Ser Leu Ala His Asn Asp Ile His Thr Arg Val  
 580 585 590

Ser Ser His Leu Asn Ser Asn Ser Val Arg Phe Leu Asp Phe Ser Gly  
 595 600 605

Asn Gly Met Gly Arg Met Trp Asp Glu Gly Gly Leu Tyr Leu His Phe  
 610 615 620

Phe Gln Gly Leu Ser Gly Leu Leu Lys Leu Asp Leu Ser Gln Asn Asn  
 625 630 635 640

Leu His Ile Leu Arg Pro Gln Asn Leu Asp Asn Leu Pro Lys Ser Leu  
 645 650 655

Lys Leu Leu Ser Leu Arg Asp Asn Tyr Leu Ser Phe Phe Asn Trp Thr  
 660 665 670

Ser Leu Ser Phe Leu Pro Asn Leu Glu Val Leu Asp Leu Ala Gly Asn  
 675 680 685

Gln Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu  
 690 695 700

Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Ser Val Val Pro Ala  
705 710 715 720

Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn  
725 730 735

Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn  
740 745 750

Leu Thr Val Leu Asp Val Arg Ser Asn Pro Leu His Cys Ala Cys Gly  
755 760 765

Ala Ala Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly  
770 775 780

Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg  
785 790 795 800

Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Val Leu Ser  
805 810 815

Trp Asp Cys Phe Gly Leu Ser Leu Leu Ala Val Ala Val Gly Met Val  
820 825 830

Val Pro Ile Leu His His Leu Cys Gly Trp Asp Val Trp Tyr Cys Phe  
835 840 845

His Leu Cys Leu Ala Trp Leu Pro Leu Leu Ala Arg Ser Arg Arg Ser  
850 855 860

Ala Gln Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln  
865 870 875 880

Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu  
885 890 895

Glu Arg Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Asp Arg Asp  
900 905 910

Trp Leu Pro Gly Gln Thr Leu Phe Glu Asn Leu Trp Ala Ser Ile Tyr  
915 920 925

Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser  
930 935 940

Gly Leu Leu Arg Thr Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu  
 945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala His  
 965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val  
 980 985 990

Leu Phe Trp Pro Gln Gln Pro Asn Gly Gln Gly Gly Phe Trp Ala Gln  
 995 1000 1005

Leu Ser Thr Ala Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Gln  
 1010 1015 1020

Asn Phe Cys Arg Gly Pro Thr Ala Glu  
 1025 1030

<210> 30  
 <211> 821  
 <212> PRT  
 <213> Mus musculus

<400> 30

Met Val Leu Arg Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Val Leu Ala Glu Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Ser Cys Ser Asn  
 50 55 60

Ile Thr Arg Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asn  
 65 70 75 80

Ser Asp Phe Val His Leu Ser Asn Leu Arg Gln Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Thr Gly Leu Ser Pro Leu His Phe Ser Cys His Met  
 100 105 110

Thr Ile Glu Pro Arg Thr Phe Leu Ala Met Arg Thr Leu Glu Glu Leu  
115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser  
130 135 140

Leu Val Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala  
145 150 155 160

Asn Ser Leu Ala Gly Leu Tyr Ser Leu Arg Val Leu Phe Met Asp Gly  
165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Thr Gly Ala Val Lys Val Thr Pro  
180 185 190

Gly Ala Leu Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr  
195 200 205

Asn Asn Leu Thr Lys Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr  
210 215 220

Leu Leu Val Ser Tyr Asn Leu Ile Val Lys Leu Gly Pro Glu Asp Leu  
225 230 235 240

Ala Asn Leu Thr Ser Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
245 250 255

Arg Cys Asp His Ala Pro Asn Pro Cys Ile Glu Cys Gly Gln Lys Ser  
260 265 270

Leu His Leu His Pro Glu Thr Phe His His Leu Ser His Leu Glu Gly  
275 280 285

Leu Val Leu Lys Asp Ser Ser Leu His Thr Leu Asn Ser Ser Trp Phe  
290 295 300

Gln Gly Leu Val Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu  
305 310 315 320

Tyr Glu Ser Ile Asn His Thr Asn Ala Phe Gln Asn Leu Thr Arg Leu  
325 330 335

Arg Lys Leu Asn Leu Ser Phe Asn Tyr Arg Lys Lys Val Ser Phe Ala

340	345	350
Arg Leu His Leu Ala Ser Ser Phe Lys Asn Leu Val Ser Leu Gln Glu		
355	360	365
Leu Asn Met Asn Gly Ile Phe Phe Arg Ser Leu Asn Lys Tyr Thr Leu		
370	375	380
Arg Trp Leu Ala Asp Leu Pro Lys Leu His Thr Leu His Leu Gln Met		
385	390	395
		400
Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Thr Phe Arg Ala		
405	410	415
Leu Arg Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Pro Ser Thr		
420	425	430
Leu Ser Glu Ala Thr Pro Glu Glu Ala Asp Asp Ala Glu Gln Glu Glu		
435	440	445
Leu Leu Ser Ala Asp Pro His Pro Ala Pro Leu Ser Thr Pro Ala Ser		
450	455	460
Lys Asn Phe Met Asp Arg Cys Lys Asn Phe Lys Phe Thr Met Asp Leu		
465	470	475
		480
Ser Arg Asn Asn Leu Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu		
485	490	495
Ser Arg Leu Gln Cys Leu Ser Leu Ser His Asn Ser Ile Ala Gln Ala		
500	505	510
Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Gln Val Leu Asp		
515	520	525
Leu Ser His Asn Lys Leu Asp Leu Tyr His Trp Lys Ser Phe Ser Glu		
530	535	540
Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe		
545	550	555
		560
Ser Met Lys Gly Ile Gly His Asn Phe Ser Phe Val Ala His Leu Ser		
565	570	575



Met Leu His Ser Leu Ser Leu Ala His Asn Asp Ile His Thr Arg Val  
 580 585 590

Ser Ser His Leu Asn Ser Asn Ser Val Arg Phe Leu Asp Phe Ser Gly  
 595 600 605

Asn Gly Met Gly Arg Met Trp Asp Glu Gly Gly Leu Tyr Leu His Phe  
 610 615 620

Phe Gln Gly Leu Ser Gly Leu Leu Lys Leu Asp Leu Ser Gln Asn Asn  
 625 630 635 640

Leu His Ile Leu Arg Pro Gln Asn Leu Asp Asn Leu Pro Lys Ser Leu  
 645 650 655

Lys Leu Leu Ser Leu Arg Asp Asn Tyr Leu Ser Phe Phe Asn Trp Thr  
 660 665 670

Ser Leu Ser Phe Leu Pro Asn Leu Glu Val Leu Asp Leu Ala Gly Asn  
 675 680 685

~~Gln Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu~~  
~~690 695 700~~

~~Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Ser Val Val Pro Ala~~  
~~705 710 715 720~~

~~Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn~~  
~~725 730 735~~

Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn  
 740 745 750

Leu Thr Val Leu Asp Val Arg Ser Asn Pro Leu His Cys Ala Cys Gly  
 755 760 765

Ala Ala Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly  
 770 775 780

Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg  
 785 790 795 800

Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Val Leu Ser  
 805 810 815

Trp Asp Cys Phe Gly  
820

<210> 31

<211> 3200

<212> DNA

<213> Mus musculus

<400> 31

```

tgtcagaggg agcctcgagg gaatcctcca tctcccaaca tggttctccg tgaaggact      60
ctgcaccctt tgtccctcct ggtacaggct gcagtgtctg ctgagactct ggccctgggt      120
acctgacctg ccttctacc ctgtgagctg aagcctcatg gcctgggtga ctgcaattgg      180
ctgttcttga agtctgtacc ccgtttctct gcggcagcat cctgctcaa catcacccgc      240
ctctccttga tctccaaccg tatccaccac ctgcacaact ccgacttcgt ccacctgtcc      300
aacctgcggc agctgaacct caagtggaac tgtccacca ctggccttag cccctgcac      360
ttctcttgcc acatgaccat tgagcccaga accttctctg ctatgcgtac actggaggag      420
ctgaacctga gctataatgg tatcaccact gtgccccgac tgcccagctc cctgggtgaat      480
ctgagacctg gccacaccaa catcctgggt ctagatgcta acagcctcgc cggcctatac      540
agcctgcgcg ttctcttcat ggacgggaac tgctactaca agaaccctg cacaggagcg      600
gtgaagggtg cccagggcgc cctcctgggc ctgagcaatc tcacctctgt gtctctgaag      660
tataacaacc tcacaaaggt gcccgcgcaa ctgcccccca gectggagta cctcctgggt      720
tcctataacc tcattgtcaa gctggggcct gaagacctgg ccaatctgac ctcccttcga      780
gtacttgatg tgggtgggaa ttgccgtcgc tgcgacctag ccccaatcc ctgtatagaa      840
tgtggccaaa agtccctcca cctgcacctg gagaccttc atcacctgag ccatctggaa      900
ggcctgggtg tgaaggacag ctctctccat aactgaact cttcctgggt ccaagggtctg      960
gtcaacctct cggtgctgga cctaagcgag aactttctct atgaaagcat caaccacacc     1020
aatgcctttc agaacctaac ccgcctgcgc aagctcaacc tgccttcaa ttaccgcaag     1080
aaggatcctt ttgccgcct ccacctggca agttccttca agaacctggt gtcactgcag     1140
gagctgaaca tgaacggcat cttcttcgcg tcgctcaaca agtacacgct cagatggctg     1200
gccgatctgc ccaaactcca cactctgcat cttcaaatga acttcatcaa ccaggcacag     1260
ctcagcatct ttggtacctt ccgagccctt cgctttgtgg acttgtcaga caatcgcatt     1320
agtgggcctt caacgctgtc agaagccacc cctgaagagg cagatgatgc agagcaggag     1380
gagctgttgt ctgcggatcc tcaccagct ccactgagca cccctgcttc taagaacttc     1440

```

atggacaggt gtaagaactt caagttcacc atggacctgt ctcggaacaa cctggtgact	1500
atcaagccag agatgtttgt caatctctca cgctccagt gtcttagcct gagccacaac	1560
tccattgcac aggctgtcaa tggctctcag ttcttgccgc tgactaatct gcagggtgctg	1620
gacctgtccc ataacaaact ggacttgtag cactggaaat cgttcagtga gctaccacag	1680
ttgcaggccc tggacctgag ctacaacagc cagcccttta gcatgaaggg tataggccac	1740
aatttcagtt ttgtggccca tctgtccatg ctacacagcc ttagcctggc acacaatgac	1800
attcataccc gtgtgtcttc acatctcaac agcaactcag tgaggtttct tgacttcagc	1860
ggcaacggta tgggcccgcg gtgggatgag gggggccttt atctccattt cttccaaggc	1920
ctgagtggcc tgctgaagct ggacctgtct caaaataacc tgcatactct ccggccccag	1980
aaccttgaca acctcccaa gagcctgaag ctgctgagcc tccgagacaa ctacctatct	2040
ttctttaact ggaccagtct gtccttcttg cccaacctgg aagtcctaga cctggcaggc	2100
aaccagctaa aggcctgac caatggcacc ctgcctaata gcaccctct ccagaaactg	2160
gatgtcagca gcaacagtat cgtctctgtg gtcccagcct tcttcgctct ggcggtcgag	2220
ctgaaagagg tcaacctcag ccacaacatt ctcaagacgg tggatcgctc ctggtttggg	2280
cccatttga tgaacctgac agttcttagac gtgagaagca accctctgca ctgtgcctgt	2340
ggggcagcct tctgtagact tactgttggag gtgcagacca aggtgcctgg cctggctaata	2400
gggtgtgaagt gtggcagccc cgggcagctg cagggccgta gcatcttgc acaggacctg	2460
gggctgtgcc ttggatgaggt cctctcttgg gactgctttg gcctttcact cttggctgtg	2520
gccgtgggca ttgggtgtgcc tatactgcac catctctgcg gctgggacgt ctggtactgt	2580
tttcatctgt gcctggcatg gctacctttg ctggcccga gccagcgag cgcccaagct	2640
ctcccctatg atgccttcgt ggtgttcgat aaggcacaga gcgcagttgc ggactgggtg	2700
tataacgagc tgcgggtgcg gctggaggag cggcgcggtc gccgagccct acgcttgtgt	2760
ctggaggacc gagattggct gcctggccag acgctcttcg agaacctctg ggcttccatc	2820
tatgggagcc gcaagactct atttgtgctg gccacacgg accgcgtcag tggcctctg	2880
cgcaccagct tcctgctggc tcagcagcgc ctgttggaag accgcaagga cgtggtggtg	2940
ttggtgatcc tgcgtccgga tgcccaccgc tcccgtatg tgcgactgcg ccagcgtctc	3000
tgccgccaga gtgtgctctt ctggccccag cagcccaacg ggcagggggg cttctgggcc	3060
cagctgagta cagccctgac tagggacaac cgccacttct ataaccagaa cttctgccgg	3120
ggacctacag cagaatagct cagagcaaca gctggaaaca gctgcatctt catgcttgg	3180
tcccagttg ctctgcctgc	3200

<210> 32  
 <211> 2463  
 <212> DNA  
 <213> Mus musculus

<400> 32  
 atggttctcc gtcgaaggac tctgcacccc ttgtccctcc tggtagaggc tgcagtgtg 60  
 gctgagactc tggccctggg taccctgcct gccttcctac cctgtgagct gaagcctcat 120  
 ggctggtgg actgcaattg gctgttcctg aagtctgtac ccggtttctc tgcggcagca 180  
 tctgtctcca acatcacccg cctctccttg atctccaacc gtatccacca cctgcacaac 240  
 tccgacttcg tccacctgtc caacctgagg cagctgaacc tcaagtggaa ctgtccaccc 300  
 actggcctta gccccctgca cttctcttgc cacatgacca ttgagcccag aaccttctg 360  
 gctatgcgta cactggagga gctgaacctg agctataatg gtatcaccac tgtgccccga 420  
 ctgccagct ccctggtgaa tctgagcctg agccacacca acatcctggt tctagatgct 480  
 aacagcctcg ccggcctata cagcctgagg gttctcttca tggacgggaa ctgctactac 540  
 aagaaccctc gcacaggagg ggtgaagggtg acccaggcg ccctcctggg cctgagcaat 600  
 ctcacccatc tgtctctgaa gtataacaac ctcacaaagg tgccccgcca actgcccccc 660  
 agcctggagt acctcctggt gtcctataac ctcatgttca agctggggcc tgaagacctg 720  
 gccaatctga cctcccttcg agtacttgat gtgggtggga attgccgtcg ctgcgaccat 780  
 gcccccaatc cctgtataga atgtggccaa aagtcctcc acctgcaccc tgagaccttc 840  
 catcacctga gccatctgga aggcctggtg ctgaaggaca gctctctcca tacactgaac 900  
 tcttctggt tccaagggtc ggtcaacctc tcggtgctgg acctaaagca gaactttctc 960  
 tatgaaagca tcaaccacac caatgccttt cagaacctaa ccgcctgag caagctcaac 1020  
 ctgtccttca attaccgca gaaggatatc ttgtcccgcc tccacctggc aagttccttc 1080  
 aagaacctgg tgtcactgca ggagctgaac atgaacggca tcttcttcg ctgctcaac 1140  
 aagtacagc tcagatggct ggccgatctg cccaaactcc aactctgca tcttcaaagt 1200  
 aacttcacca accaggcaca gctcagcatc tttggtacct tccgagccct tcgctttgtg 1260  
 gacttgtcag acaatcgcat cagtgggcct tcaacgctgt cagaagccac ccctgaagag 1320  
 gcagatgatg cagagcagga ggagctgttg tctgcggatc ctcaccagc tccactgagc 1380  
 acccctgctt ctaagaactt catggacagg tgtaagaact tcaagttcac catggacctg 1440  
 tctcggaaca acctggtgac tatcaagcca gagatgtttg tcaatctctc acgcctccag 1500  
 tgtcttagcc tgagccacaa ctccattgca caggctgtca atggctctca gttcctgccc 1560

ctgactaatc tgcaggtgct ggacctgtcc cataacaaac tggacttgta ccactggaaa 1620  
 tcgttcagtg agctaccaca gttgcaggcc ctggacctga gctacaacag ccagcccttt 1680  
 agcatgaagg gtataggcca caatttcagt tttgtggccc atctgtccat gctacacagc 1740  
 cttagcctgg cacacaatga cattcatacc cgtgtgtcct cacatctcaa cagcaactca 1800  
 gtgaggtttc ttgacttcag cggcaacggt atgggccgca tgtgggatga ggggggcctt 1860  
 tatctccatt tcttccaagg cctgagtggc ctgctgaagc tggacctgtc tcaaaataac 1920  
 ctgcatatcc tccggcccca gaaccttgac aacctcccca agagcctgaa gctgctgagc 1980  
 ctccgagaca actacctatc tttctttaac tggaccagtc tgccttctc gcccaacctg 2040  
 gaagtccatg acctggcagg caaccagcta aaggccctga ccaatggcac cctgcctaata 2100  
 ggcaccctcc tccagaaact ggatgtcagc agcaacagta tcgtctctgt ggtcccagcc 2160  
 ttcttcgctc tggcggtcga gctgaaagag gtcaacctca gccacaacat tctcaagacg 2220  
 gtggatcgct cctggtttgg gccattgtg atgaacctga cagttctaga cgtgagaagc 2280  
 aaacctctgc actgtgcctg tggggcagcc ttcgtagact tactgttgga ggtgcagacc 2340  
 aaaggtgcctg gcctggctaa tgggtgtgaag tgtggcagcc ccggccagct gcagggccgt 2400  
 agcatcttcg cacaggacct ggcgctgtgc ctggatgagg tcctctcttg ggactgcttt 2460  
 ggcc 2463

<210> 33

<211> 1032

<212> PRT

<213> Homo sapiens

<400> 33

Met Gly Phe Cys Arg Ser Ala Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ile Met Leu Ala Met Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Met Ala Ala Pro Arg Gly Asn  
 50 55 60

Val Thr Ser Leu Ser Leu Ser Ser Asn Arg Ile His His Leu His Asp  
 65 70 75 80

Ser Asp Phe Ala His Leu Pro Ser Leu Arg His Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Val Gly Leu Ser Pro Met His Phe Pro Cys His Met  
 100 105 110

Thr Ile Glu Pro Ser Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Asn Ile Met Thr Val Pro Ala Leu Pro Lys Ser  
 130 135 140

Leu Ile Ser Leu Ser Leu Ser His Thr Asn Ile Leu Met Leu Asp Ser  
 145 150 155 160

Ala Ser Leu Ala Gly Leu His Ala Leu Arg Phe Leu Phe Met Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Arg Gln Ala Leu Glu Val Ala Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Val Val Pro Arg Asn Leu Pro Ser Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn Arg Ile Val Lys Leu Ala Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Pro Asn Pro Cys Met Glu Cys Pro Arg His Phe  
 260 265 270

Pro Gln Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Ser Trp Leu Asn Ala Ser Trp Phe  
 290 295 300

Arg Gly Leu Gly Asn Leu Arg Val Leu Asp Leu Ser Glu Asn Phe Leu

305	310	315	320
Tyr Lys Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Thr Gln Leu	325	330	335
Arg Lys Leu Asn Leu Ser Phe Asn Tyr Gln Lys Arg Val Ser Phe Ala	340	345	350
His Leu Ser Leu Ala Pro Ser Phe Gly Ser Leu Val Ala Leu Lys Glu	355	360	365
Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Asp Glu Thr Thr Leu	370	375	380
Arg Pro Leu Ala Arg Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met	385	390	395
Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Arg Ala Phe Pro Gly	405	410	415
Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ser Glu	420	425	430
<del>Leu Thr Ala Thr Met Gly Glu Ala Asp Gly Gly Glu Lys Val Trp Leu</del>	<del>435</del>	<del>440</del>	<del>445</del>
<del>Gln Pro Gly Asp Leu Ala Pro Ala Pro Val Asp Thr Pro Ser Ser Glu</del>	<del>450</del>	<del>455</del>	<del>460</del>
Asp Phe Arg Pro Asn Cys Ser Thr Leu Asn Phe Thr Leu Asp Leu Ser	465	470	475
Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser	485	490	495
His Leu Gln Cys Leu Arg Leu Ser His Asn Cys Ile Ser Gln Ala Val	500	505	510
Asn Gly Ser Gln Phe Leu Pro Leu Thr Gly Leu Gln Val Leu Asp Leu	515	520	525
Ser Arg Asn Lys Leu Asp Leu Tyr His Glu His Ser Phe Thr Glu Leu	530	535	540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Gly  
545 550 555 560

Met Gln Gly Val Gly His Asn Phe Ser Phe Val Ala His Leu Arg Thr  
565 570 575

Leu Arg His Leu Ser Leu Ala His Asn Asn Ile His Ser Gln Val Ser  
580 585 590

Gln Gln Leu Cys Ser Thr Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn  
595 600 605

Ala Leu Gly His Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe  
610 615 620

Gln Gly Leu Ser Gly Leu Ile Trp Leu Asp Leu Ser Gln Asn Arg Leu  
625 630 635 640

His Thr Leu Leu Pro Gln Thr Leu Arg Asn Leu Pro Lys Ser Leu Gln  
645 650 655

Val Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Lys Trp Trp Ser  
660 665 670

Leu His Phe Leu Pro Lys Leu Glu Val Leu Asp Leu Ala Gly Asn Arg  
675 680 685

Leu Lys Ala Leu Thr Asn Gly Ser Leu Pro Ala Gly Thr Arg Leu Arg  
690 695 700

Arg Leu Asp Val Ser Cys Asn Ser Ile Ser Phe Val Ala Pro Gly Phe  
705 710 715 720

Phe Ser Lys Ala Lys Glu Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala  
725 730 735

Leu Lys Thr Val Asp His Ser Trp Phe Gly Pro Leu Ala Ser Ala Leu  
740 745 750

Gln Ile Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala  
755 760 765

Ala Phe Met Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu  
770 775 780



Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Leu Ser  
785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp  
805 810 815

Asp Cys Phe Ala Leu Ser Leu Leu Ala Val Ala Leu Gly Leu Gly Val  
820 825 830

Pro Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His  
835 840 845

Leu Cys Leu Ala Trp Leu Pro Trp Arg Gly Arg Gln Ser Gly Arg Asp  
850 855 860

Glu Asp Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Thr Gln  
865 870 875 880

Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Gly Gln Leu Glu  
885 890 895

~~Glu Cys Arg Gly Arg Trp Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp~~  
~~900 905 910~~

~~Trp Leu Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr~~  
~~915 920 925~~

~~Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser~~  
~~930 935 940~~

Gly Leu Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu  
945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Ser Pro Asp Gly Arg  
965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val  
980 985 990

Leu Leu Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln  
995 1000 1005

Leu Gly Met Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg  
1010 1015 1020

Asn Phe Cys Gln Gly Pro Thr Ala Glu  
1025 1030

<210> 34  
<211> 820  
<212> PRT  
<213> Homo sapiens  
  
<400> 34

Met Gly Phe Cys Arg Ser Ala Leu His Pro Leu Ser Leu Leu Val Gln  
1 5 10 15

Ala Ile Met Leu Ala Met Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe  
20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu  
35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Met Ala Ala Pro Arg Gly Asn  
50 55 60

Val Thr Ser Leu Ser Leu Ser Ser Asn Arg Ile His His Leu His Asp  
65 70 75 80

Ser Asp Phe Ala His Leu Pro Ser Leu Arg His Leu Asn Leu Lys Trp  
85 90 95

Asn Cys Pro Pro Val Gly Leu Ser Pro Met His Phe Pro Cys His Met  
100 105 110

Thr Ile Glu Pro Ser Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
115 120 125

Asn Leu Ser Tyr Asn Asn Ile Met Thr Val Pro Ala Leu Pro Lys Ser  
130 135 140

Leu Ile Ser Leu Ser Leu Ser His Thr Asn Ile Leu Met Leu Asp Ser  
145 150 155 160

Ala Ser Leu Ala Gly Leu His Ala Leu Arg Phe Leu Phe Met Asp Gly  
165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Arg Gln Ala Leu Glu Val Ala Pro  
180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Val Val Pro Arg Asn Leu Pro Ser Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn Arg Ile Val Lys Leu Ala Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Pro Asn Pro Cys Met Glu Cys Pro Arg His Phe  
 260 265 270

Pro Gln Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly  
 275 280 285

~~Leu Val Leu Lys Asp Ser Ser Leu Ser Trp Leu Asn Ala Ser Trp Phe~~  
 290 295 300

~~Arg Gly Leu Gly Asn Leu Arg Val Leu Asp Leu Ser Glu Asn Phe Leu~~  
 305 310 315 320

~~Tyr Lys Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Thr Gln Leu~~  
 325 330 335

~~Arg Lys Leu Asn Leu Ser Phe Asn Tyr Gln Lys Arg Val Ser Phe Ala~~  
 340 345 350

His Leu Ser Leu Ala Pro Ser Phe Gly Ser Leu Val Ala Leu Lys Glu  
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Asp Glu Thr Thr Leu  
 370 375 380

Arg Pro Leu Ala Arg Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Arg Ala Phe Pro Gly  
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ser Glu

420	425	430
Leu Thr Ala Thr Met Gly Glu Ala Asp Gly Gly Glu Lys Val Trp Leu		
435	440	445
Gln Pro Gly Asp Leu Ala Pro Ala Pro Val Asp Thr Pro Ser Ser Glu		
450	455	460
Asp Phe Arg Pro Asn Cys Ser Thr Leu Asn Phe Thr Leu Asp Leu Ser		
465	470	475
480		
Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser		
485	490	495
His Leu Gln Cys Leu Arg Leu Ser His Asn Cys Ile Ser Gln Ala Val		
500	505	510
Asn Gly Ser Gln Phe Leu Pro Leu Thr Gly Leu Gln Val Leu Asp Leu		
515	520	525
Ser Arg Asn Lys Leu Asp Leu Tyr His Glu His Ser Phe Thr Glu Leu		
530	535	540
Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Gly		
545	550	555
560		
Met Gln Gly Val Gly His Asn Phe Ser Phe Val Ala His Leu Arg Thr		
565	570	575
Leu Arg His Leu Ser Leu Ala His Asn Asn Ile His Ser Gln Val Ser		
580	585	590
Gln Gln Leu Cys Ser Thr Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn		
595	600	605
Ala Leu Gly His Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe		
610	615	620
Gln Gly Leu Ser Gly Leu Ile Trp Leu Asp Leu Ser Gln Asn Arg Leu		
625	630	635
640		
His Thr Leu Leu Pro Gln Thr Leu Arg Asn Leu Pro Lys Ser Leu Gln		
645	650	655

Val Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Lys Trp Trp Ser  
660 665 670

Leu His Phe Leu Pro Lys Leu Glu Val Leu Asp Leu Ala Gly Asn Arg  
675 680 685

Leu Lys Ala Leu Thr Asn Gly Ser Leu Pro Ala Gly Thr Arg Leu Arg  
690 695 700

Arg Leu Asp Val Ser Cys Asn Ser Ile Ser Phe Val Ala Pro Gly Phe  
705 710 715 720

Phe Ser Lys Ala Lys Glu Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala  
725 730 735

Leu Lys Thr Val Asp His Ser Trp Phe Gly Pro Leu Ala Ser Ala Leu  
740 745 750

Gln Ile Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala  
755 760 765

Ala Phe Met Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu  
770 775 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Leu Ser  
785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp  
805 810 815

Asp Cys Phe Ala  
820

<210> 35  
<211> 3352  
<212> DNA  
<213> Homo sapiens

<400> 35  
aggctggtat aaaaatctta cttcctctat tctctgagcc gctgctgccc ctgtgggaag 60  
ggacctcgag tgtgaagcat ccttccctgt agctgctgtc cagtctgccc gccagacct 120  
ctggagaagc ccttgcccc cagcatgggt ttctgccgca gcgccctgca cccgctgtct 180  
ctcctggtgc aggccatcat gctggccatg accctggccc tgggtacctt gctgccttc 240  
ctaccctgtg agctccagcc ccacggcctg gtgaactgca actggctgtt cctgaagtct 300

gtgcccact tctccatggc agcaccocgt ggcaatgtca ccagcctttc cttgtcctcc	360
aaccgcatcc accacctcca tgattctgac tttgccacc tgcccagcct gcggcatctc	420
aacctcaagt ggaactgccc gccggttggc ctcagcccca tgcacttccc ctgccacatg	480
accatcgagc ccagcacctt cttggctgtg cccaccctgg aagagctaaa cctgagctac	540
aacaacatca tgactgtgcc tgcgctgccc aaatccctca tatccctgtc cctcagccat	600
accaacatcc tgatgctaga ctctgccagc ctgcgggcc tgcattgccct gcgcttccta	660
ttcatggacg gcaactgtta ttacaagaac ccctgcaggc aggcactgga ggtggccccg	720
ggtgccctcc ttggcctggg caacctcacc cacctgtcac tcaagtacaa caacctcact	780
gtggtgcccc gcaacctgcc ttccagcctg gagtatctgc tgttgtccta caaccgcatc	840
gtcaaactgg cgctgagga cctggccaat ctgaccgccc tgcgtgtgct cgatgtgggc	900
ggaaattgcc gccgctgcga ccacgctccc aaccttgca tggagtgcc tcgtcacttc	960
ccccagctac atcccgatac cttcagccac ctgagccgtc ttgaaggcct ggtgttgaag	1020
gacagttctc tctcctggct gaatgccagt tggttccgtg ggctgggaaa cctccgagt	1080
ctggacctga gtgagaactt cctctacaaa tgcatacta aaaccaaggc cttccagggc	1140
ctaacacagc tgcgcaagct taacctgtcc ttcaattacc aaaagagggt gtcctttgcc	1200
cacctgtctc tggccccttc cttcgggagc ctggtcgccc tgaaggagct ggacatgcac	1260
ggcatcttct tccgctcact cgatgagacc acgctccggc cactggcccg cctgcccattg	1320
ctccagactc tgcgtctgca gatgaacttc atcaaccagg cccagctcgg catcttcagg	1380
gccttccttg gcctgcgcta cgtggacctg tcggacaacc gcatcagcgg agcttcggag	1440
ctgacagcca ccatggggga ggcagatgga ggggagaagg tctggctgca gcctggggac	1500
cttgctccgg cccagtgga cactcccagc tctgaagact tcaggcccaa ctgcagcacc	1560
ctcaacttca ccttgatct gtcacggaac aacctggtga ccgtgcagcc ggagatgttt	1620
gcccagctct cgcacctgca gtgcctgcgc ctgagccaca actgcatctc gcaggcagtc	1680
aatggctccc agttcctgcc gctgaccggt ctgcagggtg tagacctgtc ccgcaataag	1740
ctggacctct accacgagca ctcatcagc gagctaccgc gactggaggc cctggacctc	1800
agctacaaca gccagccctt tggcatgcag ggcgtgggcc acaacttcag cttcgtggct	1860
cacctgcgca ccctgcgcca cctcagcctg gccacaaca acatccacag ccaagtgtcc	1920
cagcagctct gcagtacgtc gctgcgggcc ctggacttca gcggcaatgc actgggccat	1980
atgtgggccc agggagacct ctatctgcac ttcttccaag gcctgagcgg tttgatctgg	2040

ctggacttgt cccagaaccg cctgcacacc ctctgcccc aaaccctgcg caacctcccc 2100  
 aagagcctac aggtgctgcg tctccgtgac aattacctgg cttcttttaa gtggtggagc 2160  
 ctccacttcc tgcccaaaact ggaagtctc gacctggcag gaaaccggct gaaggccctg 2220  
 accaatggca gcctgcctgc tggcaccggt ctccggaggc tggatgtcag ctgcaacagc 2280  
 atcagcttcg tggcccccg cttcttttcc aaggccaagg agctgcgaga gctcaacctt 2340  
 agcgccaacg cctcaagac agtggaccac tcttggtttg ggccctggc gagtgccctg 2400  
 caaatactag atgtaagcg caaccctctg cactgcgct gtggggcggt ctttatggac 2460  
 ttctgtctgg aggtgcaggc tgcctgccc ggtctgcca gccgggtgaa gtgtggcagt 2520  
 ccggggccagc tccagggcct cagcatctt gcacaggacc tgcgcctctg cctggatgag 2580  
 gccctctctt gggactgttt cgcctctctg ctgtggctg tggctctggg cctgggtgtg 2640  
 cccatgctgc atcacctctg tggctgggac ctctggtact gcttccacct gtgcctggcc 2700  
 tggcttccct ggcgggggcg gcaaagtgg cgagatgagg atgccctgcc ctacgatgcc 2760  
 ttcgtggtct tcgacaaaac gcagagcgca gtggcagact ggggtgtacaa cgagcttcgg 2820  
 gggcagctgg aggtgtgctg tggggcgtg gcactccgcc tgtgcctgga ggaacgcgac 2880  
 tggctgctg gcaaaaccct ctttgagaac ctgtgggcct cggctctatgg cagccgcaag 2940  
 acgctgctg tgcgggcca caggaccgg gtcagtgtc tcttgccgc cagcttctg 3000  
 ctggccagc agcgcctgct ggaggaccgc aaggacgtc tggctgtgt gatcctgagc 3060  
 cctgaaggcc gcgcctcctg ctacgtgctg ctgcccagc gcctctgccc ccagagtgtc 3120  
 ctctctggtg cccaccagc cagtggtcag cgcagcttct gggccagct gggcatggcc 3180  
 ctgaccaggg acaaccacca cttctataac cggaacttct gccagggacc caggccgaa 3240  
 tagccgtgag ccggaatcct gcacggtgcc acctccacac tcacctcacc tctgcctgcc 3300  
 tggctgtacc ctccctgct cgcctcctc accccacacc tgacacagag ca 3352

<210> 36  
 <211> 2460  
 <212> DNA  
 <213> Homo sapiens

<400> 36  
 atgggtttct gccgcagcg cctgcacccg ctgtctctcc tgggtgcaggc catcatgctg 60  
 gccatgacct tggccctggg taccttgctt gccttcctac cctgtgagct ccagccccac 120  
 ggctgtgtga actgcaactg gctgttctct aagtctgtgc cccacttctc catggcagca 180  
 cccgtggca atgtcaccag ctttctctt tctccaacc gcatccacca cctccatgat 240

tctgactttg cccacctgcc cagcctgcgg catctcaacc tcaagtggaa ctgccgcgcg	300
gttggcctca gcccacatgca cttccccctgc cacatgacca tcgagcccag cacctttcttg	360
gctgtgcccc ccttgaaga gctaaacctg agctacaaca acatcatgac tgtgcctgcg	420
ctgccccaat cctcatatc cctgtccctc agccatacca acatcctgat gctagactct	480
gccagcctcg cgggcctgca tgccctgcgc ttctattca tggacggcaa ctgttattac	540
aagaacccct gcaggcaggc actggagggtg gccccgggtg cctccttgg cctgggcaac	600
ctcaccacc tgctactcaa gtacaacaac ctactgtgg tgccccgcaa cctgccttcc	660
agcctggagt atctgctgtt gtctacaac cgcctcgtca aactggcgcc tgaggacctg	720
gccaatctga cggccctgcg tgtgctcgat gtgggcggaa attgcgcgcg ctgcgaccac	780
gttcccaacc cctgcatgga gtgcctcgt cacttcccc agctacatcc cgataccttc	840
agccacctga gccgtcttga aggcctgggtg ttgaaggaca gttctctctc ctggtgaat	900
gccagttggt tccgtgggct gggaaacctc cgagtgtgg acctgagtga gaacttctc	960
tacaaatgca tcaactaaaac caaggccttc cagggcctaa cacagctgcg caagcttaac	1020
ctgtccttca attacaaaa gaggggtgtcc ttgtcccacc tgtctctggc cccttcttc	1080
gggagcctgg tcgcctgaa ggagctggac atgcacggca tcttcttcg ctactcgat	1140
gagaccagc tcggccact ggccgcctg cccatgtcc agactctgcg tctgcagatg	1200
aacttcctca accaggccca gctcggcatc ttcaaggcct tccctggcct gcgctacgtg	1260
gacctgtcgg acaaccgcat cagcggagct tcggagctga cagccaccat gggggaggca	1320
gatggagggg agaaggtctg gctgcagcct ggggaccttg ctccggcccc agtggacact	1380
cccagctctg aagacttcag gcccaactgc agcaccctca acttcacctt ggatctgtca	1440
cggacaacc tgggtgaccgt gcagcggag atgtttgcc agctctcgca cctgcagtgc	1500
ctgcgcctga gccacaactg catctcgcag gcagtcaatg gctcccagtt cctgccgctg	1560
accggtctgc aggtgctaga cctgtccgc aataagctgg acctctacca cgagcactca	1620
ttcacggagc taccgcgact ggaggccctg gacctcagct acaacagcca gccctttggc	1680
atgcagggcg tgggccacaa cttcagcttc gtggctcacc tgcgaccct gcgccacctc	1740
agcctggccc acaacaacat ccacagccaa gtgtcccagc agctctgcag tacgtcgtg	1800
cgggccttg acttcagcgg caatgcactg ggccatatgt gggccgagg agacctctat	1860
ctgcacttct tccaaggcct gagcggtttg atctggctgg acttgctcca gaaccgcctg	1920
cacacctcc tgccccaaac cctgcgcaac ctcccaaga gcctacaggt gctgcgtctc	1980
cgtgacaatt acctggcctt ctttaagtgg tggagcctcc acttctgcc caaactggaa	2040



gtcctcgacc tggcaggaaa ccggetgaag gccctgacca atggcagcct gcctgctggc 2100  
 acccggtctcc ggaggctgga tgtcagctgc aacagcatca gcttcgtggc ccccggttc 2160  
 ttttccaagg ccaaggagct gcgagagctc aaccttagcg ccaacgccct caagacagtg 2220  
 gaccactcct ggtttgggcc cctggcgagt gccctgcaaa tactagatgt aagcgccaac 2280  
 cctctgcact gcgcctgtgg ggcggccttt atggacttcc tgctggaggt gcaggctgcc 2340  
 gtgcccggtc tgcccagccg ggtgaagtgt ggcagtccgg gccagctcca gggcctcagc 2400  
 atctttgcac aggacctgcg cctctgcctg gatgaggccc tctcctggga ctgtttcgcc 2460

<210> 37

<211> 26

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 37

\*accttgcctgaccttctacc ctgtga

26

\*<210> 38

\*<211> 21

\*<212> DNA

\*<213> Artificial sequence

\*<220>

\*<223> Synthetic oligonucleotide

\*<400> 38

\*gtccgtgtgggccagcaca.a

21

<210> 39

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 39

tccatgacgt ttttgatgtt

20

<210> 40

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 40  
tccataacgt ttttgatggt 20

<210> 41  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 41  
tccatcacgt ttttgatggt 20

<210> 42  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 42  
tccattacgt ttttgatggt 20

<210> 43  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 43  
tccatggcgt ttttgatggt 20

<210> 44  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 44  
tccatgccgt ttttgatggt 20

<210> 45  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 45  
tccatgtcgt ttttgatggt 20

<210> 46  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 46  
tccatgatgt ttttgatggt 20

<210> 47  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 47  
tccatgaagt ttttgatggt 20

<210> 48  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 48  
tccatgaggt ttttgatggt 20

<210> 49  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 49  
tccatgacat ttttgatggt 20

<210> 50  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 50  
tccatgacct ttttgatggt 20

<210> 51  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 51  
tccatgactt ttttgatggt 20

<210> 52  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 52  
tccatgacgc ttttgatggt 20

<210> 53  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 53  
tccatgacga ttttgatggt 20

<210> 54  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 54  
tccatgacgg ttttgatggt 20

<210> 55  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 55  
tccatgacgt ctttgatggt 20

<210> 56  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 56  
tccatgacgt atttgatggt 20

<210> 57  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 57  
tccatgacgt gtttgatggt 20

<210> 58  
<211> 24  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 58  
tcgctgctttt gtcgcttttgt cggt 24

<210> 59  
<211> 24  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 59  
tgctgctttt gtgcttttgt gctt 24

<210> 60  
<211> 20  
<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 60

tccatgacgt tcctgatgct

20

<210> 61

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 61

tccatgagct tcctgatgct

20

<210> 62

<211> 16

<212> PRT

<213> Artificial sequence

<220>

<223> Consensus oligopeptide

<220>

<221> MISC\_FEATURE

<222> (4)..(5)

<223> Any amino acid

<220>

<221> MISC\_FEATURE

<222> (7)..(12)

<223> Any amino acid

<220>

<221> MISC\_FEATURE

<222> (14)..(15)

<223> Any amino acid

<400> 62

Gly Asn Cys Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Cys

1

5

10

15

<210> 63

<211> 16

<212> PRT

<213> Homo sapiens

<400> 63

Gly Asn Cys Arg Arg Cys Asp His Ala Pro Asn Pro Cys Met Glu Cys  
 1 5 10 15

<210> 64  
 <211> 16  
 <212> PRT  
 <213> Mus musculus

<400> 64

Gly Asn Cys Arg Arg Cys Asp His Ala Pro Asn Pro Cys Met Ile Cys  
 1 5 10 15

<210> 65  
 <211> 31  
 <212> PRT  
 <213> Artificial sequence

<220>  
 <223> Consensus oligopeptide

<220>  
 <221> MISC\_FEATURE  
 <222> (2)..(8)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (10)..(10)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (12)..(12)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (14)..(22)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (25)..(30)  
 <223> Any amino acid

<400> 65

Arg Xaa Xaa Xaa Xaa Xaa Xaa Arg Xaa Asp Xaa Tyr Xaa Xaa Xaa  
 1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Arg Ser Xaa Xaa Xaa Xaa Xaa Xaa Tyr  
 20 25 30

<210> 66  
 <211> 31  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> MISC\_FEATURE  
 <222> (2)..(8)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (10)..(10)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (12)..(12)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (14)..(22)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (25)..(30)  
 <223> Any amino acid

<400> 66

Gln Xaa Xaa Xaa Xaa Xaa Xaa Xaa Lys Xaa Asp Xaa Tyr Xaa Xaa Xaa  
 1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Arg Leu Xaa Xaa Xaa Xaa Xaa Xaa Tyr  
 20 25 30

<210> 67  
 <211> 31  
 <212> PRT  
 <213> Mus musculus

<220>  
 <221> MISC\_FEATURE  
 <222> (2)..(8)  
 <223> Any amino acid



<220>  
 <221> MISC\_FEATURE  
 <222> (10)..(10)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (12)..(12)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (14)..(22)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (25)..(30)  
 <223> Any amino acid

<400> \*67

Gln Xaa Xaa Xaa Xaa Xaa Xaa Xaa Lys Xaa Asp Xaa Tyr Xaa Xaa Xaa  
 1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Gln Leu Xaa Xaa Xaa Xaa Xaa Tyr  
 20 25 30

<210> \*68

<211> \*31

<212> \*PRT

<213> \*Homo sapiens

<400> \*68

Gln Val Leu Asp Leu Ser Arg Asn Lys Leu Asp Leu Tyr His Glu His  
 1 5 10 15

Ser Phe Thr Glu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr  
 20 25 30

<210> 69  
 <211> 31  
 <212> PRT  
 <213> Mus musculus

<400> 69

Gln Val Leu Asp Leu Ser His Asn Lys Leu Asp Leu Tyr His Trp Lys

1

5

10

15

Ser Phe Ser Glu Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr  
20 25 30

<210> 70

<211> 20

<212> DNA

<213> Artificial sequence

**<220>**

<223> Synthetic oligonucleotide

<400> 70

tccaggactt ctctcagggtt

20